

Bauske, Shelly A.

From: Tiffany Jacobs <tiffany@northwestscale.com>
Sent: Tuesday, November 22, 2016 2:50 PM
To: Gallion, Joshua C.; Bauske, Shelly A.
Cc: jim@northwestscale.com; josh.roppel@chsinc.com
Subject: CHS Langdon - Permanent Variance Permit
Attachments: CHS, Inc. Langdon - ND Request for Permanent Variance 2016.pdf; CHS - Langdon, ND Scale SN#56DN Test Reports - Temporary Variance Years.pdf; CHS - Langdon, ND Scale SN#56E2 Test Reports - Temporary Variance Years.pdf

Hi Josh & Shelly,

On behalf of CHS, Inc.; please see the attached Request for Permanent Variance for their two truck scales with floating slab foundations which we installed in 2014 at the Langdon, ND site. I've also attached copies of the test reports for their temporary variance years.

Please let us know if you have any questions or need any further information.

Thank you,
Tiffany Jacobs

Northwest Scale, Inc.
2210 Main Avenue East, Suite 2A
West Fargo, ND 58078
Phone: (701) 298-9527
Fax: (701) 356-9520
www.northwestscale.com

This e-mail is intended only for the person or entity to which it is addressed and may contain information that is privileged, confidential or otherwise protected from disclosure. Dissemination, distribution or copying of this e-mail or the information herein by anyone other than the intended recipient, or an employee or agent responsible for delivering the message to the intended recipient is prohibited. If you have received this e-mail in error, please immediately notify us by responding to this e-mail and delete it from your records.

11/22/2016

ND Public Service Commission
Testing & Safety Division
600 East Boulevard Avenue
Bismarck, ND 58505

Request for a Permanent Variance Permit:

CHS, Inc. d.b.a. CHS – Milton Group (CHS) is requesting a permanent variance permit for the completed installation of two truck scales. We request to continue to operate in commerce these scales with floating slab foundations that are located at the following site:

CHS Langdon East Terminal
10617 92nd Street NE
Langdon, ND 58249

Both truck scales are above ground RLWS SURVIVOR® OTR Model EZ11712-SC-100-OTR truck scales with guide rails. The deck size is 117' x 12'. The concentrated load capacity (CLC) is 100,000lbs. The truck scale serial numbers at the Langdon Site are 56E2 & 56DN.

CHS complied with all conditions set forth in the Temporary Variance Permit Approval (Case No. WM-13-809, Permit No. 491 & 492). Please see the enclosed scale test reports completed by Northwest Scale, Inc. for your review. The scale test reports show that the scales have held calibration throughout the temporary variance permit trial years.

Upon receipt of a permanent variance, CHS will continue to operate the scales according to all applicable North Dakota laws and rules, including having the scales tested by a registered service company on an annual basis.

Please let me know if you have any questions regarding this request, or if you require any further information. Thank you for your consideration.

Respectfully,

Josh Roppel
CHS – Milton Group
Langdon Terminal
josh.roppe@chsinc.com

Jim Jacobs
Northwest Scale, Inc.
ND Registered Service Company
jim@northwestscale.com

Northwest Scale, Inc.

2210 Main Ave E, Ste 2A
West Fargo, ND 58078-2221

Phone: (701) 298-9527
Fax: (701) 356-9520

www.northwestscale.com
info@northwestscale.com

Date 6/23/14	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS			<input checked="" type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
Mailing Address 10617 92nd ST. NCL			<input checked="" type="checkbox"/> Modified Equipment	<input checked="" type="checkbox"/> Use as a Reference Scale
City LANGDON	State ND	Zip Code 58249	<input checked="" type="checkbox"/> Replaced Existing Equipment	<input checked="" type="checkbox"/> Non-Commercial
County CAVALIER	Telephone Number 701-256-2462	Cell Phone Number 701-318-3513	<input checked="" type="checkbox"/> Variance Permit Posted; Exp. Date: 10.10.2014	
Device Contact Person/Manager JOSH			<input checked="" type="checkbox"/> Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
E-mail Address JOSH.ROPPAL@CHSINC.COM			<input checked="" type="checkbox"/> Software is NTEP Approved	
Device Location H-1 SOUTH OF LANGDON IN SCALE			<input checked="" type="checkbox"/> Built-In Standards; Date Certified: _____	
			<input checked="" type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping & Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
			<input checked="" type="checkbox"/> In Response to PSC Quality Assurance Inspection	

SCALE INFORMATION

Scale Manufacturer MILLER	Indicator Manufacturer/Model MILLER 920C	Indicator Serial Number 167D700081	Weighing Elements 12 LOAD CELLS
Capacity/Divisions/Units 160,000 lbs x 20 lbs.	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class 111 L	Printer Manufacturer/Model COMPUTER SYSTEM
Deck Size 117' x 12'	Clearance (Inches) 12" PITLESS	Approach (12' Concrete Level) YES	Hard Surface Approach (Length/Slope/Condition) 11' x 103' / NEW
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = 1.4d = 20 lb.	LOADED = 1.4d = 20 lb.	Motion Detection Range = 60 lb.	AZSM (Auto Zero) Range = 60 lb.

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors +/-		LBP / Section / Product Weight	Value of Test Weights Used	Errors +/-	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs		0				
#2	}		0	SECTION			
#3			0	#1	20,000 lbs		0
#4			0	#2			0
#5			0	#3			0
#6			0	#4			0
#7			0	#5			0
#8			0	#6	20,000 lbs		0
#9			0				
#10			0	B/C	0 lbs		0
#11			0				
#12	10,000 lbs		0				
B/C	0 lbs.		0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	1	4	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	56,180	56,160/180	PLACED IN SERVICE A NEW TRUCK SCALE.
Test Weight	20,000	20,000	
Empty Truck Weight	36,180	36,180	
Errors	0	0/-20	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N		
Date: 2014 Type: LOAD	Audit Trail Information:		
Meets tolerance in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance			
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			
Permit Holder Signature 	Permit No. 1358		TRUCK SCALE S/N #5622
Operator Signature	Date		

Northwest Scale, Inc.

2210 Main Ave E, Ste 2A
West Fargo, ND 58078-2221

Phone: (701) 298-9527
Fax: (701) 356-9520

www.northwestscale.com
info@northwestscale.com

Date 9/23/2014	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dbS CHS - Milton Group			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
City Milton			<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
State ND			<input type="checkbox"/> Variance Permit Posted; Exp. Date: <u>6/23/2015</u>	
Zip Code 58260			<input type="checkbox"/> Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
County Cavalier			<input type="checkbox"/> Software is NTEP Approved	
Telephone Number 701-496-3141			<input type="checkbox"/> Built-In Standards; Date Certified: <u>NA</u>	
Device Contact Person/Manager Josh Roppel			<input type="checkbox"/> Multiple Decks/Single Indicator	<input type="checkbox"/> Customer Has Clear View
Cell Phone Number 701-256-2462			<input type="checkbox"/> Clearance Below Scale Clear	<input type="checkbox"/> Video Camera Working
E-mail Address josh.roppe@chsinc.com			<input type="checkbox"/> Approach Requirements Met	<input type="checkbox"/> View Distance > 200'
Device Location Langdon IN Scale - 123 4th Ave, Langdon, ND 58249			<input type="checkbox"/> Pit Coping & Crush Strip Good	<input type="checkbox"/> Two-Way Audio Working
			<input type="checkbox"/> In Response to PSC Quality Assurance Inspection	


SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number 1670700081	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class IIIL	Printer Manufacturer/Model Computer System
Deck Size 117' x 12'	Clearance (Inches) 12" (Pitless)	Approach (12' Concrete Level) 12' Concrete, Good	Printer Serial Number NA
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = <u>1.4d = 2d</u> lb. LOADED = <u>1.4d = 2d</u> lb.		Motion Detection Range = <u>60</u> lb.	Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good
		AZSM (Auto Zero) Range = <u>60</u> lb.	

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -		LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0	0
LBP #2	10,000 lbs	0	0	Section #2	20,000 lbs	0	0
LBP #3	10,000 lbs	0	0	Section #3	20,000 lbs	0	0
LBP #4	10,000 lbs	0	0	Section #4	20,000 lbs	0	0
LBP #5	10,000 lbs	0	0	Section #5	20,000 lbs	0	0
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3 (IN)	6 (IN)	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	57,280	57,300	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	37,280	37,300	NA	
Errors	0	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Date: <u>2014</u> Type: <u>Lead</u>	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N Audit Trail Information: <u>NA</u>			Tested scale, made no adjustments.
Meets tolerance in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature 	Permit No. 1637			
Operator Signature	Date 9/23/2014			

Date 1/27/2015	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dba CHS - Milton Group			<input type="checkbox"/> N New Installation (w/ RFI Check)	<input type="checkbox"/> N Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> N Modified Equipment	<input type="checkbox"/> N Use as a Reference Scale
City Milton	State ND	Zip Code 58260	<input type="checkbox"/> N Replaced Existing Equipment	<input type="checkbox"/> N Non-Commercial
County Cavalier	Telephone Number 701-496-3141		<input type="checkbox"/> Y Variance Permit Posted; Exp. Date: 6/23/2015	
Device Contact Person/Manager Josh Roppel	Cell Phone Number 701-256-2462		<input type="checkbox"/> NA Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
E-mail Address josh.roppe@chsinc.com			<input type="checkbox"/> NA Software is NTEP Approved	
Device Location Langdon IN Scale - 123 4th Ave, Langdon, ND 58249			<input type="checkbox"/> NA Built-In Standards; Date Certified: NA	
			<input type="checkbox"/> N Multiple Decks/Single Indicator	<input type="checkbox"/> Y Customer Has Clear View
			<input type="checkbox"/> Y Clearance Below Scale Clear	<input type="checkbox"/> Y Video Camera Working
			<input type="checkbox"/> Y Approach Requirements Met	<input type="checkbox"/> Y View Distance > 200'
			<input type="checkbox"/> Y Pit Coping & Crush Strip Good	<input type="checkbox"/> Y Two-Way Audio Working
			<input type="checkbox"/> N In Response to PSC Quality Assurance Inspection	


SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number Scale:56E2 / Ind:1670700081	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class IIIL	Printer Manufacturer/Model Computer System
Printer Serial Number NA	Deck Size 117' x 12'	Clearance (Inches) 12" (Pitless)	Approach (12' Concrete Level) 12' Concrete, Good
Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good	SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = 1.4d = 2d lb. LOADED = 1.4d = 2d lb.	Motion Detection Range = 60 lb.	AZSM (Auto Zero) Range = 60 lb.

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -		LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0	0
LBP #2	10,000 lbs	0	0	Section #2	20,000 lbs	-20	-20
LBP #3	10,000 lbs	-20	-20	Section #3	20,000 lbs	-20	-20
LBP #4	10,000 lbs	-20	-20	Section #4	20,000 lbs	0	0
LBP #5	10,000 lbs	0	0	Section #5	20,000 lbs	0	0
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3/I	6/I	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	57,580	57,600	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	37,600	37,600	NA	
Errors	-20	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N		Tested scale, made no adjustments.	
Date: _____ Type: Lead	Audit Trail Information: NA			
Meets tolerance in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature 			Permit No. 1637	
Operator Signature _____			Date _____	

Date 5/20/2015	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dbs CHS - Milton Group			<input type="checkbox"/> N New Installation (w/ RFI Check)	<input type="checkbox"/> N Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> N Modified Equipment	<input type="checkbox"/> N Use as a Reference Scale
City Milton			<input type="checkbox"/> N Replaced Existing Equipment	<input type="checkbox"/> N Non-Commercial
State ND			Y Variance Permit Posted; Exp. Date: <u>6/23/2015</u>	
Zip Code 58260			<input type="checkbox"/> NA Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
County Cavalier			<input type="checkbox"/> NA Software is NTEP Approved	
Telephone Number 701-496-3141			<input type="checkbox"/> NA Built-In Standards; Date Certified: <u>NA</u>	
Cell Phone Number 701-256-2462			<input type="checkbox"/> N Multiple Decks/Single Indicator	
E-mail Address josh.roppe@chsinc.com			<input type="checkbox"/> Y Clearance Below Scale Clear	
Device Location Langdon IN Scale - 123 4th Ave, Langdon, ND 58249			<input type="checkbox"/> Y Approach Requirements Met	
			<input type="checkbox"/> Y Pit Coping & Crush Strip Good	
			<input type="checkbox"/> N In Response to PSC Quality Assurance Inspection	
			<input type="checkbox"/> Y Customer Has Clear View	
			<input type="checkbox"/> Y Video Camera Working	
			<input type="checkbox"/> Y View Distance > 200'	
			<input type="checkbox"/> Y Two-Way Audio Working	


SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number Scale:56E2 / Ind:1670700081	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class IIIL	Printer Manufacturer/Model Computer System
Deck Size 117' x 12'	Clearance (Inches) 12" (Pitless)	Approach (12' Concrete Level) 12' Concrete, Good	Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = <u>1.4d = 2d</u> lb. LOADED = <u>1.4d = 2d</u> lb.		Motion Detection Range = <u>60</u> lb.	AZSM (Auto Zero) Range = <u>60</u> lb.

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -		LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0	0
LBP #2	10,000 lbs	0	0	Section #2	20,000 lbs	-20	-20
LBP #3	10,000 lbs	-20	-20	Section #3	20,000 lbs	-20	-20
LBP #4	10,000 lbs	-20	-20	Section #4	20,000 lbs	0	0
LBP #5	10,000 lbs	0	0	Section #5	20,000 lbs	0	0
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3/I	6/I	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	57,580	57,600	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	37,600	37,600	NA	
Errors	-20	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N		Tested scale, made no adjustments.	
Date: _____ Type: Lead	Audit Trail Information: NA			
Meets tolerance in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature 			Permit No. 1398	
Operator Signature _____			Date _____	

Date 12/21/2015	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dbs CHS - Milton Group			<input type="checkbox"/> N New Installation (w/ RFI Check)	<input type="checkbox"/> Y Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> N Modified Equipment	<input type="checkbox"/> N Use as a Reference Scale
City Milton	State ND	Zip Code 58260	<input type="checkbox"/> Y Replaced Existing Equipment	<input type="checkbox"/> N Non-Commercial
County Cavalier	Telephone Number 701-496-3141		<input type="checkbox"/> Y Variance Permit Posted; Exp. Date: 8/31/2016	
Device Contact Person/Manager Josh Roppel	Cell Phone Number 701-256-2462		<input type="checkbox"/> NA Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
E-mail Address josh.roppe@chsinc.com			<input type="checkbox"/> NA Software is NTEP Approved	
Device Location Langdon IN Scale - 10617 92nd Street NE; Langdon, ND 58249			<input type="checkbox"/> NA Built-In Standards; Date Certified: NA	
			<input type="checkbox"/> N Multiple Decks/Single Indicator	<input type="checkbox"/> Y Customer Has Clear View
			<input type="checkbox"/> Y Clearance Below Scale Clear	<input type="checkbox"/> Y Video Camera Working
			<input type="checkbox"/> Y Approach Requirements Met	<input type="checkbox"/> Y View Distance > 200'
			<input type="checkbox"/> Y Pit Coping & Crush Strip Good	<input type="checkbox"/> Y Two-Way Audio Working
			<input type="checkbox"/> N In Response to PSC Quality Assurance Inspection	

SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number Scale:56E2 / Ind:1739600032	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class IIIL	Printer Manufacturer/Model Computer System
Printer Serial Number NA	Deck Size 117' x 12'	Clearance (Inches) 12" (Pitless)	Approach (12' Concrete Level) 12' Concrete, Good
Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good	SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = 1.4d = 2d lb. LOADED = 1.4d = 2d lb.	Motion Detection Range = 60 lb.	AZSM (Auto Zero) Range = 60 lb.

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -		LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0	0
LBP #2	10,000 lbs	-0/-20	0	Section #2	20,000 lbs	0	0
LBP #3	10,000 lbs	0	0	Section #3	20,000 lbs	0	0
LBP #4	10,000 lbs	0	0	Section #4	20,000 lbs	0	0
LBP #5	10,000 lbs	0	0	Section #5	20,000 lbs	0	0
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3/I	6/I	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	56,600	56,600	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	36,620	36,600	NA	
Errors	-20	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N		Replaced digital indicator after power was shorted out to remote display. Also replaced main cpu on remote display. Remved 920i serial # 1670700081	
Date: 2015 Type: Lead	Audit Trail Information: NA			
Meets tolerance in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature			1398	
Operator Signature			Date	

Date 4/12/2016	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dba CHS - Milton Group			<input type="checkbox"/> N New Installation (w/ RFI Check)	<input type="checkbox"/> N Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> N Modified Equipment	<input type="checkbox"/> N Use as a Reference Scale
City Milton			<input type="checkbox"/> N Replaced Existing Equipment	<input type="checkbox"/> N Non-Commercial
State ND			Y Variance Permit Posted; Exp. Date: 6/23/2015	
Zip Code 58260			NA Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
County Cavalier			NA Software is NTEP Approved	
Telephone Number 701-496-3141			NA Built-In Standards; Date Certified: NA	
Cell Phone Number 701-256-2462			<input type="checkbox"/> N Multiple Decks/Single Indicator	
E-mail Address josh.roppe@chsinc.com			<input type="checkbox"/> Y Clearance Below Scale Clear	
Device Location Langdon IN Scale - 10617 92nd Street NE; Langdon, ND 58249			<input type="checkbox"/> Y Approach Requirements Met	
			<input type="checkbox"/> Y Pit Coping & Crush Strip Good	
			<input type="checkbox"/> N In Response to PSC Quality Assurance Inspection	
			<input type="checkbox"/> Y Customer Has Clear View	
			<input type="checkbox"/> Y Video Camera Working	
			<input type="checkbox"/> Y View Distance > 200'	
			<input type="checkbox"/> Y Two-Way Audio Working	

SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number Scale:56E2 / Ind:1739600032	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Printer Manufacturer/Model Computer System	Printer Serial Number NA
Deck Size 117' x 12'	Class IIIL	Approach (12' Concrete Level) 12' Concrete, Good	Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = 1.4d = 2d lb.	Clearance (Inches) 12" (Pitless)	Motion Detection Range = 60 lb.	AZSM (Auto Zero) Range = 60 lb.
LOADED = 1.4d = 2d lb.			

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -		LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0	0
LBP #2	10,000 lbs	-20	-20	Section #2	20,000 lbs	0	0
LBP #3	10,000 lbs	0	0	Section #3	20,000 lbs	0	0
LBP #4	10,000 lbs	0	0	Section #4	20,000 lbs	0	0
LBP #5	10,000 lbs	0/-20	0/-20	Section #5	20,000 lbs	0	0
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3/I	6/I	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	56,280	56,280	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	36,280	36,280	NA	
Errors	0	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N			Tested scale and made no adjustments.
Date: 2015 Type: Lead	Audit Trail Information: NA			
Meets tolerance in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature	1398		Permit No.	
Operator Signature			Date	

Northwest Scale, Inc.

2210 Main Ave E, Ste 2A
West Fargo, ND 58078-2221

Phone: (701) 298-9527
Fax: (701) 356-9520

www.northwestscale.com
info@northwestscale.com

Date 11/9/2016	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dba CHS - Milton Group			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
City Milton			<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
State ND			Y Variance Permit Posted; Exp. Date: <u>8/31/2016</u>	
Zip Code 58260			NA Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
County Cavalier			NA Software is NTEP Approved	
Telephone Number 701-496-3141			NA Built-In Standards; Date Certified: <u>NA</u>	
Cell Phone Number 701-256-2462			N Multiple Decks/Single Indicator <input type="checkbox"/> Customer Has Clear View <input type="checkbox"/>	
E-mail Address josh.roppe@chsinc.com			Y Clearance Below Scale Clear <input type="checkbox"/> Video Camera Working <input type="checkbox"/>	
Device Location Langdon IN Scale - 10617 92nd Street NE; Langdon, ND 58249			Y Approach Requirements Met <input type="checkbox"/> View Distance > 200' <input type="checkbox"/>	
			Y Pit Coping & Crush Strip Good <input type="checkbox"/> Two-Way Audio Working <input type="checkbox"/>	
			N In Response to PSC Quality Assurance Inspection <input type="checkbox"/>	


SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number Scale:56E2 / Ind:1739600032	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Printer Manufacturer/Model Computer System	Printer Serial Number NA
Deck Size 117' x 12'	Class IIIL	Approach (12' Concrete Level) 12' Concrete, Good	Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = <u>1.4d = 2d</u> lb.	Clearance (Inches) 12" (Pitless)	Motion Detection Range = <u>60</u> lb.	AZSM (Auto Zero) Range = <u>60</u> lb.

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -		LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0	0
LBP #2	10,000 lbs	0/-20	0/-20	Section #2	20,000 lbs	-20	-20
LBP #3	10,000 lbs	0	0	Section #3	20,000 lbs	0	0
LBP #4	10,000 lbs	0/-20	0/-20	Section #4	20,000 lbs	-20	-20
LBP #5	10,000 lbs	0/-20	0/-20	Section #5	20,000 lbs	-20	-20
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3 (I)	6 (I)	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	56,800	56,800	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	36,800	36,800	NA	
Errors	0	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N			Tested scale and made no adjustments.
Date: <u>2015</u> Type: <u>Lead</u>	Audit Trail Information: <u>NA</u>			
Meets tolerance in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature 	Permit No. 1637			
Operator Signature	Date			

Northwest Scale, Inc.

2210 Main Ave E, Ste 2A
West Fargo, ND 58078-2221

Phone: (701) 298-9527
Fax: (701) 356-9520

www.northwestscale.com
info@northwestscale.com

Date 6/23/14	PSC Device Code 3VL	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business GHS			<input checked="" type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
Mailing Address 10617 92nd ST. NE			<input checked="" type="checkbox"/> Modified Equipment	<input checked="" type="checkbox"/> Use as a Reference Scale
City LANGDON	State ND	Zip Code 58249	<input checked="" type="checkbox"/> Replaced Existing Equipment	<input checked="" type="checkbox"/> Non-Commercial
County CAVALIER	Telephone Number 701-256-2462	Cell Phone Number 701-318-3573	<input checked="" type="checkbox"/> Variance Permit Posted; Exp. Date: 10.10.2014	
Device Contact Person/Manager JOSH			<input checked="" type="checkbox"/> Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
E-mail Address JOSH.ROPPEL@CHSINC.COM			<input checked="" type="checkbox"/> Software is NTEP Approved	
Device Location H-1 SOUTH OF LANGDON "OUT SCALE"			<input checked="" type="checkbox"/> Built-In Standards; Date Certified: _____	
			<input checked="" type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping & Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
			<input checked="" type="checkbox"/> In Response to PSC Quality Assurance Inspection	

SCALE INFORMATION

Scale Manufacturer MILL LARK DTR	Indicator Manufacturer/Model MILL LARK 920i	Indicator Serial Number 1670700084	Weighing Elements 12 LOAD CELLS 75K
Capacity/Divisions/Units 100,000 lbs x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class 1112	Printer Manufacturer/Model COMPUTER SYSTEM
Deck Size 117' x 12'	Clearance (Inches) 12"	Approach (12' Concrete Level) N/A	Hard Surface Approach (Length/Slope/Condition) 11" TO 3' / NEW
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = 1.4d = 2d lb. LOADED = 1.4d = 2d lb.	Motion Detection Range = 40 lb.	AZSM (Auto Zero) Range = 60 lb.	

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors +/-		LBP / Section / Product Weight	Value of Test Weights Used	Errors +/-		
		As Found	As Left			As Found	As Left	
LBP #1	10,000 lbs		0	SECTION				
#2			0					
#3			0		#1	20,000 lbs		0
#4			0		#2			0
#5			0		#3			0
#6			0		#4			0
#7			0		#5			0
#8			0		#6	20,000 lbs		0
#9			0					
#10			0		b/c	0 lbs.		0
#11			0					
#12	10,000 lbs		0					
b/c	0 lbs.		0					

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3	6	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary. PLACES IN SERVICE A NEW TALLER SCALE
Full Truck Weight	56,100	56,140	
Test Weight	20,000	20,000	
Empty Truck Weight	36,100	36,140	
Errors	0	0	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N		
Date: 2014 Type: LOAD	Audit Trail Information:		
Meets tolerance in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance			
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			
Permit Holder Signature 	Date 1398		TALLER SCALE SN# 560N
Operator Signature	Date		

Date 9/23/2014	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dbs CHS - Milton Group			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
City Milton			<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
State ND			Y Variance Permit Posted; Exp. Date: <u>6/23/2015</u>	
Zip Code 58260			NA Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
County Cavalier			NA Software is NTEP Approved	
Telephone Number 701-496-3141			NA Built-In Standards; Date Certified: <u>NA</u>	
Cell Phone Number 701-256-2462			N Multiple Decks/Single Indicator <input type="checkbox"/> Customer Has Clear View <input type="checkbox"/>	
E-mail Address josh.roppe@chsinc.com			Y Clearance Below Scale Clear <input type="checkbox"/> Video Camera Working <input type="checkbox"/>	
Device Location Langdon OUT Scale - 123 4th Ave, Langdon, ND 58249			Y Approach Requirements Met <input type="checkbox"/> View Distance > 200' <input type="checkbox"/>	
			Y Pit Coping & Crush Strip Good <input type="checkbox"/> Two-Way Audio Working <input type="checkbox"/>	
			N In Response to PSC Quality Assurance Inspection	


SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number 1670700084	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class IIIL	Printer Serial Number NA
Deck Size 117' x 12'	Clearance (Inches) 12" (Pitless)	Printer Manufacturer/Model Computer System	Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = <u>1.4d = 2d</u> lb.	LOADED = <u>1.4d = 2d</u> lb.	Motion Detection Range = <u>60</u> lb.	AZSM (Auto Zero) Range = <u>60</u> lb.

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors +/-		LBP / Section / Product Weight	Value of Test Weights Used	Errors +/-	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0	0
LBP #2	10,000 lbs	0	0	Section #2	20,000 lbs	0	0
LBP #3	10,000 lbs	0	0	Section #3	20,000 lbs	0	0
LBP #4	10,000 lbs	0	0	Section #4	20,000 lbs	0	0
LBP #5	10,000 lbs	0	0	Section #5	20,000 lbs	0	0
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3 (IN)	6 (IN)	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	57,280	57,300	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	37,280	37,300	NA	
Errors	0	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N			Tested scale, made no adjustments.
Date: <u>2014</u> Type: <u>Lead</u>	Audit Trail Information: <u>NA</u>			
Meets tolerance in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature 	Permit No. 1637			
Operator Signature	Date 9/23/2014			

Northwest Scale, Inc.

2210 Main Ave E, Ste 2A
West Fargo, ND 58078-2221

Phone: (701) 298-9527
Fax: (701) 356-9520

www.northwestscale.com
info@northwestscale.com

Date 1/27/2015	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dbS CHS - Milton Group			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
City Milton			<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
State ND			Y Variance Permit Posted; Exp. Date: <u>6/23/2015</u>	
Zip Code 58260			NA Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
County Cavalier			NA Software is NTEP Approved	
Telephone Number 701-496-3141			NA Built-In Standards; Date Certified: <u>NA</u>	
Cell Phone Number 701-256-2462			N Multiple Decks/Single Indicator <input type="checkbox"/> Y Customer Has Clear View <input type="checkbox"/>	
E-mail Address josh.roppe@chsinc.com			Y Clearance Below Scale Clear <input type="checkbox"/> Y Video Camera Working <input type="checkbox"/>	
Device Location Langdon OUT Scale - 123 4th Ave, Langdon, ND 58249			Y Approach Requirements Met <input type="checkbox"/> Y View Distance > 200' <input type="checkbox"/>	
			Y Pit Coping & Crush Strip Good <input type="checkbox"/> Y Two-Way Audio Working <input type="checkbox"/>	
			N In Response to PSC Quality Assurance Inspection <input type="checkbox"/>	


SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number Scale:56DN / Ind:1670700084	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Printer Manufacturer/Model Computer System	Printer Serial Number NA
Deck Size 117' x 12'	Class III L	Approach (12' Concrete Level) 12' Concrete, Good	Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = <u>1.4d = 2d</u> lb.	Clearance (Inches) 12" (Pitless)	Motion Detection Range = <u>60</u> lb.	AZSM (Auto Zero) Range = <u>60</u> lb.

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -		LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0/-20	0/-20
LBP #2	10,000 lbs	0	0	Section #2	20,000 lbs	0	0
LBP #3	10,000 lbs	0	0	Section #3	20,000 lbs	0	0
LBP #4	10,000 lbs	0	0	Section #4	20,000 lbs	0	0
LBP #5	10,000 lbs	0	0	Section #5	20,000 lbs	0	0
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3/I	6/I	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	57,560	57,580	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	37,560	37,580	NA	
Errors	0	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N		Tested scale, made no adjustments.	
Date: _____ Type: <u>Lead</u>	Audit Trail Information: <u>NA</u>			
Meets tolerance in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature: 			Permit No. 1637	
Operator Signature			Date	

Northwest Scale, Inc.

2210 Main Ave E, Ste 2A
West Fargo, ND 58078-2221

Phone: (701) 298-9527
Fax: (701) 356-9520

www.northwestscale.com
info@northwestscale.com

Date 5/20/2015	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dbs CHS - Milton Group			<input type="checkbox"/> N New Installation (w/ RFI Check)	<input type="checkbox"/> N Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> N Modified Equipment	<input type="checkbox"/> N Use as a Reference Scale
City Milton			<input type="checkbox"/> N Replaced Existing Equipment	<input type="checkbox"/> N Non-Commercial
State ND			Y Variance Permit Posted; Exp. Date: <u>6/23/2015</u>	
Zip Code 58260			<input type="checkbox"/> NA Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
County Cavalier			<input type="checkbox"/> NA Software is NTEP Approved	
Telephone Number 701-496-3141			<input type="checkbox"/> NA Built-In Standards; Date Certified: <u>NA</u>	
Device Contact Person/Manager Josh Roppel			<input type="checkbox"/> N Multiple Decks/Single Indicator	
Cell Phone Number 701-256-2462			<input type="checkbox"/> Y Clearance Below Scale Clear	
E-mail Address josh.roppe@chsinc.com			<input type="checkbox"/> Y Approach Requirements Met	
Device Location Langdon OUT Scale - 123 4th Ave, Langdon, ND 58249			<input type="checkbox"/> Y Pit Coping & Crush Strip Good	
			<input type="checkbox"/> N In Response to PSC Quality Assurance Inspection	
			<input type="checkbox"/> Y Customer Has Clear View	
			<input type="checkbox"/> Y Video Camera Working	
			<input type="checkbox"/> Y View Distance > 200'	
			<input type="checkbox"/> Y Two-Way Audio Working	



SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number Scale:56DN / Ind:1670700084	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class IIIL	Printer Manufacturer/Model Computer System
Printer Serial Number NA	Deck Size 117' x 12'	Clearance (Inches) 12" (Pitless)	Approach (12' Concrete Level) 12' Concrete, Good
Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good	SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = <u>1.4d = 2d</u> lb.	LOADED = <u>1.4d = 2d</u> lb.	Motion Detection Range = <u>60</u> lb.
AZSM (Auto Zero) Range = <u>60</u> lb.			

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -		LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0/-20	0/-20
LBP #2	10,000 lbs	0	0	Section #2	20,000 lbs	0	0
LBP #3	10,000 lbs	0	0	Section #3	20,000 lbs	0	0
LBP #4	10,000 lbs	0	0	Section #4	20,000 lbs	0	0
LBP #5	10,000 lbs	0	0	Section #5	20,000 lbs	0	0
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3/I	6/I	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	57,560	57,580	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	37,560	37,580	NA	
Errors	0	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N			Tested scale, made no adjustments.
Date: _____ Type: Lead	Audit Trail Information: NA			
Meets tolerance in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature 	Permit No. 1398			
Operator Signature 	Date			

Northwest Scale, Inc.

2210 Main Ave E, Ste 2A
West Fargo, ND 58078-2221

Phone: (701) 298-9527
Fax: (701) 356-9520

www.northwestscale.com
info@northwestscale.com

Date 4/12/2016	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dba CHS - Milton Group			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
City Milton	State ND	Zip Code 58260	<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
County Cavalier	Telephone Number 701-496-3141		<input type="checkbox"/> Variance Permit Posted; Exp. Date: <u>6/23/2015</u>	
Device Contact Person/Manager Josh Roppel	Cell Phone Number 701-256-2462		<input type="checkbox"/> Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
E-mail Address josh.roppe@chsinc.com			<input type="checkbox"/> Software is NTEP Approved	
Device Location Langdon OUT Scale - 10617 92nd St NE; Langdon, ND 58249			<input type="checkbox"/> Built-In Standards; Date Certified: <u>NA</u>	
			<input type="checkbox"/> Multiple Decks/Single Indicator	<input type="checkbox"/> Customer Has Clear View
			<input type="checkbox"/> Clearance Below Scale Clear	<input type="checkbox"/> Video Camera Working
			<input type="checkbox"/> Approach Requirements Met	<input type="checkbox"/> View Distance > 200'
			<input type="checkbox"/> Pit Coping & Crush Strip Good	<input type="checkbox"/> Two-Way Audio Working
			<input type="checkbox"/> In Response to PSC Quality Assurance Inspection	


SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number Scale:56DN / Ind:1670700084	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class IIIL	Printer Serial Number NA
Deck Size 117' x 12'	Clearance (Inches) 12" (Pitless)	Printer Manufacturer/Model Computer System	Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = <u>1.4d = 2d</u> lb. LOADED = <u>1.4d = 2d</u> lb.		Motion Detection Range = <u>60</u> lb.	AZSM (Auto Zero) Range = <u>60</u> lb.

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -		LBP / Section / Product Weight	Value of Test Weights Used	Errors + / -	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0	0
LBP #2	10,000 lbs	0/-20	0	Section #2	20,000 lbs	0/-20	0
LBP #3	10,000 lbs	0/-20	0	Section #3	20,000 lbs	-20	0
LBP #4	10,000 lbs	-20	0	Section #4	20,000 lbs	-20	0
LBP #5	10,000 lbs	-20	0	Section #5	20,000 lbs	-20	0
LBP #6	10,000 lbs	-20	0	Section #6	20,000 lbs	0/-20	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3/1	6/1	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	56,280	56,280	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	36,280	36,280	NA	
Errors	0	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N			
Date: <u>2016</u> Type: <u>Lead</u>	Audit Trail Information: <u>NA</u>			
Meets tolerance in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature			1398	
Operator Signature			Date	

Date 11/9/2016	PSC Device Code 3V6	Number of Sections 6	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS, Inc. dba CHS - Milton Group			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address 515 W Montrose Ave			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
City Milton			<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
State ND			Y Variance Permit Posted; Exp. Date: 8/31/2016	
Zip Code 58260			NA Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
County Cavalier			NA Software is NTEP Approved	
Telephone Number 701-496-3141			NA Built-In Standards; Date Certified: NA	
Cell Phone Number 701-256-2462			N Multiple Decks/Single Indicator	
E-mail Address josh.roppe@chsinc.com			Y Clearance Below Scale Clear	
Device Location Langdon OUT Scale - 10617 92nd St NE; Langdon, ND 58249			Y Approach Requirements Met	
			Y Pit Coping & Crush Strip Good	
			Y Customer Has Clear View	
			Y Video Camera Working	
			Y View Distance > 200'	
			Y Two-Way Audio Working	
			N In Response to PSC Quality Assurance Inspection	


SCALE INFORMATION

Scale Manufacturer Rice Lake Weighing Systems	Indicator Manufacturer/Model RLWS / 920i	Indicator Serial Number Scale:56DN / Ind:1670700084	Weighing Elements 12 - 75K Load Cells
Capacity/Divisions/Units 160,000 x 20 lbs	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Printer Manufacturer/Model Computer System	Printer Serial Number NA
Deck Size 117' x 12'	Class IIIL	Approach (12' Concrete Level) 12' Concrete, Good	Hard Surface Approach (Length/Slope/Condition) 27' Concrete, Good
SR (Sensitivity Response) OR Discrimination Test ZERO LOAD = 1.4d = 2d lb.	Clearance (Inches) 12" (Pitless)	Motion Detection Range = 60 lb.	AZSM (Auto Zero) Range = 60 lb.

SCALE TEST DATA

LBP / Section / Product Weight	Value of Test Weights Used	Errors +/-		LBP / Section / Product Weight	Value of Test Weights Used	Errors +/-	
		As Found	As Left			As Found	As Left
LBP #1	10,000 lbs	0	0	Section #1	20,000 lbs	0	0
LBP #2	10,000 lbs	0	0	Section #2	20,000 lbs	0	0
LBP #3	10,000 lbs	0	0	Section #3	20,000 lbs	-20	-20
LBP #4	10,000 lbs	0	0	Section #4	20,000 lbs	0	0
LBP #5	10,000 lbs	0	0	Section #5	20,000 lbs	-20	-20
LBP #6	10,000 lbs	0	0	Section #6	20,000 lbs	0	0
LBP #7	10,000 lbs	0	0				
LBP #8	10,000 lbs	0	0	BC	00	0	0
LBP #9	10,000 lbs	0	0				
LBP #10	10,000 lbs	0	0				
LBP #11	10,000 lbs	0	0				
LBP #12	10,000 lbs	0	0				
BC	00	0	0				

STRAIN LOAD TEST

Section (Increasing or Decreasing)	3 (I)	6 (I)	NA	Remarks (Include environmental conditions, if applicable.) Attach additional sheets as necessary.
Full Truck Weight	56,820	56,820	NA	
Test Weight	20,000	20,000	NA	
Empty Truck Weight	36,820	36,820	NA	
Errors	0	0	NA	
Physical Seal: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N		Tested scale and certified.	
Date: 2016 Type: Lead	Audit Trail Information: NA			
Meets tolerance in PSC adopted NIST Handbook 44? <input checked="" type="checkbox"/> Maintenance <input type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken Out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks", the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature 	1637		Permit No.	
Operator Signature	Date			