



CAPITAL SCALE

Box 2021
Bismarck, North Dakota 58502-2021
(701) 255-1556

Invoice Number

Operator No.	Date 11/1/13	Date Last Tested (P&S Only)	Check All That Apply	
Name of Business Knife River Coop.			<input type="checkbox"/> Self-Certification	<input type="checkbox"/> Non-Commercial
Location of Device SE of Beulah (Bodinger P.T.)			<input checked="" type="checkbox"/> Equipment Repair	<input type="checkbox"/> New Installation
Mailing Address			<input checked="" type="checkbox"/> Routine Service	<input checked="" type="checkbox"/> Annual
			<input type="checkbox"/> Rejected Equipment	Tag # (Attach) _____
			<input type="checkbox"/> Service Contract?	Expires _____
City	State	Zip Code	Variance Posted	Date of Variance
			<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10/1/13
County	Telephone Number	PSC Device Code	Quantity (of like devices)	
	426-6010	304	only	

Make(s) Fishers/Hurman	Regulating Element(s) Landing 210	Serial Number(s) E16913-0156	Lever System Pipe (Center)
No. of Sections 4	<input type="checkbox"/> Monorail/Track <input type="checkbox"/> MTD <input type="checkbox"/> Hopper <input type="checkbox"/> Livestock <input type="checkbox"/> Platform <input type="checkbox"/> Axle Load	<input checked="" type="checkbox"/> Routine Service	<input type="checkbox"/> Multiple <input type="checkbox"/> Pit Depth
	<input type="checkbox"/> Aux. Beam <input checked="" type="checkbox"/> BMT <input type="checkbox"/> Hanging <input type="checkbox"/> Counter Scale <input type="checkbox"/> Dormant/Deck <input type="checkbox"/> Other		NA NA
Capacity & Min. Grad. 16000 x 20 lbs	Class TITL	Size of Platform 10' x 70'	Approaches (Length/Condition) OK
Printer Model HP LJ P3015	Printer Serial Number	Wind 15-30	Temperature 40°
SR (Sensitivity Response) OR Discrimination Test		Motion Detection	Device Location Outside
ZERO LOAD = NA lb.	LOADED = NA lb.	Range = 60 lb.	AZSM (auto zero) Range = 60 lb.

Device/ Load Position	Amount of Test Equipment Used	Actual Readings		Device/ Load Position	Amount of Test Equipment Used	Actual Readings	
		As Found	As Left			As Found	As Left
BC	0		0				
SEC 1	20000 lbs		0	CONCRETE 1	10000 lbs		0
2	}		0	2	}		0
3			0	3			0
4			0	4			0
			0	5			0
			0	6			0
			0	7			0
			0	8			0
				RC		0	

STRAIN LOAD TEST

	Section #	Section # 2	Section #	Section #
Empty Truck Weight		28000		
Total Test Weight Added		20000		
Truck Plus Weights		48000/20		
Error on Added Test Weights		0/20		

I hereby declare the statements made here are correct:

REMARKS & ADJUSTMENTS MADE

Are there any other jurisdictional devices at this location that require testing? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Replaced the UMC 465 SN: A18265 Very windy for testing today. Scales would change 40/60 lbs with wind gusts.
HAS SECURITY SEAL AND STICKER BEEN APPLIED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected Service Agency (Print) Capital Scale	
Inspector/Permit Holder Signature [Signature]	
Owner - Operator Signature NOT Present	Permit No. 1540