

**BAKKEN OIL EXPRESS PIPELINE, LLC —CASE NO. PU-13-825
LATE-FILED EXHIBIT 8
EXCLUSIONARY AREA MAP EXPLANATION**

To minimize the potential disclosure of sensitive cultural information, the following information is provided. Reference is made to the sheet for which the questions were raised, but the narrative does not specify the section to which it refers:

Sheet 7 of 13 This is a segment of the route where the mapped "exclusionary" area includes two prehistoric sites separated by less than 200 feet. This would have compromised Bakken Oil Express Pipeline, LLC's stated 100-foot setback requirement for prehistoric sites. To maintain surface integrity, there will be a cultural monitor on-site to ensure a planned boring will pass under the surface between the two sites, thereby maintaining the integrity of the surface disturbance. The cultural resources monitor will be present to determine two things. First, to ensure that the 100-foot buffers are maintained. Second, if there is an undetected subsurface deposit, so that the monitor can undertake the approved procedure prescribed by the Avoidance Plan and Inadvertent Discovery Plan.

Sheet 12 of 13 This segment of the route passes near a historic homestead. The majority of the site is fenced away from the nearby field through which the pipeline is being constructed. There is a material scatter from the homestead that extends a short way into the field. A cultural monitor will be present when construction passes through this area for the purpose of ensuring that no construction activity occurs within 50 feet of the material scatter.

25789157_1.DOCX

