



Public Service Commission  
State of North Dakota



COMMISSIONERS

Brian P. Kalk  
Randy Christmann  
Julie Fedorchak

Executive Secretary  
Darrell Nitschke

600 East Boulevard, Dept. 408  
Bismarck, North Dakota 58505-0480  
Web: www.psc.nd.gov  
E-mail: ndpsc@nd.gov  
Phone: 701-328-2400  
ND Toll Free: 1-877-245-6685  
Fax: 701-328-2410  
TDD: 800-366-6888 or 711

May 16, 2014

CASE GS-14-229

Robert L. Lindberg  
Northern Excavating Co., Inc.  
PO Box 1108  
Jamestown, ND 58402-1108  
Re: Third Party Damage Complaint

Dear Mr. Lindberg:

Enclosed is a copy of a Third Party Damage Complaint against Northern Excavating Co., Inc (NORTHERN) received by the North Dakota Public Service Commission (Commission) on May 12, 2014, from MONTANA DAKOTA UTILITIES (MDU). The location of the damage was 309 feet East of 2<sup>nd</sup> Street East on Central Avenue, in the city of Ross, in North Dakota.

Please respond to the Third Party Complaint by **May 30, 2014**, with your written account of the event. Your response, the complaint, and other available information will be reviewed to determine whether Commission staff will file a formal complaint.

Your response should also address the following criteria used to determine the amount of civil penalty, if any, to be recommended by Commission staff as part of a formal complaint:

- a) The nature, circumstances, and severity of the complaint;
- b) The degree of suspected fault on the part of NORTHERN;
- c) NORTHERN's history of prior violations or complaints;
- d) NORTHERN's ability to pay;
- e) Any good faith effort by NORTHERN in attempting to achieve compliance; and
- f) The effect the penalty may have on NORTHERN's ability to continue in business.

North Dakota Century Code section 49-07-01.1 provides for a civil penalty not to exceed twenty five thousand dollars for violations of the One Call law.

Please send or e-mail written response to the Commission at the address above or call me at 701-220-5779.

Best regards,

Aaron A Morman  
Pipeline Safety Inspector/Program Manager

C. Paul Reily-MDU

56	PU-14-671	Filed 06/30/2015	Pages: 2	59	GS-14-229	Filed 06/30/2015	Pages: 2
	Exhibit B15				Exhibit B15		
	Public Service Commission			58	GS-13-886	Filed 06/30/2015	Pages: 2
					Exhibit B15		
59	GS-14-230	Filed 06/30/2015	Pages: 2	59	GS-13-885	Filed 06/30/2015	Pages: 2
	Exhibit B15				Exhibit B15		
	Public Service Commission			58	GS-13-884	Filed 06/30/2015	Pages: 2
					Exhibit B15		



# ND ONE-CALL COMPLAINT

Public Service Commission  
SFN 59067 (1-14)

To allege a violation of the One-Call Excavation Notice System Law: North Dakota Century Code Chapter 49-23

## PART A – WHO IS SUBMITTING THIS COMPLAINT (COMPLAINANT)

Company/Person Montana-Dakota Utilities Co.	Street Address 220 2nd Ave E	City Williston	State and Zip Code ND, 58801
Telephone and Cell Phone Number 701-572-1614/701-516-4357	Email Address paul.riely@mdu.com	Date 12 May 2014	
<input checked="" type="checkbox"/> Complainant is willing and able to testify on the complaint if matter goes to formal hearing			

## PART B – WHO VIOLATED THE ONE-CALL REGULATIONS (RESPONDENT)

Company/Person Northern Excavating Co., Inc	Street Address 3420 82nd Ave SE, BOX 1108	City Jamestown	State and Zip Code ND, 58102
Telephone and Cell Phone Number 701-252-5967	Email Address		

## PART C – ALLEGED VIOLATION

<input type="checkbox"/> Operator failed to provide or update the information provided to the notification center on a timely basis <input type="checkbox"/> Excavator failed to provide excavation or location notice at least 48 hours before beginning any excavation <input type="checkbox"/> Excavator failed to provide required information in excavation or location notice <input type="checkbox"/> Notification center failed to transmit the notice to every operator that has an underground facility in the area of the excavation <input type="checkbox"/> Notification center failed to inform the excavator of the names of operators of underground facilities in the area <input type="checkbox"/> Operator failed to locate and mark underground facility within 48 hours <input type="checkbox"/> Excavation started prior to underground facility locate <input type="checkbox"/> Operator failed to mark underground facility within 24 inches horizontally <input type="checkbox"/> Excavator failed to renew excavation or location request prior to the expiration of the twenty-one-day period <input checked="" type="checkbox"/> Excavator failed to conduct the excavation in a careful and prudent manner to avoid damage of underground facilities <input type="checkbox"/> Excavator failed to maintain the markings during excavation <input type="checkbox"/> Other (Identify the specific section of NDCC Chapter 49-23) _____
Location of Violation: 309' East of 2nd Street East on Central Avenue
Date and Time of Violation: On or about 8:57 a.m. on 6 May 2014
Description (summarize the observations on which you rely to allege the violation) <i>If more space is required, please provide the description on a separate page.</i>  On or about the above time and date, Jody Mitteldeier operator for the above named company was digging on Central Avenue in Ross, ND under locate ticket 14038256. During the excavation he struck a 1" natural gas distribution main causing the interruption of service to two commercial customers for a period of around 2 hours. Ross Public Works Director, Bobby Seibel, indicated he told them a line was present and located, but they dug through it regardless of the warning.  See attached photos, and description of photos.

## PART D – DAMAGE

Fatalities 0	Injuries 0	In-patient Hospitalization 0
Underground facility type(s) and Operator(s) affected: Caused shutdown of Laundromat and one other commercial customer.		
Estimated Value of Damage (damage as defined under NDCC Chapter 49-23): \$ 1168.85	Number of Customers Affected 2	
Other impact of event:		
Please attach photos of Event Area or Damaged Facility		

## PART I – SIGNATURE

Signature of Person Filing Complaint <i>Paul W. Riely</i>	Date <i>5/12/2014</i>
--	--------------------------

Send Completed, Original Complaint To:  
Public Service Commission  
600 E Boulevard Ave Dept 408  
Bismarck ND 58505-0480  
Telephone: (701) 328-2400

Email to the Commission