

DeSaye, Cara G.

From: Colleen Park <colleenp@ndna.com>
Sent: Tuesday, January 28, 2014 10:00 AM
To: DeSaye, Cara G.
Subject: RE: Table inserted in Notice
Attachments: GreatRiverEnergyDisplayNotice.pdf

Run dates listed on the attached estimate.
Thank you.

Colleen Park
Advertising and Public Notice Coordinator
North Dakota Newspaper Association

From: DeSaye, Cara G. [<mailto:cdesaye@nd.gov>]
Sent: Tuesday, January 28, 2014 9:03 AM
To: Colleen Park
Subject: RE: Table inserted in Notice

Please go ahead and publish the notice with the table.

Thanks
Cara

From: Colleen Park [<mailto:colleenp@ndna.com>]
Sent: Tuesday, January 21, 2014 8:43 AM
To: DeSaye, Cara G.
Subject: RE: Table inserted in Notice

Attached is an estimate for one run in each paper.
Please let me know if you have any questions.

Colleen Park
Advertising and Public Notice Coordinator
North Dakota Newspaper Association

From: DeSaye, Cara G. [<mailto:cdesaye@nd.gov>]
Sent: Tuesday, January 21, 2014 8:29 AM
To: Colleen Park
Subject: RE: Table inserted in Notice

McLean County Independent
McLean County Journal
Underwood News
The Leader-News- Washburn

8 **PU-13-900** Filed: 1/28/2014 Pages: 4
Email to and from NDNA request to publish Notice of
Filing and Notice of Opportunity for Hearing

Bismarck Tribune
Steele Ozone & Kidder County Press

From: Colleen Park [<mailto:colleenp@ndna.com>]
Sent: Tuesday, January 21, 2014 8:22 AM
To: DeSaye, Cara G.
Subject: RE: Table inserted in Notice

This is what the notice would look like. If you tell me the papers, I can give you an estimate.

Colleen Park
Advertising and Public Notice Coordinator
North Dakota Newspaper Association

From: DeSaye, Cara G. [<mailto:cdesaye@nd.gov>]
Sent: Friday, January 17, 2014 8:37 AM
To: Colleen Park
Subject: RE: Table inserted in Notice

Here it is Colleen.

Thank You!
Cara

From: Colleen Park [<mailto:colleenp@ndna.com>]
Sent: Friday, January 17, 2014 8:36 AM
To: DeSaye, Cara G.
Subject: RE: Table inserted in Notice

It usually means that we have to design it as a bordered ad to make sure everything lines up and because that usually means it will be more than one column wide.
If you send it to me I can give you an estimate.

Colleen Park
Advertising and Public Notice Coordinator
North Dakota Newspaper Association

From: DeSaye, Cara G. [<mailto:cdesaye@nd.gov>]
Sent: Thursday, January 16, 2014 3:29 PM
To: Colleen Park
Subject: Table inserted in Notice

Hi Colleen,

I have a notice that has a table inserted in it, Pat Fahn thought it was more money if we had a notice with a table, is this correct?

North Dakota Newspaper Association

1435 Interstate Loop

Bismarck, North Dakota 58503

Phone: 1-701-223-6397 Fax: 1-701-223-8185

ADVERTISING ESTIMATE

January 28, 2014

Order: 14022PP0

ATTN: Darrell Nitschke		
Public Service Commission		
600 E. Boulevard Ave., State Capitol		
Bismarck, North Dakota 58505		
V: 1-701-328-4076	F:	Email:

Advertiser: **Public Service Commission**
 P.O.#: **Great River Energy Line**
 Client Order #:
 Brand:
 Campaign:
 Position: **public notice**
 Copy:

Run Date	Ad Size	ROP Rate	ROP Type	Agency Commission	Color Rate	Color Type	Agency Commission	Net Total
Bismarck Tribune (Bismarck, ND) (Sun, Mon, Tue, Wed, Thu, Fri, Sat) 6.00-1.64/3.42/5.18/6.96/8.72/10.50*-20.00								
Mon 02/03/14	Circ: 26403 2.00 X 6.00	\$12.12	Notice Display	0.0000%	\$0.00		0.0000%	\$145.44
Caption: Great River Energy, Case No. PU-13-900								
Garrison, McLean County Independent (Garrison, ND) (Thursday) 5.00-2*/4*/6*/8*/10*-15.00								
Thu 02/06/14	Circ: 2733 2.00 X 6.00	\$5.94	Notice Display	0.0000%	\$0.00		0.0000%	\$71.28
Caption: Great River Energy, Case No. PU-13-900								
Steele Ozone & Kidder County Press (Steele, ND) (Wednesday) 5.00-1.875*/4*/6*/8.125*/10.25*-16.00								
Wed 02/05/14	Circ: 1200 2.00 X 6.00	\$5.94	Notice Display	0.0000%	\$0.00		0.0000%	\$71.28
Caption: Great River Energy, Case No. PU-13-900								
Turtle Lake McLean County Journal (Turtle Lake, ND) (Thursday) 5.00-2*/4*/6*/8*/10*-16.00								
Thu 02/06/14	Circ: 555 2.00 X 6.00	\$5.94	Notice Display	0.0000%	\$0.00		0.0000%	\$71.28
Caption: Great River Energy, Case No. PU-13-900								
Underwood News (Washburn, ND) (Thursday) 5.00-2*/4*/6*/8*/10*-16.00								
Thu 02/06/14	Circ: 535 2.00 X 6.00	\$5.94	Notice Display	0.0000%	\$0.00		0.0000%	\$71.28
Caption: Great River Energy, Case No. PU-13-900								
Washburn Leader News (Washburn, ND) (Thursday) 5.00-2*/4*/6*/8*/10*-16.00								
Thu 02/06/14	Circ: 1390 2.00 X 6.00	\$5.94	Notice Display	0.0000%	\$0.00		0.0000%	\$71.28
Caption: Great River Energy, Case No. PU-13-900								

Total Insertions	6	Total Advertising	\$501.84	Total Bill
Total Lineage	72.0000	Net	\$501.84	\$501.84
		Total Misc.	\$0.00	
Total Circulation	32816.0	Tax	\$0.00	

**STATE OF NORTH DAKOTA
PUBLIC SERVICE COMMISSION**

**Great River Energy
DC Line Clearance Issues
Siting Application**

Case No. PU-13-900

NOTICE OF FILING AND NOTICE OF OPPORTUNITY FOR HEARING

January 15, 2014

On December 13, 2013 and January 10, 2014, Great River Energy filed a request for variance from Special Condition #4 of Route Permit No. 1 issued Dec 17, 1976 for GRE's 400 kV DC Line. Specifically, GRE requests a variance to allow the existing clearances of four conductor spans that are less than the minimum 35 feet required by Special Condition #4 of the permit:

Span Location	Existing Ground Clearance
Structures 64-65 T144N, R80W, S18, McLean County	34 feet
Structures 65-66 T144n, R80W, S19, McLean County	31.4 feet
Structures 137A-138 T143N,R77W, S30, Burleigh County	34.9 feet
Structures 236-237 T141N, R74W, S24, Kidder County	34.8 feet

Those interested are invited to comment on the application in writing. Persons desiring a hearing must file a written request identifying their interest in the proceeding and the reasons for requesting a hearing. Comments and requests for hearings must be received by February 28, 2014. The issue to be considered is whether the requested variance should be granted.

For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400; or Relay North Dakota, 1-800-366-6888 TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission.

PUBLIC SERVICE COMMISSION

**Randy Christmann
Commissioner**

**Brian P. Kalk
Chairman**

**Julie Fedorchak
Commissioner**