



minnesota power

AN ALLETE COMPANY

30 west superior street / duluth, minnesota 55802-2093 / fax: 218-723-3955 /www.allete.com

David R. Moeller
Senior Attorney
218-723-3963
dmoeller@allete.com

December 6, 2013



Darrell Nitschke
Executive Secretary
North Dakota Public Service Commission
600 E. Boulevard Ave., Dept. 408
Bismarck, North Dakota 58505-0480

RE: Certification – DC Line Stutsman County Structures

Dear Mr. Nitschke:

Minnesota Power is supplying this notice to the North Dakota Public Service Commission (“PSC”) to inform them that Minnesota Power will be performing maintenance and mitigation on a 0.6 mile segment of its 250 kV Direct Current Line (“DC Line”) in Stutsman County to resolve clearance issues. Since all construction in this segment will be completed within 350 feet of either side of the existing centerline - and no exclusion or avoidance areas are affected - a Certificate of Corridor Compatibility and Route Permit are not needed.

At the request of PSC Staff and in accordance with N.D.C.C. § 49-22-03.3(a)(3), please find enclosed a map and a notarized certification that construction in this segment will not affect any known exclusion or avoidance area, as those terms are defined in N.D. Admin Code 69-06-08-02(1) and (2), and that Minnesota Power will comply with all applicable conditions and protections in siting laws and rules and PSC orders previously issued for any part of the DC Line.

The original and ten copies of this certification and map are being filed with the Commission as required by N.D. Admin. Code 69-06-06-01.2. If you have any questions, or need additional information, please contact me at the number listed above.

Yours truly,

David R. Moeller

c: Dan McCourtney, Minnesota Power
Craig Kvale, Minnesota Power

1 **PU-13-902** Filed: 12/9/2013 Pages: 3
Certification regarding exclusion and avoidance areas

AN ALLETE COMPANY

Allete, Inc.
David Moeller

CERTIFICATION OF APPLICANT PURSUANT TO N.D.C.C. § 49-22-03(3)(a)(3)

MINNESOTA POWER

I, David R. Moeller, Senior Attorney of Minnesota Power that has authority to make the following certification in these matters, do hereby certify under oath:

1. That construction of 0.6 miles of Minnesota Power's 250 kV Direct Current Line in Stutsman County to address clearance issues will not affect any known exclusion or avoidance area as defined under the N.D. Administration Code 69-06-08-02 (1) and (2).
2. That Minnesota Power will comply with all applicable conditions and protections in applicable North Dakota siting laws and rules and commission orders previously issued for any part of the facility.

Dated at Duluth, Minnesota, this 6th day of December, 2013



David R. Moeller
Senior Attorney
Minnesota Power

This instrument was acknowledged before me this 6th day of December 2013, by David R. Moeller on behalf of Minnesota Power.

Kristie J. Lindstrom
Notary Public, State of Minnesota

My Commission Expires: January 31, 2015



Minnesota Power- DC Line Structure Rebuild



- Legend**
- Rebuild Structure Locations
 - Minnesota Power Existing DC Line
 - ⌈ PLSS Sections



0.3 Miles

