

*FAKED 12/30/14 + 9*



**APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY**  
Public Service Commission  
SPN 51277 (2/2014)

**TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED**

Name of Company <i>Rollies Sales &amp; Service Inc</i>		Email Address <i>rollies09@gmail.com</i>		Application Date <i>2015</i>	
Mailing Address <i>D.O. BOX E</i>		City <i>OSAKIS</i>		State <i>MN</i>	Zip Code <i>56360</i>
Telephone Number <i>320-859-4811</i>		Cell Phone Number <i>320-859-4812</i>		Fax Number <i>320-859-3585</i>	

Select below all device types your company will certify:

Scales (include maximum capacity, if applicable)	Liquid (include maximum flow rate, if applicable)
<input type="checkbox"/> 1. Rail <input checked="" type="checkbox"/> 2. Truck <input type="checkbox"/> 3. Livestock <input type="checkbox"/> 4. Hopper: Max. Capacity: _____ <input type="checkbox"/> 5. Belt <input type="checkbox"/> 6. Over 30 lbs.: Max. Capacity: _____ <input type="checkbox"/> 7. 30 lbs. or less <input type="checkbox"/> 8. Class II (indicate on your calibration report which weight kit is Class II certified) <input type="checkbox"/> 9. Other: Please List: _____	<input checked="" type="checkbox"/> 1. Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> 2. High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> 3. Vehicle Tank: Max. Flow Rate: <u>100</u> <input checked="" type="checkbox"/> 4. Stationary Bulk (fuel or oil): Max. Flow Rate: <u>100</u> <input type="checkbox"/> 5. LPG <input type="checkbox"/> 6. Stationary LPG <input type="checkbox"/> 7. Fertilizer: Max. Flow Rate: _____ <input type="checkbox"/> 8. Chemical <input type="checkbox"/> 9. Anhydrous <input type="checkbox"/> 10. Loading Rack <input type="checkbox"/> 11. Other: Please List: _____

List below all persons employed by your company as a North Dakota Registered Service Person and the device types they are registered to certify (attach a separate sheet to list additional employees):

Permit No.	Employee	Device Types Registered to Certify (list using device type numbers from above)
<i>e.g. 1001</i>	<i>e.g. John Doe</i>	<i>e.g. Scales - 2, 3, 6, 8; e.g. Liquid - 1, 2, 6</i>
<i>01</i>	<i>Merwin Roering</i>	<i>1, 2, 3, 4</i>
<i>02</i>	<i>Daniel Nathu</i>	<i>1, 2, 3, 4</i>

Application for Registration as a Registered Service Company  
Page 2

List below all field standards (attach current calibration reports):

See Attached	5 gallon
	5 gallon
	50 gallon
	100 gallon

Additional Application Items (initial where appropriate):

Standardized Test Report	<input type="checkbox"/> Copy enclosed <input checked="" type="checkbox"/> No change in report filed previously
Tested and Approved Sticker	<input type="checkbox"/> Copy enclosed <input checked="" type="checkbox"/> No change in sticker filed previously
Photocopy of Crimped Lead Wire Seal	<input type="checkbox"/> Copy enclosed <input checked="" type="checkbox"/> No change in crimped lead wire seal filed previously

Public Company Listing:

Include my company information on your registered service company list for public contact.  
 Yes     No


I am Julie Helton and have authority to represent this company.  
 By signing this application, I declare that I have examined this form and accompanying documentation, and to the best of my knowledge and belief, the facts stated and documentation provided is true, correct, and complete.

Julie Helton  
Signature

Send Completed Application and Related Documents To:

Public Service Commission  
 600 E Boulevard Ave Dept 408  
 Bismarck ND 58505-0430  
 Telephone: (701) 328-2400  
 Fax: (701) 328-2410

North Dakota

nd.gov Official Portal for  
North Dakota State GovernmentNorth Dakota  
LEGENDARY

# SECRETARY OF STATE NORTH DAKOTA

[Home](#) | [Business Records Search](#)

## ROLLIE'S SALES & SERVICE, INC.

### Corporation Details

**System ID:** 27402400**Phone:** (320) 859-4811**Type:** FOREIGN BUSINESS CORPORATION**Status:** Active & Good Standing**Original File Date:** 07/30/2010**Effective Date:** 07/30/2010**State of Origin:** Minnesota

### Nature of Business

SERVICE

### Principal Office

13790 CO RD 82 SE PO BOX E OSAKIS, MN 56360-0605

### Registered Agent

**HORIZON RESOURCES**

209 WASHINGTON AVE

WILLISTON, ND 58801-6035

Established Date: Oct 07, 2014

### Generate an Annual Report To File

To Generate a Annual Report form to be filed with the Secretary of State, select the appropriate year of the report you intend to file. This report does not contain details of a report previously filed with the Secretary of State. The annual report years reflected are an indication of the various report forms available in this site and is not an indication that an entity needs to file reports for all years. Missing years indicate that the forms for the missing year have not yet been deployed to the website, or have already been removed, and can be obtained by contacting the Secretary of State.

[2014](#) (generates a forms-fillable pdf in a new pop-up window)[Return to Search Results](#)[Contact Us](#)[Disclaimer](#)[Privacy Policy](#)

We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.



14305 SOUTHCROSS DRIVE #150  
BURNSVILLE, MN 55306-7008  
MN.GOV/COMMERCE/  
651.539.1555 FAX 651.539.1553  
AN EQUAL OPPORTUNITY EMPLOYER

Receipt Date: October 28, 2014  
Test Date: October 28, 2014  
Report Date: October 28, 2014

State Test No.: 333296  
Serial No.: 29893-5  
Bar Code: 019857

## Calibration Report

ROLLIES SALES & SERVICE  
HIGHWAY 27 W  
OSAKIS, MN 56360-0605  
Contact: MARVIN ROERING  
Phone: 320-859-4811  
PO Number: NONE  
SOP: 32  
Technician ID: 07

Item(s) Submitted: 5 Gallon Measure  
Manufacturer: Seraphin  
Material: Stainless Steel  
Equipment Number: None  
Condition: Good  
Temperature: 20.8 °C  
Pressure: 737.1 mm Hg  
Relative Humidity: 53. %

Nominal Volume		Error (in <sup>3</sup> )	Volume Contained At Zero Line (gallons)	Uncertainty (in <sup>3</sup> )	Coefficient of Expansion (1/°F)
5 gal	As Found	-0.10	4.9996	0.62	0.0000265
	As Left	-0.10	4.9996	0.62	

Neck Calibration: No neck calibration was done at this time.

This measure or prover has been calibrated as a "to contain after wet down" vessel with a pour time of 30 seconds, a drain time of 10 seconds after cessation of full flow and at a reference temperature of 60 °F.

The measure or prover listed above has been compared by volumetric transfer methods to the standards of the State of Minnesota. The standards are traceable to the SI through NIST. Statistical process control charts indicate standards are currently in control. All gauges were sealed in place.

The reported uncertainty conforms to NIST Technical Note 1297. The confidence interval is 95 %.

Results apply to item identified in this report only.

Mark Nicollet

*Mark Nicollet*  
Quality Manager

Reviewed by:

Kari Anderson

*Kari Anderson*  
Metrologist



14305 SOUTHCROSS DRIVE #150  
 BURNSVILLE, MN 55306-7008  
 MN.GOV/COMMERCE/  
 651.539.1555 FAX 651.539.1553  
 AN EQUAL OPPORTUNITY EMPLOYER

Receipt Date: October 23, 2014  
 Test Date: October 23, 2014  
 Report Date: October 23, 2014

State Test No.: 333297  
 Serial No.: 28384-6B  
 Bar Code: 019411

## Calibration Report

ROLLIES SALES & SERVICE  
 HIGHWAY 27 W  
 OSAKIS, MN 56360-0605  
 Contact: MARVIN ROERING  
 Phone: 320-859-4811  
 PO Number: NONE  
 SOP: 32  
 Technician ID: 07

Item(s) Submitted: 5 Gallon Measure  
 Manufacturer: Seraphin  
 Material: Stainless Steel  
 Equipment Number: None  
 Condition: Good  
 Temperature: 20.8 °C  
 Pressure: 737.1 mm Hg  
 Relative Humidity: 53. %

Nominal Volume		Error (in <sup>3</sup> )	Volume Contained At Zero Line (gallons)	Uncertainty (in <sup>3</sup> )	Coefficient of Expansion (1/°F)
5 gal	As Found	0.10	5.0004	0.62	0.0000265
	As Left	0.10	5.0004	0.62	

Neck Calibration: No neck calibration was done at this time.

This measure or prover has been calibrated as a "to contain after wet down" vessel with a pour time of 30 seconds, a drain time of 10 seconds after cessation of full flow and at a reference temperature of 60 °F.

The measure or prover listed above has been compared by volumetric transfer methods to the standards of the State of Minnesota. The standards are traceable to the SI through NIST. Statistical process control charts indicate standards are currently in control. All gauges were sealed in place.

The reported uncertainty conforms to NIST Technical Note 1297. The confidence interval is 95 %.

Results apply to item identified in this report only.

Mark Nicollet

*Mark Nicollet*  
 Quality Manager

Reviewed by:

Kari Anderson

*Kari Anderson*  
 Metrologist



14305 SOUTHCROSS DRIVE #150  
 BURNSVILLE, MN 55306-7008  
 MN.GOV/COMMERCE/  
 651.539.1555 FAX 651.539.1553  
 AN EQUAL OPPORTUNITY EMPLOYER

Receipt Date: October 23, 2014  
 Test Date: October 23, 2014  
 Report Date: October 23, 2014

State Test No.: 333299  
 Serial No.: None  
 Bar Code: 019859

## Calibration Report

ROLLIES SALES & SERVICE  
 HIGHWAY 27 W  
 OSAKIS, MN 56360-0605  
 Contact: MARVIN ROERING  
 Phone: 320-859-4811  
 PO Number: NONE  
 SOP: 33  
 Technician ID: 07

Item(s) Submitted: 50 Gallon Prover  
 Manufacturer: Unknown  
 Material: Mild Steel  
 Description: Dry Bottom  
 Condition: Good  
 Temperature: 21.4°C  
 Pressure: 736.1 mmHg  
 Relative Humidity: 51. %

Nominal Volume		Volume (gallons)	Error (in <sup>3</sup> )	Uncertainty (in <sup>3</sup> )	Coefficient of Expansion(°F)
50 gal	As Found	49.961	-8.9	4.4	0.0000186
	As Left	50.001	0.2	4.4	

Neck Calibration: No neck calibration was done at this time.

This prover has been calibrated as a "to contain after wet down" vessel with a drain time of 30 seconds after cessation of full flow and at a reference temperature of 60 °F.

The prover listed above has been compared by volumetric transfer methods to the standards of the State of Minnesota. The standards are traceable to the SI through NIST. Statistical process control charts indicate standards are currently in control. All gauges were sealed in place.

The reported uncertainty conforms to NIST Technical Note 1297. The confidence interval is 95 %.

Results apply to item identified in this report only.

Mark Nicollet

*Mark Nicollet*  
 Quality Manager

Reviewed by:

Kari Anderson

*Kari Anderson*  
 Metrologist



14305 SOUTHCROSS DRIVE #150  
BURNSVILLE, MN 55306-7008  
MN.GOV/COMMERCE/  
651.539.1555 FAX 651.539.1553  
AN EQUAL OPPORTUNITY EMPLOYER

Receipt Date: October 23, 2014  
Test Date: October 23, 2014  
Report Date: October 23, 2014

State Test No.: 333298  
Serial No.: None  
Bar Code: 019858

## Calibration Report

ROLLIES SALES & SERVICE  
HIGHWAY 27 W  
OSAKIS, MN 56360-0605  
Contact: MARVIN ROERING  
Phone: 320-859-4811  
PO Number: NONE  
SOP: 33  
Technician ID: 07

Item(s) Submitted: 100 Gallon Prover  
Manufacturer: Unknown  
Material: Mild Steel  
Description: Dry Bottom  
Condition: Good  
Temperature: 21.3°C  
Pressure: 736.3 mmHg  
Relative Humidity: 52. %

Nominal Volume		Volume (gallons)	Error (in <sup>3</sup> )	Uncertainty (in <sup>3</sup> )	Coefficient of Expansion(1/°F)
100 gal	As Found	100.050	11.6	3.0	0.0000186
	As Left	100.000	-0.1	3.0	

Neck Calibration: No neck calibration was done at this time.


This prover has been calibrated as a "to contain after wet down" vessel with a drain time of 30 seconds after cessation of full flow and at a reference temperature of 60 °F.

The prover listed above has been compared by volumetric transfer methods to the standards of the State of Minnesota. The standards are traceable to the SI through NIST. Statistical process control charts indicate standards are currently in control. All gauges were sealed in place.

The reported uncertainty conforms to NIST Technical Note 1297. The confidence interval is 95 %.


Results apply to item identified in this report only.

Mark Nicollet

  
Quality Manager

Reviewed by:

Kari Anderson

  
Metrologist