

Date 06/09/2015	PSC Device Code 3V2	No. of Sections 2	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business CHS INC. Feed Facility			N New Installation (w/ RFI Check)	N Performed Calibration
Mailing Address PO Box: 187, Street Address: Edgeley ND 58433			N Modified Equipment	NA Use as a Reference Scale
Device Location/Name EDGELEY RLWS OTR PO Box: 187, Street Address: 8170 HWY #13			N Replaced Existing Equipment	N Non-Commercial
City Edgeley	State ND	Zip Code 58433	Y Variance Permit Posted; Expiration Date: 06/07/2016	
County Lamoure	Telephone Number 701-493-2271		NA Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	
Device Contact/Manager Wayne S Cook		Cell Number	NA Software is NTEP Approved	
Email Address wayne.cook@chsinc.com			NA Built-In Standards; Date Certified:	
			Y Multiple Decks/Single Indicator	Y Customer Has Clear View
			Y Clearance Below Scale Clear	NA Video Camera Working
			N Approach Requirements Met	NA View Distance > 200'
			Y Pit Coping and Crush Strip Good	NA Two-Way Audio Working
NA In response to PSC Quality Assurance Inspection				

Scale Information

Scale Manufacturer RLWS OTR S/N: 5RMP	Indicator Manufacturer/Model RLWS 920I-2A	Indicator Serial No. 1665400144	Weighing Elements E / 4 Cell 75k
Capacity/Divisions/Units 80,000 x 20 lbs	Legible Label _ Y _ N	Class III	Printer Manufacturer/Model Epson TM-U295
Deck Size 10' x 15'6"	Clearance (inches) 36"	Approach - 12' Concrete Level East- OK - West 14"	Printer Serial No. J9KF102067
SR or Discrimination Test Zero Load = NA Loaded = NA	Motion Detection Range = 3d	Hard Surface Approach (Length/Slope/Condition) Good	
		AZSM (Auto Zero) Range = 3d	

Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: Corner Test					Description: Section Test				
1	10,000 lbs		0	0	1	20,000 lbs		0	0
2	10,000 lbs		0	0	2	20,000 lbs		0	0
3	10,000 lbs		0	0					
4	10,000 lbs		0	0		BC=0@0			
	BC=0@0								

Strain Load Test

Section (Increasing or Decreasing)	1	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary. Performed quartley check on OTR, tested scale and found no adjustments needed at this time.
Full Truck Weight	34,300/320	
Test Weight	20,000	
Empty Truck Weight	14,300	
Errors	0/+	
Physical Seal <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Electronic Audit Trail: <input type="checkbox"/> Y <input type="checkbox"/> N		
Seal Date: 06/09/2015	Audit Trail Information:	
Seal Type: Lead		
Meets tolerances in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance		
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied		
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.		
Cody Bannick	1718	
Permit Holder Signature	Permit Number	
Wayne Cook	06/09/2015	
Operator Signature	Date	