

Exam Date:09/10/2014

Farmers Elevator Company of Honeyford

Page: 1

Examiner: 1

2472 30th St NE

Gilby, ND

County:

Phone: 701-869-2466

CCC Number:

| Location/Container Numbers/Comments | Section | Capacity |
|-------------------------------------|---------|----------|
|-------------------------------------|---------|----------|

**PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE**

|     |   |                       |
|-----|---|-----------------------|
| 039 | C | 383,759               |
|     |   | <b>Total:</b> 383,759 |

**PART B - SPACE TO BE DELETED UNDER LICENSE**

|      |     |                       |
|------|-----|-----------------------|
| G100 | L-G | 249,358               |
|      |     | <b>Total:</b> 249,358 |

**PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

|  |   |                         |
|--|---|-------------------------|
|  | C | 1,626,000               |
|  | D | 33,000                  |
|  | G | 182,000                 |
|  | L | 366,000                 |
|  | M | 143,000                 |
|  |   | <b>Total:</b> 2,350,000 |

**PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT**

|               |       |                         |
|---------------|-------|-------------------------|
| Honeyford 226 | C D G | 1,841,000               |
| McCanna 1057  | L     | 366,000                 |
| Niagara 1056  | M     | 143,000                 |
|               |       | <b>Total:</b> 2,350,000 |

Exam Date:09/10/2014

Farmers Elevator Company of Honeyford

Page: 1

Examiner: 1

2472 30th St NE

Gilby, ND

County:

| Status | Section | Bin Number | Bin Type | Base Point | Diameter<br>or Bu/Ft (Irreg.) | Length | Width | Side<br>wall | Add<br>for<br>Hopper | Ded.<br>for<br>Obst. | Effective<br>Depth | Add<br>for<br>Peak | Depth<br>for<br>Capac. | Bushels<br>per<br>Foot | Base<br>Pack% | Bushel Capacity<br>with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

## Facility: Honeyford

### Section: C

|   |        |  |        |                      |       |       |       |       |      |      |        |       |      |       |      |       |
|---|--------|--|--------|----------------------|-------|-------|-------|-------|------|------|--------|-------|------|-------|------|-------|
| C | 002    |  | Square | work floor           | 0.000 | 12.30 | 4.100 | 52.00 | 0.00 | 0.00 | 52.000 | 0.000 | 52.0 | 40.5  | 3.00 | 2,169 |
| C | 003    |  | Square | work floor           | 0.000 | 3.800 | 5.100 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 15.6  | 2.00 | 812   |
| C | 004    |  | Square | work floor           | 0.000 | 8.200 | 11.00 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 72.5  | 5.20 | 3,814 |
| C | 005    |  | Square | work floor           | 0.000 | 11.10 | 13.30 | 67.00 | 0.00 | 0.00 | 67.000 | 0.000 | 67.0 | 118.7 | 6.20 | 8,446 |
| C | 006 T  |  | Square | work floor           | 0.000 | 2.400 | 11.00 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 21.2  | 2.00 | 1,103 |
| C | 006 B  |  | Square | work floor - top 51' | 0.000 | 10.70 | 10.70 | 19.00 | 0.00 | 0.00 | 19.000 | 0.000 | 19.0 | 92.0  | 5.80 | 1,849 |
| C | 007    |  | Square | work floor           | 0.000 | 12.30 | 11.00 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 108.8 | 6.20 | 5,777 |
| C | 008    |  | Square | work floor           | 0.000 | 12.30 | 13.30 | 49.00 | 0.00 | 0.00 | 49.000 | 0.000 | 49.0 | 131.5 | 6.50 | 6,863 |
| C | 009    |  | Square | work floor           | 0.000 | 13.30 | 11.00 | 67.00 | 0.00 | 0.00 | 67.000 | 0.000 | 67.0 | 117.6 | 6.20 | 8,367 |
| C | 010    |  | Square | work floor           | 0.000 | 11.00 | 11.00 | 70.00 | 0.00 | 0.00 | 70.000 | 0.000 | 70.0 | 97.3  | 6.00 | 7,220 |
| C | 011    |  | Square | work floor           | 0.000 | 11.00 | 4.100 | 48.50 | 0.00 | 0.00 | 48.500 | 0.000 | 48.5 | 36.3  | 3.00 | 1,814 |
| C | 013    |  | Square | work floor           | 0.000 | 11.00 | 4.200 | 48.50 | 0.00 | 0.00 | 48.500 | 0.000 | 48.5 | 37.1  | 3.00 | 1,853 |
| C | 015 TS |  | Square | work floor           | 0.000 | 13.60 | 11.70 | 61.00 | 0.00 | 0.00 | 61.000 | 0.000 | 61.0 | 127.9 | 6.50 | 8,309 |
| C | 015 BS |  | Square | work floor - top 61' | 0.000 | 14.70 | 13.50 | 7.000 | 0.00 | 0.00 | 7.000  | 0.000 | 7.0  | 159.5 | 7.00 | 1,195 |
| C | 015N   |  | Square | work floor           | 0.000 | 11.00 | 10.60 | 70.00 | 0.00 | 0.00 | 70.000 | 0.000 | 70.0 | 93.7  | 5.80 | 6,939 |
| C | 016    |  | Square | work floor           | 0.000 | 12.30 | 10.60 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 104.8 | 6.00 | 5,554 |
| C | 017    |  | Square | work floor           | 0.000 | 13.60 | 12.30 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 134.5 | 6.50 | 8,595 |
| C | 021 T  |  | Square | work floor           | 0.000 | 13.60 | 11.10 | 61.00 | 0.00 | 0.00 | 61.000 | 0.000 | 61.0 | 121.4 | 6.50 | 7,886 |
| C | 021 B  |  | Square | work floor - top 61' | 0.000 | 14.80 | 13.50 | 7.000 | 0.00 | 0.00 | 7.000  | 0.000 | 7.0  | 160.6 | 7.00 | 1,203 |
| C | 022 T  |  | Square | work floor           | 0.000 | 10.60 | 2.600 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 22.2  | 2.00 | 1,155 |
| C | 022 B  |  | Square | work floor - top 51' | 0.000 | 10.70 | 10.50 | 19.00 | 0.00 | 0.00 | 19.000 | 0.000 | 19.0 | 90.3  | 5.80 | 1,816 |

Client ID: 58

## NDPSC Bin Capacity Chart

09/10/2014 03:24:50 PM

Exam Date:09/10/2014

Farmers Elevator Company of Honeyford  
2472 30th St NE  
Gilby, ND  
County:

Page: 2

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter<br>or Bu/Ft (Irreg.)<br>Length | Width | Side<br>wall | Add<br>for<br>Hopper | Ded.<br>for<br>Obst. | Effective<br>Depth | Add<br>for<br>Peak | Depth<br>for<br>Capac. | Bushels<br>per<br>Foot | Base<br>Pack% | Bushel Capacity<br>with Pack |
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

**Facility: Honeyford****Section: C**

|       |   |       |        |                      |        |       |       |       |      |      |        |       |      |        |      |         |
|-------|---|-------|--------|----------------------|--------|-------|-------|-------|------|------|--------|-------|------|--------|------|---------|
|       | C | 024   | Square | work floor           | 0.000  | 10.60 | 8.000 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 68.2   | 5.20 | 3,587   |
|       | C | 025   | Square | work floor           | 0.000  | 5.200 | 3.800 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 15.9   | 2.00 | 827     |
|       | C | 026 T | Square | work floor           | 0.000  | 5.800 | 5.100 | 13.00 | 0.00 | 0.00 | 13.000 | 0.000 | 13.0 | 23.8   | 2.00 | 315     |
|       | C | 026 B | Square | work floor- top 13'  | 0.000  | 12.30 | 5.800 | 39.00 | 0.00 | 0.00 | 39.000 | 0.000 | 39.0 | 57.3   | 4.80 | 2,342   |
|       | C | 027   | Square | work floor           | 0.000  | 12.30 | 11.60 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 114.7  | 6.20 | 7,309   |
|       | C | 028 T | Square | work floor           | 0.000  | 11.70 | 11.60 | 61.00 | 0.00 | 0.00 | 61.000 | 0.000 | 61.0 | 109.1  | 6.20 | 7,068   |
|       | C | 028 B | Square | work floor - top 61' | 0.000  | 14.70 | 11.40 | 9.000 | 0.00 | 0.00 | 9.000  | 0.000 | 9.0  | 134.7  | 6.50 | 1,291   |
|       | C | 029 T | Square | work floor           | 0.000  | 11.60 | 11.10 | 61.00 | 0.00 | 0.00 | 61.000 | 0.000 | 61.0 | 103.5  | 6.00 | 6,693   |
|       | C | 029 B | Square | work floor - top 61' | 0.000  | 14.80 | 11.40 | 9.000 | 0.00 | 0.00 | 9.000  | 0.000 | 9.0  | 135.6  | 6.50 | 1,299   |
|       | C | 030   | Square | work floor - top 61' | 0.000  | 12.30 | 11.30 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 111.7  | 6.20 | 7,118   |
|       | C | 031 T | Square | work floor           | 0.000  | 11.30 | 11.10 | 61.00 | 0.00 | 0.00 | 61.000 | 0.000 | 61.0 | 100.8  | 6.00 | 6,518   |
|       | C | 031 B | Square | work floor           | 0.000  | 14.80 | 11.10 | 8.000 | 0.00 | 0.00 | 8.000  | 0.000 | 8.0  | 132.1  | 6.50 | 1,126   |
|       | C | 032 T | Square | work floor           | 0.000  | 11.70 | 11.30 | 61.00 | 0.00 | 0.00 | 61.000 | 0.000 | 61.0 | 106.3  | 6.20 | 6,886   |
|       | C | 032 B | Square | work floor - top 61' | 0.000  | 14.70 | 11.10 | 8.000 | 0.00 | 0.00 | 8.000  | 0.000 | 8.0  | 131.2  | 6.50 | 1,118   |
|       | C | 033   | Peaked | top of sidewall      | 38.800 | 0.000 | 0.000 | 68.30 | 0.00 | 0.00 | 68.300 | 2.300 | 70.6 | 950.5  | 10.0 | 73,816  |
|       | C | 034   | Peaked | top of sidewall      | 38.800 | 0.000 | 0.000 | 68.30 | 0.00 | 0.00 | 68.300 | 2.300 | 70.6 | 950.5  | 10.0 | 73,816  |
|       | C | 035   | Peaked | top of sidewall      | 38.800 | 0.000 | 0.000 | 68.30 | 0.00 | 0.00 | 68.300 | 2.300 | 70.6 | 950.5  | 10.0 | 73,816  |
|       | C | 036   | Peaked | top of sidewall      | 77.600 | 0.000 | 0.000 | 55.00 | 0.00 | 0.00 | 55.000 | 5.400 | 60.4 | 3801.8 | 10.0 | 252,592 |
|       | C | 037   | Peaked | top of sidewall      | 77.600 | 0.000 | 0.000 | 51.40 | 0.00 | 0.00 | 51.400 | 5.400 | 56.8 | 3801.8 | 10.0 | 237,536 |
|       | C | 038   | Peaked | top of sidewall      | 89.750 | 0.000 | 0.000 | 62.30 | 0.00 | 0.00 | 62.300 | 6.300 | 68.6 | 5085.6 | 10.0 | 383,759 |
| Added | C | 039   | Peaked | top of sidewall      | 89.750 | 0.000 | 0.000 | 62.30 | 0.00 | 0.00 | 62.300 | 6.300 | 68.6 | 5085.6 | 10.0 | 383,759 |

Client ID: 58

## NDPSC Bin Capacity Chart

09/10/2014 03:24:50 PM

Exam Date:09/10/2014

Farmers Elevator Company of Honeyford

Page: 3

Examiner: 1

2472 30th St NE

Gilby , ND

County:

| Status            | Section | Bin Number | Bin Type | Base Point | Diameter<br>or Bu/Ft (Irreg.) | Length | Width | Side<br>wall | Add<br>for<br>Hopper | Ded.<br>for<br>Obst. | Effective<br>Depth | Add<br>for<br>Peak | Depth<br>for<br>Capac.                       | Bushels<br>per<br>Foot | Base<br>Pack%   | Bushel Capacity<br>with Pack |
|-------------------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|--|------------------------|-----------------|------------------------------|
| <b>Bin count:</b> |         | <b>42</b>  |          |            |                               |        |       |              |                      |                      |                    |                    | <b>Facility: Honeyford Section: C Total:</b> | <b>1,625,330</b>       |                 |                              |
|                   |         |            |          |            |                               |        |       |              |                      |                      |                    |                    |  |                        | <b>To Even:</b> | <b>1,626,000</b>             |

### Section: D

|                   |     |          |         |  |       |       |       |       |      |      |        |       |  |               |                 |               |
|-------------------|-----|----------|---------|--|-------|-------|-------|-------|------|------|--------|-------|--|---------------|-----------------|---------------|
| D                 | 001 | Square   | catwalk |  | 0.000 | 11.50 | 9.300 | 44.40 | 0.00 | 0.00 | 44.400 | 0.000 | 44.4   | 86.0          | 5.80            | 4,039         |
| D                 | 002 | Square   | catwalk |  | 0.000 | 11.70 | 9.300 | 44.40 | 0.00 | 0.00 | 44.400 | 0.000 | 44.4   | 87.5          | 5.80            | 4,110         |
| D                 | 003 | Square   | catwalk |  | 0.000 | 11.70 | 9.300 | 44.40 | 0.00 | 0.00 | 44.400 | 0.000 | 44.4   | 87.5          | 5.80            | 4,110         |
| D                 | 004 | Square   | catwalk |  | 0.000 | 11.50 | 9.300 | 44.40 | 0.00 | 0.00 | 44.400 | 0.000 | 44.4   | 86.0          | 5.80            | 4,039         |
| D                 | 005 | Square   | catwalk |  | 0.000 | 11.50 | 9.300 | 44.40 | 0.00 | 0.00 | 44.400 | 0.000 | 44.4   | 86.0          | 5.80            | 4,039         |
| D                 | 006 | Square   | catwalk |  | 0.000 | 11.70 | 9.300 | 44.40 | 0.00 | 0.00 | 44.400 | 0.000 | 44.4   | 87.5          | 5.80            | 4,110         |
| D                 | 007 | Square   | catwalk |  | 0.000 | 11.70 | 9.300 | 44.40 | 0.00 | 0.00 | 44.400 | 0.000 | 44.4   | 87.5          | 5.80            | 4,110         |
| D                 | 008 | Square   | catwalk |  | 0.000 | 11.50 | 9.300 | 44.40 | 0.00 | 0.00 | 44.400 | 0.000 | 44.4   | 86.0          | 5.80            | 4,039         |
| <b>Bin count:</b> |     | <b>8</b> |         |  |       |       |       |       |      |      |        |       | <b>Facility: Honeyford Section: D Total:</b> | <b>32,596</b> |                 |               |
|                   |     |          |         |  |       |       |       |       |      |      |        |       |  |               | <b>To Even:</b> | <b>33,000</b> |

### Section: G

|                   |      |           |                            |  |        |       |       |       |      |      |        |       |  |                |                 |                |
|-------------------|------|-----------|----------------------------|--|--------|-------|-------|-------|------|------|--------|-------|--|----------------|-----------------|----------------|
| G                 | G100 | Temporary | oval bunker - 110'w x 120L |  | 15.000 | 125.0 | 58.50 | 13.10 | 0.00 | 0.00 | 13.100 | 15.00 | 28.1   | 5878.2         | 10.0            | 181,695        |
| <b>Bin count:</b> |      | <b>1</b>  |                            |  |        |       |       |       |      |      |        |       | <b>Facility: Honeyford Section: G Total:</b> | <b>181,695</b> |                 |                |
|                   |      |           |                            |  |        |       |       |       |      |      |        |       |  |                | <b>To Even:</b> | <b>182,000</b> |

Exam Date:09/10/2014

Farmers Elevator Company of Honeyford

Page: 4

Examiner: 1

2472 30th St NE

Gilby, ND

County:

| Status | Section | Bin Number | Bin Type | Base Point | Diameter<br>or Bu/Ft (Irreg). |       | Side<br>wall | Add<br>for<br>Hopper | Ded.<br>for<br>Obst. | Effective<br>Depth | Add<br>for<br>Peak | Depth<br>for<br>Capac. | Bushels<br>per<br>Foot | Base<br>Pack% | Bushel Capacity<br>with Pack |
|--------|---------|------------|----------|------------|-------------------------------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|        |         |            |          |            | Length                        | Width |              |                      |                      |                    |                    |                        |                        |               |                              |

## Facility: McCanna

### Section: L

|   |       |        |                    |         |       |       |       |       |      |      |        |       |      |       |      |       |
|---|-------|--------|--------------------|---------|-------|-------|-------|-------|------|------|--------|-------|------|-------|------|-------|
| L | 002   | Square | bin floor concrete | McCanna | 0.000 | 5.500 | 4.000 | 69.00 | 0.00 | 0.00 | 69.000 | 0.000 | 69.0 | 17.7  | 2.00 | 1,245 |
| L | 003   | Square | bin floor concrete | McCanna | 0.000 | 5.500 | 4.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 17.7  | 2.00 | 1,282 |
| L | 004   | Square | bin floor concrete | McCanna | 0.000 | 5.500 | 4.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 17.7  | 2.00 | 1,282 |
| L | 005   | Square | bin floor          |         | 0.000 | 5.500 | 4.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 17.7  | 2.00 | 1,282 |
| L | 006   | Square | bin floor          |         | 0.000 | 5.500 | 5.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 22.1  | 2.00 | 1,600 |
| L | 007   | Square | bin floor          |         | 0.000 | 5.500 | 5.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 22.1  | 2.00 | 1,600 |
| L | 008   | Square | bin floor          |         | 0.000 | 5.500 | 4.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 17.7  | 2.00 | 1,282 |
| L | 009   | Square | bin floor          |         | 0.000 | 10.00 | 4.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 32.2  | 2.50 | 2,343 |
| L | 010 T | Square | bin floor          |         | 0.000 | 4.000 | 13.70 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 44.1  | 3.50 | 3,241 |
| L | 010 B | Square | bin floor top 71'  |         | 0.000 | 10.00 | 13.70 | 24.50 | 0.00 | 0.00 | 24.500 | 0.000 | 24.5 | 110.1 | 6.20 | 2,864 |
| L | 011 T | Square | bin floor          |         | 0.000 | 4.000 | 13.70 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 44.1  | 3.50 | 3,241 |
| L | 011 B | Square | bin floor top 71'  |         | 0.000 | 10.00 | 13.70 | 24.50 | 0.00 | 0.00 | 24.500 | 0.000 | 24.5 | 110.1 | 6.20 | 2,864 |
| L | 012   | Square | bin floor          |         | 0.000 | 6.500 | 9.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 47.0  | 4.00 | 3,470 |
| L | 013   | Square | bin floor          |         | 0.000 | 6.500 | 9.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 47.0  | 4.00 | 3,470 |
| L | 014   | Square | bin floor          |         | 0.000 | 6.500 | 7.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 36.6  | 3.00 | 2,677 |
| L | 015   | Square | bin floor          |         | 0.000 | 6.500 | 7.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 36.6  | 3.00 | 2,677 |
| L | 018   | Square | bin floor          |         | 0.000 | 13.50 | 4.200 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 45.6  | 4.00 | 3,368 |
| L | 019   | Square | bin floor          |         | 0.000 | 13.50 | 4.200 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 45.6  | 4.00 | 3,368 |
| L | 021   | Square | bin floor          |         | 0.000 | 6.500 | 7.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 36.6  | 3.00 | 2,677 |
| L | 022   | Square | bin floor          |         | 0.000 | 6.500 | 7.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 36.6  | 3.00 | 2,677 |
| L | 023   | Square | bin floor          |         | 0.000 | 6.500 | 9.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 47.0  | 4.00 | 3,470 |

Exam Date:09/10/2014

Farmers Elevator Company of Honeyford  
2472 30th St NE  
Gilby, ND  
County:

Page: 5

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter<br>or Bu/Ft (Irreg). | Length | Width | Side<br>wall | Add<br>for<br>Hopper | Ded.<br>for<br>Obst. | Effective<br>Depth | Add<br>for<br>Peak | Depth<br>for<br>Capac. | Bushels<br>per<br>Foot | Base<br>Pack% | Bushel Capacity<br>with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

## Facility: McCanna

### Section: L

|   |       |           |                         |  |        |       |       |       |      |      |        |       |      |       |      |        |
|---|-------|-----------|-------------------------|--|--------|-------|-------|-------|------|------|--------|-------|------|-------|------|--------|
| L | 024   | Square    | bin floor               |  | 0.000  | 6.500 | 9.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 47.0  | 4.00 | 3,470  |
| L | 025   | Square    | bin floor               |  | 0.000  | 10.00 | 13.70 | 69.00 | 0.00 | 0.00 | 69.000 | 0.000 | 69.0 | 110.1 | 6.20 | 8,068  |
| L | 026   | Square    | bin floor               |  | 0.000  | 10.00 | 13.70 | 69.00 | 0.00 | 0.00 | 69.000 | 0.000 | 69.0 | 110.1 | 6.20 | 8,068  |
| L | 027 T | Square    | bin floor               |  | 0.000  | 4.500 | 7.000 | 18.00 | 0.00 | 0.00 | 18.000 | 0.000 | 18.0 | 25.3  | 2.50 | 466    |
| L | 027 B | Square    | bin floor top 18'       |  | 0.000  | 10.00 | 7.000 | 53.00 | 0.00 | 0.00 | 53.000 | 0.000 | 53.0 | 56.3  | 4.80 | 3,127  |
| L | 028   | Square    | bin floor top 18'       |  | 0.000  | 10.00 | 3.000 | 71.00 | 0.00 | 0.00 | 71.000 | 0.000 | 71.0 | 24.1  | 2.50 | 1,754  |
| L | 101   | Irregular | bin floor               |  | 110.00 | 0.000 | 0.000 | 97.00 | 0.00 | 0.00 | 97.000 | 0.000 | 97.0 | 110.0 | 6.20 | 11,332 |
| L | 102   | Round     | bin floor               |  | 18.200 | 0.000 | 0.000 | 97.00 | 0.00 | 0.00 | 97.000 | 0.000 | 97.0 | 209.1 | 6.00 | 21,500 |
| L | 103   | Round     | bin floor               |  | 18.200 | 0.000 | 0.000 | 97.00 | 0.00 | 0.00 | 97.000 | 0.000 | 97.0 | 209.1 | 6.00 | 21,500 |
| L | 104   | Irregular | bin floor               |  | 20.000 | 0.000 | 0.000 | 97.00 | 0.00 | 0.00 | 97.000 | 0.000 | 97.0 | 20.0  | 2.00 | 1,979  |
| L | 201   | Square    | bin floor wood elevator |  | 0.000  | 7.500 | 10.30 | 47.00 | 0.00 | 0.00 | 47.000 | 0.000 | 47.0 | 62.1  | 5.00 | 3,065  |
| L | 204   | Square    | bin floor               |  | 0.000  | 7.500 | 3.500 | 34.00 | 0.00 | 0.00 | 34.000 | 0.000 | 34.0 | 21.1  | 2.00 | 731    |
| L | 205   | Square    | bin floor               |  | 0.000  | 7.500 | 6.500 | 30.00 | 0.00 | 0.00 | 30.000 | 0.000 | 30.0 | 39.2  | 3.00 | 1,211  |
| L | 206   | Square    | bin floor               |  | 0.000  | 7.500 | 10.30 | 47.00 | 0.00 | 0.00 | 47.000 | 0.000 | 47.0 | 62.1  | 5.00 | 3,065  |
| L | 207   | Square    | bin floor               |  | 0.000  | 7.500 | 10.30 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 62.1  | 5.00 | 3,130  |
| L | 208   | Square    | bin floor               |  | 0.000  | 7.500 | 10.30 | 33.00 | 0.00 | 0.00 | 33.000 | 0.000 | 33.0 | 62.1  | 5.00 | 2,151  |
| L | 209   | Square    | bin floor               |  | 0.000  | 7.500 | 10.30 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 62.1  | 5.00 | 3,130  |
| L | 210   | Square    | bin floor               |  | 0.000  | 7.500 | 6.500 | 30.00 | 0.00 | 0.00 | 30.000 | 0.000 | 30.0 | 39.2  | 3.00 | 1,211  |
| L | 211   | Square    | bin floor               |  | 0.000  | 7.500 | 6.500 | 33.00 | 0.00 | 0.00 | 33.000 | 0.000 | 33.0 | 39.2  | 3.00 | 1,333  |
| L | 212   | Square    | bin floor               |  | 0.000  | 7.500 | 10.30 | 31.00 | 0.00 | 0.00 | 31.000 | 0.000 | 31.0 | 62.1  | 5.00 | 2,021  |
| L | 214   | Square    | bin floor               |  | 0.000  | 7.500 | 6.500 | 33.00 | 0.00 | 0.00 | 33.000 | 0.000 | 33.0 | 39.2  | 3.00 | 1,333  |

Client ID: 58

## NDPSC Bin Capacity Chart

09/10/2014 03:24:50 PM

Exam Date:09/10/2014

Farmers Elevator Company of Honeyford

Page: 6

Examiner: 1

2472 30th St NE

Gilby, ND

County:

| Status | Section | Bin Number | Bin Type | Base Point | Diameter<br>or Bu/Ft (Irreg.) | Length | Width | Side<br>wall | Add<br>for<br>Hopper | Ded.<br>for<br>Obst. | Effective<br>Depth | Add<br>for<br>Peak | Depth<br>for<br>Capac. | Bushels<br>per<br>Foot | Base<br>Pack% | Bushel Capacity<br>with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

**Facility: McCanna****Section: L**

|   |     |         |                                |  |        |       |       |       |      |      |        |       |      |        |      |        |
|---|-----|---------|--------------------------------|--|--------|-------|-------|-------|------|------|--------|-------|------|--------|------|--------|
| L | 215 | Square  | bin floor                      |  | 0.000  | 7.500 | 10.30 | 47.00 | 0.00 | 0.00 | 47.000 | 0.000 | 47.0 | 62.1   | 5.00 | 3,065  |
| L | 216 | Square  | bin floor                      |  | 0.000  | 7.500 | 10.30 | 47.00 | 0.00 | 0.00 | 47.000 | 0.000 | 47.0 | 62.1   | 5.00 | 3,065  |
| L | 217 | Square  | bin floor                      |  | 0.000  | 7.500 | 6.500 | 33.00 | 0.00 | 0.00 | 33.000 | 0.000 | 33.0 | 39.2   | 3.00 | 1,333  |
| L | 218 | Square  | bin floor                      |  | 0.000  | 7.500 | 6.500 | 33.00 | 0.00 | 0.00 | 33.000 | 0.000 | 33.0 | 39.2   | 3.00 | 1,333  |
| L | 301 | Flat    | 18.5' bttm auger 14.2' rods    |  | 0.000  | 100.2 | 50.00 | 14.10 | 0.00 | 0.00 | 14.100 | 0.000 | 14.1 | 4027.3 | 10.0 | 62,464 |
| L | 302 | Flat    | 13.8' sidewall 19.4' low point |  | 0.000  | 150.0 | 38.70 | 13.80 | 0.00 | 0.00 | 13.800 | 0.000 | 13.8 | 4666.4 | 10.0 | 70,836 |
| L | 303 | Quonset | center over u-trgh 17.4 side   |  | 0.000  | 118.8 | 45.40 | 12.00 | 0.00 | 0.00 | 12.000 | 0.000 | 12.0 | 4124.2 | 10.0 | 54,440 |
| L | 401 | Peaked  | top of sidewall                |  | 16.000 | 0.000 | 0.000 | 25.00 | 2.50 | 0.00 | 27.500 | 1.000 | 28.5 | 161.6  | 5.80 | 4,873  |
| L | 402 | Peaked  | top of sidewall                |  | 16.000 | 0.000 | 0.000 | 25.00 | 2.50 | 0.00 | 27.500 | 1.000 | 28.5 | 161.6  | 5.80 | 4,873  |
| L | 403 | Peaked  | top of sidewall                |  | 16.000 | 0.000 | 0.000 | 15.00 | 2.50 | 0.00 | 17.500 | 1.000 | 18.5 | 161.6  | 5.80 | 3,163  |

Bin count: 52

Facility: McCanna Section: L Total: 365,070

To Even: 366,000

## NDPSC Bin Capacity Chart

Exam Date:09/10/2014

Farmers Elevator Company of Honeyford  
2472 30th St NE  
Gilby, ND  
County:

Page: 7

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter<br>or Bu/Ft (Irreg.) | Length | Width | Side<br>wall | Add<br>for<br>Hopper | Ded.<br>for<br>Obst. | Effective<br>Depth | Add<br>for<br>Peak | Depth<br>for<br>Capac. | Bushels<br>per<br>Foot | Base<br>Pack% | Bushel Capacity<br>with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

**Facility: Niagara****Section: M**

|   |       |  |        |                     |       |       |       |       |      |      |        |       |      |      |      |       |
|---|-------|--|--------|---------------------|-------|-------|-------|-------|------|------|--------|-------|------|------|------|-------|
| M | 001 T |  | Square | bin floor --Niagara | 0.000 | 9.100 | 7.000 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 51.2 | 4.50 | 2,728 |
| M | 001 B |  | Square | bin floor top 51'   | 0.000 | 8.700 | 13.60 | 17.00 | 0.00 | 0.00 | 17.000 | 0.000 | 17.0 | 95.1 | 6.00 | 1,714 |
| M | 002   |  | Square | bin floor           | 0.000 | 9.100 | 6.900 | 49.00 | 0.00 | 0.00 | 49.000 | 0.000 | 49.0 | 50.5 | 4.50 | 2,586 |
| M | 003   |  | Square | bin floor           | 0.000 | 9.100 | 6.400 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 46.8 | 4.00 | 2,482 |
| M | 004 T |  | Square | bin floor           | 0.000 | 3.800 | 6.700 | 15.00 | 0.00 | 0.00 | 15.000 | 0.000 | 15.0 | 20.5 | 2.00 | 314   |
| M | 004 B |  | Square | bin floor top 15'   | 0.000 | 9.100 | 6.700 | 36.00 | 0.00 | 0.00 | 36.000 | 0.000 | 36.0 | 49.0 | 4.20 | 1,838 |
| M | 006   |  | Square | bin floor           | 0.000 | 9.100 | 7.100 | 49.00 | 0.00 | 0.00 | 49.000 | 0.000 | 49.0 | 51.9 | 4.50 | 2,657 |
| M | 007 T |  | Square | bin floor           | 0.000 | 9.100 | 6.700 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 49.0 | 4.20 | 2,604 |
| M | 007 B |  | Square | bin floor top 51'   | 0.000 | 8.600 | 13.60 | 17.00 | 0.00 | 0.00 | 17.000 | 0.000 | 17.0 | 94.0 | 5.80 | 1,691 |
| M | 008 T |  | Square | bin floor           | 0.000 | 6.900 | 7.300 | 11.00 | 0.00 | 0.00 | 11.000 | 0.000 | 11.0 | 40.5 | 3.00 | 459   |
| M | 008 B |  | Square | bin floor top 11'   | 0.000 | 10.00 | 7.000 | 39.00 | 0.00 | 0.00 | 39.000 | 0.000 | 39.0 | 56.3 | 4.80 | 2,301 |
| M | 009   |  | Square | bin floor           | 0.000 | 10.00 | 6.900 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 55.5 | 4.80 | 2,908 |
| M | 010   |  | Square | bin floor           | 0.000 | 5.100 | 6.400 | 52.00 | 0.00 | 0.00 | 52.000 | 0.000 | 52.0 | 26.2 | 2.50 | 1,396 |
| M | 011   |  | Square | bin floor           | 0.000 | 4.300 | 6.400 | 52.00 | 0.00 | 0.00 | 52.000 | 0.000 | 52.0 | 22.1 | 2.00 | 1,172 |
| M | 012   |  | Square | bin floor           | 0.000 | 5.100 | 6.700 | 52.00 | 0.00 | 0.00 | 52.000 | 0.000 | 52.0 | 27.5 | 2.50 | 1,466 |
| M | 013   |  | Square | bin floor           | 0.000 | 4.300 | 6.700 | 52.00 | 0.00 | 0.00 | 52.000 | 0.000 | 52.0 | 23.2 | 2.00 | 1,230 |
| M | 014   |  | Square | bin floor           | 0.000 | 10.00 | 7.100 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 57.1 | 4.80 | 2,992 |
| M | 015 U |  | Square | bin floor           | 0.000 | 10.00 | 6.700 | 31.00 | 0.00 | 0.00 | 31.000 | 0.000 | 31.0 | 53.9 | 4.50 | 1,746 |
| M | 015 L |  | Square | bin floor blind bin | 0.000 | 10.00 | 6.700 | 19.00 | 0.00 | 0.00 | 19.000 | 0.000 | 19.0 | 53.9 | 4.50 | 1,070 |
| M | 016   |  | Square | bin floor           | 0.000 | 9.300 | 7.000 | 49.00 | 0.00 | 0.00 | 49.000 | 0.000 | 49.0 | 52.3 | 4.50 | 2,678 |
| M | 017 T |  | Square | bin floor           | 0.000 | 3.200 | 6.900 | 52.00 | 0.00 | 0.00 | 52.000 | 0.000 | 52.0 | 17.7 | 2.00 | 938   |

Client ID: 58

## NDPSC Bin Capacity Chart

09/10/2014 03:24:50 PM

Exam Date:09/10/2014

Farmers Elevator Company of Honeyford  
2472 30th St NE  
Gilby, ND  
County:

Page: 8

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter<br>or Bu/Ft (Irreg.)<br>Length | Width | Side<br>wall | Add<br>for<br>Hopper | Ded.<br>for<br>Obst. | Effective<br>Depth | Add<br>for<br>Peak | Depth<br>for<br>Capac. | Bushels<br>per<br>Foot | Base<br>Pack% | Bushel Capacity<br>with Pack |
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

**Facility: Niagara****Section: M**

|   |       |         |                            |       |       |       |       |      |      |        |       |      |        |      |        |
|---|-------|---------|----------------------------|-------|-------|-------|-------|------|------|--------|-------|------|--------|------|--------|
| M | 017 B | Square  | bin floor top 52'          | 0.000 | 8.700 | 13.60 | 15.00 | 0.00 | 0.00 | 15.000 | 0.000 | 15.0 | 95.1   | 6.00 | 1,513  |
| M | 018   | Square  | bin floor                  | 0.000 | 5.800 | 6.900 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 32.2   | 2.50 | 1,683  |
| M | 019   | Square  | bin floor                  | 0.000 | 9.100 | 3.900 | 50.00 | 0.00 | 0.00 | 50.000 | 0.000 | 50.0 | 28.5   | 2.50 | 1,461  |
| M | 020 T | Square  | bin floor                  | 0.000 | 3.600 | 7.400 | 9.000 | 0.00 | 0.00 | 9.000  | 0.000 | 9.0  | 21.4   | 2.00 | 197    |
| M | 020 B | Square  | bin floor top 9'           | 0.000 | 9.100 | 7.100 | 41.00 | 0.00 | 0.00 | 41.000 | 0.000 | 41.0 | 51.9   | 4.50 | 2,224  |
| M | 021   | Square  | bin floor                  | 0.000 | 6.300 | 7.400 | 9.000 | 0.00 | 0.00 | 9.000  | 0.000 | 9.0  | 37.5   | 3.00 | 348    |
| M | 022 T | Square  | bin floor                  | 0.000 | 9.100 | 6.700 | 57.00 | 0.00 | 0.00 | 57.000 | 0.000 | 57.0 | 49.0   | 4.20 | 2,910  |
| M | 022 B | Square  | bin floor top 57'          | 0.000 | 8.600 | 13.70 | 11.00 | 0.00 | 0.00 | 11.000 | 0.000 | 11.0 | 94.7   | 6.00 | 1,105  |
| M | 101 T | Square  | bin floor                  | 0.000 | 11.00 | 14.50 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 128.2  | 6.50 | 5,461  |
| M | 101 B | Square  | bin floor top 40'          | 0.000 | 11.00 | 9.500 | 8.000 | 0.00 | 0.00 | 8.000  | 0.000 | 8.0  | 84.0   | 5.80 | 711    |
| M | 102   | Square  | bin floor                  | 0.000 | 11.00 | 14.50 | 47.00 | 0.00 | 0.00 | 47.000 | 0.000 | 47.0 | 128.2  | 6.50 | 6,417  |
| M | 103 T | Square  | bin floor                  | 0.000 | 11.50 | 14.50 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 134.0  | 6.50 | 5,708  |
| M | 103 B | Square  | bin floor top 40'          | 0.000 | 11.50 | 9.500 | 8.000 | 0.00 | 0.00 | 8.000  | 0.000 | 8.0  | 87.8   | 5.80 | 743    |
| M | 104   | Square  | bin floor                  | 0.000 | 11.50 | 14.50 | 47.00 | 0.00 | 0.00 | 47.000 | 0.000 | 47.0 | 134.0  | 6.50 | 6,707  |
| M | 105   | Square  | bin floor                  | 0.000 | 11.00 | 14.50 | 47.00 | 0.00 | 0.00 | 47.000 | 0.000 | 47.0 | 128.2  | 6.50 | 6,417  |
| M | 106 T | Square  | bin floor                  | 0.000 | 11.00 | 14.50 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 128.2  | 6.50 | 5,461  |
| M | 106 B | Square  | bin floor top 40'          | 0.000 | 11.00 | 9.500 | 8.000 | 0.00 | 0.00 | 8.000  | 0.000 | 8.0  | 84.0   | 5.80 | 711    |
| M | 108 T | Square  | bin floor                  | 0.000 | 11.50 | 14.50 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 134.0  | 6.50 | 5,708  |
| M | 108 B | Square  | bin floor top 40/          | 0.000 | 11.50 | 9.500 | 8.000 | 0.00 | 0.00 | 8.000  | 0.000 | 8.0  | 87.8   | 5.80 | 743    |
| M | 109   | Square  | bin floor                  | 0.000 | 11.50 | 14.50 | 47.00 | 0.00 | 0.00 | 47.000 | 0.000 | 47.0 | 134.0  | 6.50 | 6,707  |
| M | 200   | Quonset | u-trough to floor 17' side | 0.000 | 100.0 | 40.40 | 10.00 | 0.00 | 0.00 | 10.000 | 0.000 | 10.0 | 3109.5 | 10.0 | 34,206 |

| Status | Section | Bin Number | Bin Type | Base Point | Diameter<br>or Bu/Ft (Irreg.) | Length | Width | Side<br>wall | Add<br>for<br>Hopper | Ded.<br>for<br>Obst. | Effective<br>Depth | Add<br>for<br>Peak | Depth<br>for<br>Capac. | Bushels<br>per<br>Foot | Base<br>Pack% | Bushel Capacity<br>with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

## Facility: Niagara

### Section: M

|   |     |        |                 |  |        |       |       |       |      |      |        |       |      |       |      |       |
|---|-----|--------|-----------------|--|--------|-------|-------|-------|------|------|--------|-------|------|-------|------|-------|
| M | 201 | Peaked | top of sidewall |  | 16.000 | 0.000 | 0.000 | 15.00 | 2.50 | 0.00 | 17.500 | 1.000 | 18.5 | 161.6 | 5.80 | 3,163 |
| M | 202 | Peaked | top of sidewall |  | 16.000 | 0.000 | 0.000 | 15.00 | 2.50 | 0.00 | 17.500 | 1.000 | 18.5 | 161.6 | 5.80 | 3,163 |

|            |    |  |  |                |
|------------|----|--|--|----------------|
| Bin count: | 44 |  | <b>Facility: Niagara Section: M Total:</b> | <b>142,437</b> |
|            |    |  | To Even:                                   | <b>143,000</b> |

|   |  |
|---|--|
| <p><b>Overall Licensed Bin Capacity for:</b><br/>Farmers Elevator Company of Honeyford<br/>Bin count: 147</p> | <p><b>Licensed Capacity:</b><br/>(includes pack) <span style="float: right;"><u>2,347,128 Bu.</u></span></p> <p><b>Licensed Capacity (to even):</b><br/>(includes pack and section totals are rounded up to next highest 1000) <span style="float: right;"><u>2,350,000 Bu.</u></span></p> |
|---|--|

THE FARMERS ELEVATOR  
 COMPANY OF HONEYFORD  
 HONEYFORD STATION

NP Rail



Section C

|     |     |     |     |          |            |    |     |     |
|-----|-----|-----|-----|----------|------------|----|-----|-----|
| 032 | 028 | 15S | 15N | 13       | XXX<br>XXX | 11 | 010 | 009 |
| 030 | 027 | 017 | 016 | XX<br>XX | 026        | 2  | 07  | 008 |
| 031 | 029 | 021 | 22  | XX XX    |            | ML | 6   | 005 |
|     |     |     | 24  | 25       | 3          |    | 4   |     |


Driveway & Scale



Section C




Section C



SECTION D bean house 1  
 block north



|    |    |    |    |
|----|----|----|----|
| 01 | 02 | 03 | 04 |
| 05 | 06 | 07 | 08 |

THE FARMERS ELEVATOR  
 COMPANY OF HONEYFORD  
 HONEYFORD STATION




NP Rail


Section A



FARMERS ELEVATOR CO. OF  
HONEYFORD NIAGARA  
location SECTION M



Driveway & Scale





Scale room

Office


Qounset 200  
40.4' W x 100'L at base  
1.0' ht. W=39.9'  
3.0' ht. W=38.9'  
5.0' ht. W=37.6'  
7.0' ht. W=35.4'  
9.0' ht. W=32.7'  
11.0' ht. W=28.9'  
Bottom center u-trough to floor 17.0'  
Bottom drag box to floor 14.3'  
1<sup>st</sup> sidewall seam top to floor 2.9'  
2<sup>nd</sup> seam = 8.25' 3<sup>rd</sup> seam = 10.7'  
Sidewall trough space 2.0'




FARMERS ELEVATOR CO. OF  
 HONEYFORD McCANNA  
 location SECTION L



DRIVEWAY & SCALE



Next page for flat storage  
 dimensions



FARMERS ELEVATOR CO. OF  
HONEYFORD McCANNA  
location SECTION L

#302 straight wall flat  
storage building south end of  
elevator- 200'L x 38.7'W –  
top of sidewall 14.0' –  
sidewall brace plate top of to  
floor 9.5' – center top of  
rafter to floor 20' – sidewall  
beams & rafters 20' spacing

Flat 301 straight wall building  
east of 302 – 100.5'L x 50' W  
1<sup>st</sup> sidewall gert top of to  
floor 1.0'- 2<sup>nd</sup> gert = 2.3' – 3<sup>rd</sup>  
gert = 4.1' – 4<sup>th</sup> gert 6.0' –  
7th & sidewall = 14.0'- brace  
rods 14.0' to floor – bottom  
u-trough to floor 18.3' –  
sidewall beam & rafters 20'  
on center

Flat 303 quonset east of 301-  
at base 118.8'L x 45.4' W  
1.0' ht. width = 44.9' – 3.0' ht  
W = 43.4' – 5.0' ht W = 41.7'  
– 7.0' ht W = 39.4' – 9.0' ht.  
W = 36.6' – bottom overhead  
drag to floor 17.4' – sidewall  
seams top of to floor 1<sup>st</sup> =  
6.0' – 2<sup>nd</sup> = 8.5' – sidewall u-  
trough space 2.0' on center

