

Exam Date:03/25/2014

Taft Elevator, A Div. of Rahr Malting Co

Page: 1

Examiner: 1

800 West 1st Avenue

Shakopee, MN

County:

Phone: 612-746-4518

CCC Number:

| Location/Container Numbers/Comments | Section | Capacity |
|---|---------------|-------------------|
| PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE | | |
| 034 | D | 601,407 |
| 035 | D | 601,407 |
| 036 | D | 601,407 |
| | Total: | 1,804,221 |
| PART B - SPACE TO BE DELETED UNDER LICENSE | | |
| <NO BINS DELETED> | | |
| | Total: | 0 |
| PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE | | |
| | A | 5,573,000 |
| | D | 4,949,000 |
| | Total: | 10,522,000 |
| PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT | | |
| Amenia 270 | D | 4,949,000 |
| Taft 1089 | A | 5,573,000 |
| | Total: | 10,522,000 |

NDPSC Bin Capacity Chart

Exam Date:03/25/2014

Taft Elevator, A Div. of Rahr Malting Co
 800 West 1st Avenue
 Shakopee , MN
 County:

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack | |
|--------|---------|------------|----------|------------------------------|-------------------------------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|--------|
| | | | | | Length | Width | | | | | | | | | | |
| | A | 001 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 54.00 | 3.00 | 0.00 | 57.000 | 0.000 | 57.0 | 51.4 | 4.50 | 3,062 |
| | A | 002 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 54.00 | 3.00 | 0.00 | 57.000 | 0.000 | 57.0 | 51.4 | 4.50 | 3,062 |
| | A | 003 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 54.00 | 3.00 | 0.00 | 57.000 | 0.000 | 57.0 | 51.4 | 4.50 | 3,062 |
| | A | 004 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 54.00 | 3.00 | 0.00 | 57.000 | 0.000 | 57.0 | 51.4 | 4.50 | 3,062 |
| | A | 005 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 54.00 | 3.00 | 0.00 | 57.000 | 0.000 | 57.0 | 51.4 | 4.50 | 3,062 |
| | A | 006 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 54.00 | 3.00 | 0.00 | 57.000 | 0.000 | 57.0 | 51.4 | 4.50 | 3,062 |
| | A | 007 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 64.00 | 3.00 | 0.00 | 67.000 | 0.000 | 67.0 | 51.4 | 4.50 | 3,599 |
| | A | 008 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 64.00 | 3.00 | 0.00 | 67.000 | 0.000 | 67.0 | 51.4 | 4.50 | 3,599 |
| | A | 009 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 64.00 | 3.00 | 0.00 | 67.000 | 0.000 | 67.0 | 51.4 | 4.50 | 3,599 |
| | A | 010 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 64.00 | 3.00 | 0.00 | 67.000 | 0.000 | 67.0 | 51.4 | 4.50 | 3,599 |
| | A | 011 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 64.00 | 3.00 | 0.00 | 67.000 | 0.000 | 67.0 | 51.4 | 4.50 | 3,599 |
| | A | 012 | Square | floor over bins | 51.400 | 8.000 | 8.000 | 64.00 | 3.00 | 0.00 | 67.000 | 0.000 | 67.0 | 51.4 | 4.50 | 3,599 |
| | A | 218 | Round | Hopper bottom bins, flat top | 16.000 | 0.000 | 0.000 | 33.50 | 2.20 | 0.00 | 35.700 | 0.000 | 35.7 | 161.6 | 5.80 | 6,104 |
| | A | 219 | Round | Hopper bottom bins, flat top | 16.000 | 0.000 | 0.000 | 33.50 | 2.20 | 0.00 | 35.700 | 0.000 | 35.7 | 161.6 | 5.80 | 6,104 |
| | A | 220 | Round | Hopper bottom bins, flat | 16.000 | 0.000 | 0.000 | 33.50 | 2.20 | 0.00 | 35.700 | 0.000 | 35.7 | 161.6 | 5.80 | 6,104 |
| | A | 221 | Round | Hopper bottom bins, flat top | 16.000 | 0.000 | 0.000 | 33.50 | 2.20 | 0.00 | 35.700 | 0.000 | 35.7 | 161.6 | 5.80 | 6,104 |
| | A | 222 | Round | Hopper bottom bins, flat | 16.000 | 0.000 | 0.000 | 33.50 | 2.20 | 0.00 | 35.700 | 0.000 | 35.7 | 161.6 | 5.80 | 6,104 |
| | A | 223 | Round | Hopper bottom bins, flat top | 16.000 | 0.000 | 0.000 | 33.50 | 2.20 | 0.00 | 35.700 | 0.000 | 35.7 | 161.6 | 5.80 | 6,104 |
| | A | 224 | Round | Hopper bottom bins, flat top | 16.000 | 0.000 | 0.000 | 33.50 | 2.20 | 0.00 | 35.700 | 0.000 | 35.7 | 161.6 | 5.80 | 6,104 |
| | A | 225 | Round | Hopper bottom bins, flat top | 16.000 | 0.000 | 0.000 | 33.50 | 2.20 | 0.00 | 35.700 | 0.000 | 35.7 | 161.6 | 5.80 | 6,104 |
| | A | 226 | Peaked | eave at sidewall | 36.000 | 0.000 | 0.000 | 29.60 | 0.00 | 0.00 | 29.600 | 2.200 | 31.8 | 818.2 | 10.0 | 28,621 |
| | A | 227 | Peaked | eave at sidewall | 36.000 | 0.000 | 0.000 | 29.60 | 0.00 | 0.00 | 29.600 | 2.200 | 31.8 | 818.2 | 10.0 | 28,621 |
| | A | 228 | Peaked | Sidewall 44.4 - hopper | 30.000 | 0.000 | 0.000 | 44.40 | 4.80 | 0.00 | 49.200 | 1.800 | 51.0 | 568.2 | 9.00 | 31,586 |

Section: A

NDPSC Bin Capacity Chart

Exam Date:03/25/2014

Taft Elevator, A Div. of Rahr Malting Co
 800 West 1st Avenue
 Shakopee , MN
 County:

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack | |
|--------|---------|------------|----------|------------------------------|-------------------------------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|---------|
| | | | | | Length | Width | | | | | | | | | | |
| | A | 229 | Peaked | Sidewall 44.4 - hopper | 30.000 | 0.000 | 0.000 | 44.40 | 4.80 | 0.00 | 49.200 | 1.800 | 51.0 | 568.2 | 9.00 | 31,586 |
| | A | 230 | Peaked | Sidewall 44.4 - hopper | 30.000 | 0.000 | 0.000 | 44.40 | 4.80 | 0.00 | 49.200 | 1.800 | 51.0 | 568.2 | 9.00 | 31,586 |
| | A | 231 | Peaked | Sidewall 44.4 - hopper | 30.000 | 0.000 | 0.000 | 44.40 | 4.80 | 0.00 | 49.200 | 1.800 | 51.0 | 568.2 | 9.00 | 31,586 |
| | A | 232 | Peaked | Sidewall 44.4 - hopper | 30.000 | 0.000 | 0.000 | 44.40 | 4.80 | 0.00 | 49.200 | 1.800 | 51.0 | 568.2 | 9.00 | 31,586 |
| | A | 233 | Peaked | Zero point is eave | 35.800 | 0.000 | 0.000 | 58.80 | 0.00 | 0.00 | 58.800 | 2.100 | 60.9 | 809.2 | 10.0 | 54,208 |
| | A | 234 | Peaked | Zero point is eave | 47.800 | 0.000 | 0.000 | 58.80 | 0.00 | 0.00 | 58.800 | 2.900 | 61.7 | 1442.5 | 10.0 | 97,902 |
| | A | 235 | Peaked | Zero point is eave | 47.800 | 0.000 | 0.000 | 62.50 | 0.00 | 0.00 | 62.500 | 2.900 | 65.4 | 1442.5 | 10.0 | 103,774 |
| | A | 236 | Peaked | Zero point is eave | 54.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 3.800 | 70.4 | 1841.0 | 10.0 | 142,567 |
| | A | 237 | Peaked | Zero point is eave | 54.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 3.800 | 70.4 | 1841.0 | 10.0 | 142,567 |
| | A | 238 | Peaked | Zero point is eave | 54.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 3.800 | 70.4 | 1841.0 | 10.0 | 142,567 |
| | A | 339 | Square | roof top - 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 340 | Square | roof top - 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 341 | Square | roof top - 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 342 | Square | roof top - 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 343 | Square | roof top 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 344 | Square | roof top - 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 345 | Square | roof top - 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 346 | Square | roof top - 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 347 | Square | roof top - 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 348 | Square | roof top - 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 349 | Square | roof top - 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 350 | Square | roof top - 9.5' hpr | 0.000 | 8.000 | 8.000 | 59.00 | 3.20 | 0.00 | 62.200 | 0.000 | 62.2 | 51.4 | 4.50 | 3,341 |
| | A | 351 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |

Section: A

NDPSC Bin Capacity Chart

Exam Date:03/25/2014

Taft Elevator, A Div. of Rahr Malting Co
 800 West 1st Avenue
 Shakopee, MN
 County:

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|-------------------|---------|------------|------------------------------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
| Section: A | | | | | | | | | | | | | | | |
| A | 352 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 353 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 354 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 355 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 356 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 357 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 358 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 359 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 360 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 361 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 362 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 363 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 364 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 365 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 366 | Peaked | Zero pint is top of sidewall | 75.000 | 0.000 | 0.000 | 66.60 | 0.00 | 0.00 | 66.600 | 5.300 | 71.9 | 3551.3 | 10.0 | 280,872 |
| A | 401 | Peaked | Zero point is eave | 36.000 | 0.000 | 0.000 | 25.90 | 0.00 | 0.00 | 25.900 | 2.200 | 28.1 | 818.2 | 10.0 | 25,290 |
| A | 402 | Peaked | Zero point is eave | 36.000 | 0.000 | 0.000 | 25.90 | 0.00 | 0.00 | 25.900 | 2.200 | 28.1 | 818.2 | 10.0 | 25,290 |

Bin count: 63

Facility: Taft Section: A Total: **5,572,179**

To Even: **5,573,000**

Section: D

| | | | | | | | | | | | | | | | |
|---|-----|-------|-----------------|--------|-------|-------|-------|------|------|--------|-------|------|-------|------|--------|
| D | 001 | Round | floor over bins | 20.000 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 0.000 | 66.0 | 252.5 | 6.50 | 17,748 |
| D | 002 | Round | floor over bins | 20.000 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 0.000 | 66.0 | 252.5 | 6.50 | 17,748 |

NDPSC Bin Capacity Chart

Exam Date:03/25/2014

Taft Elevator, A Div. of Rahr Malting Co

Page: 4

Examiner: 1

800 West 1st Avenue

Shakopee , MN

County:

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack | |
|--------|---------|------------|-----------|-----------------|-------------------------------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|---------|
| | | | | | Length | Width | | | | | | | | | | |
| | D | 003 | Round | floor over bins | 20.000 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 0.000 | 66.0 | 252.5 | 6.50 | 17,748 |
| | D | 004 | Round | floor over bins | 20.000 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 0.000 | 66.0 | 252.5 | 6.50 | 17,748 |
| | D | 005 | Round | floor over bins | 20.000 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 0.000 | 66.0 | 252.5 | 6.50 | 17,748 |
| | D | 006 | Round | floor over bins | 20.000 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 0.000 | 66.0 | 252.5 | 6.50 | 17,748 |
| | D | 007 | Irregular | floor over bins | 89.000 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 0.000 | 66.0 | 89.0 | 5.80 | 6,215 |
| | D | 008 | Irregular | floor over bins | 80.000 | 0.000 | 0.000 | 61.00 | 0.00 | 0.00 | 61.000 | 0.000 | 61.0 | 80.0 | 5.50 | 5,148 |
| | D | 009 | Irregular | floor over bins | 89.000 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 0.000 | 66.0 | 89.0 | 5.80 | 6,215 |
| | D | 010 | Irregular | floor over bins | 89.000 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 0.000 | 66.0 | 89.0 | 5.80 | 6,215 |
| | D | 011 | Irregular | floor over bins | 80.000 | 0.000 | 0.000 | 61.00 | 0.00 | 0.00 | 61.000 | 0.000 | 61.0 | 80.0 | 5.50 | 5,148 |
| | D | 012 | Irregular | floor over bins | 89.000 | 0.000 | 0.000 | 66.00 | 0.00 | 0.00 | 66.000 | 0.000 | 66.0 | 89.0 | 5.80 | 6,215 |
| | D | 013 | Round | floor over bins | 38.500 | 0.000 | 0.000 | 64.50 | 0.00 | 0.00 | 64.500 | 0.000 | 64.5 | 935.8 | 10.0 | 66,395 |
| | D | 021 | Peaked | top of sidewall | 48.000 | 0.000 | 0.000 | 59.50 | 0.00 | 0.00 | 59.500 | 3.400 | 62.9 | 1454.6 | 10.0 | 100,643 |
| | D | 022 | Peaked | top of sidewall | 48.000 | 0.000 | 0.000 | 59.50 | 0.00 | 0.00 | 59.500 | 3.400 | 62.9 | 1454.6 | 10.0 | 100,643 |
| | D | 023 | Peaked | top of sidewall | 59.800 | 0.000 | 0.000 | 77.00 | 0.00 | 0.00 | 77.000 | 4.200 | 81.2 | 2257.7 | 10.0 | 201,658 |
| | D | 024 | Peaked | top of sidewall | 59.800 | 0.000 | 0.000 | 77.00 | 0.00 | 0.00 | 77.000 | 4.200 | 81.2 | 2257.7 | 10.0 | 201,658 |
| | D | 025 | Peaked | top of sidewall | 59.800 | 0.000 | 0.000 | 77.00 | 0.00 | 0.00 | 77.000 | 4.200 | 81.2 | 2257.7 | 10.0 | 201,658 |
| | D | 026 | Peaked | top of sidewall | 71.700 | 0.000 | 0.000 | 69.40 | 0.00 | 0.00 | 69.400 | 5.000 | 74.4 | 3245.7 | 10.0 | 265,628 |
| | D | 027 | Peaked | top of sidewall | 71.700 | 0.000 | 0.000 | 69.40 | 0.00 | 0.00 | 69.400 | 5.000 | 74.4 | 3245.7 | 10.0 | 265,628 |
| | D | 028 | Peaked | top of sidewall | 71.700 | 0.000 | 0.000 | 69.40 | 0.00 | 0.00 | 69.400 | 5.000 | 74.4 | 3245.7 | 10.0 | 265,628 |
| | D | 029 | Peaked | top of sidewall | 71.700 | 0.000 | 0.000 | 69.40 | 0.00 | 0.00 | 69.400 | 5.000 | 74.4 | 3245.7 | 10.0 | 265,628 |
| | D | 030 | Peaked | top of sidewall | 71.700 | 0.000 | 0.000 | 69.40 | 0.00 | 0.00 | 69.400 | 5.000 | 74.4 | 3245.7 | 10.0 | 265,628 |
| | D | 031 | Peaked | top of sidewall | 71.700 | 0.000 | 0.000 | 69.40 | 0.00 | 0.00 | 69.400 | 5.000 | 74.4 | 3245.7 | 10.0 | 265,628 |
| | D | 032 | Peaked | top of sidewall | 71.700 | 0.000 | 0.000 | 69.40 | 0.00 | 0.00 | 69.400 | 5.000 | 74.4 | 3245.7 | 10.0 | 265,628 |

Section: D

NDPSC Bin Capacity Chart

Exam Date:03/25/2014

Taft Elevator, A Div. of Rahr Malting Co
 800 West 1st Avenue
 Shakopee , MN
 County:

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack | |
|--------|---------|------------|----------|-----------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|---------|
| | D | 033 | Peaked | top of sidewall | 71.700 | 0.000 | 0.000 | 69.40 | 0.00 | 0.00 | 69.400 | 5.000 | 74.4 | 3245.7 | 10.0 | 265,628 |
| Added | D | 034 | Peaked | top of sidewall | 104.50 | 0.000 | 0.000 | 72.00 | 0.00 | 0.00 | 72.000 | 7.300 | 79.3 | 6894.5 | 10.0 | 601,407 |
| Added | D | 035 | Peaked | top of sidewall | 104.50 | 0.000 | 0.000 | 72.00 | 0.00 | 0.00 | 72.000 | 7.300 | 79.3 | 6894.5 | 10.0 | 601,407 |
| Added | D | 036 | Peaked | top of sidewall | 104.50 | 0.000 | 0.000 | 72.00 | 0.00 | 0.00 | 72.000 | 7.300 | 79.3 | 6894.5 | 10.0 | 601,407 |
| | D | 101-N | Peaked | top of sidewall | 14.500 | 0.000 | 0.000 | 15.00 | 2.00 | 0.00 | 17.000 | 0.900 | 17.9 | 132.7 | 5.50 | 2,506 |
| | D | 101-S | Peaked | top of sidewall | 14.500 | 0.000 | 0.000 | 15.00 | 2.00 | 0.00 | 17.000 | 0.900 | 17.9 | 132.7 | 5.50 | 2,506 |

Bin count: 31

Facility: Amenia Section: D Total: 4,948,556

To Even: 4,949,000

Overall Licensed Bin Capacity for:

Taft Elevator, A Div. of Rahr Malting Co

Bin count: 94

Licensed Capacity:

(includes pack)

10,520,735 Bu.

Licensed Capacity (to even):

(includes pack and section totals are rounded up to next highest 1000)

10,522,000 Bu.