

Exam Date: 12/03/2014

Country Grain Cooperative, Inc.

Page: 1

Examiner: 1

Route 3 Box 84

Jamestown, ND

County:

Phone: 701-763-6147

CCC Number:

| Location/Container Numbers/Comments | Section | Capacity |
|-------------------------------------|---------|----------|
|-------------------------------------|---------|----------|

PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE

| | | |
|-----|---|-------------------------|
| 119 | B | 382,736 |
| 213 | A | 428,910 |
| 212 | A | 194,264 |
| | | Total: 1,005,910 |

PART B - SPACE TO BE DELETED UNDER LICENSE

| | | |
|-------------------|--|-----------------|
| <NO BINS DELETED> | | |
| | | Total: 0 |

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

| | |
|-------------------------|-----------|
| A | 2,823,000 |
| B | 1,123,000 |
| C | 255,000 |
| G | 320,000 |
| Total: 4,521,000 | |

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

| | | |
|-------------------------|-----|-----------|
| Cleveland 133 | B C | 1,378,000 |
| Eldridge 142 | A G | 3,143,000 |
| Total: 4,521,000 | | |

Exam Date: 12/03/2014

Country Grain Cooperative, Inc.
Route 3 Box 84
Jamestown, ND
County:

Page: 1

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) | Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: Cleveland

Section: B

| | | | | | | | | | | | | | | | | |
|---|-------|--------|---------------------|--|-------|-------|-------|-------|------|------|--------|-------|------|------|------|-------|
| B | 001 | Square | work floor | | 0.000 | 10.00 | 3.500 | 42.00 | 0.00 | 0.00 | 42.000 | 0.000 | 42.0 | 28.1 | 2.50 | 1,210 |
| B | 002 | Square | work floor | | 0.000 | 6.000 | 4.000 | 42.00 | 0.00 | 0.00 | 42.000 | 0.000 | 42.0 | 19.3 | 2.00 | 827 |
| B | 003 | Square | work floor | | 0.000 | 5.000 | 3.300 | 36.00 | 0.00 | 0.00 | 36.000 | 0.000 | 36.0 | 13.3 | 2.00 | 489 |
| B | 004 T | Square | work floor | | 0.000 | 6.500 | 6.000 | 13.00 | 0.00 | 0.00 | 13.000 | 0.000 | 13.0 | 31.4 | 2.50 | 418 |
| B | 004 B | Square | work floor -TOP 13' | | 0.000 | 10.00 | 6.000 | 25.00 | 0.00 | 0.00 | 25.000 | 0.000 | 25.0 | 48.2 | 4.20 | 1,256 |
| B | 005 | Square | work floor | | 0.000 | 5.000 | 3.300 | 36.00 | 0.00 | 0.00 | 36.000 | 0.000 | 36.0 | 13.3 | 2.00 | 489 |
| B | 006 T | Square | work floor | | 0.000 | 10.00 | 4.500 | 38.00 | 0.00 | 0.00 | 38.000 | 0.000 | 38.0 | 36.2 | 3.00 | 1,417 |
| B | 006 B | Square | work floor -top 38' | | 0.000 | 11.00 | 10.00 | 19.00 | 0.00 | 0.00 | 19.000 | 0.000 | 19.0 | 88.4 | 5.80 | 1,777 |
| B | 007 | Square | work floor | | 0.000 | 5.000 | 3.300 | 36.00 | 0.00 | 0.00 | 36.000 | 0.000 | 36.0 | 13.3 | 2.00 | 489 |
| B | 008 | Square | work floor | | 0.000 | 8.500 | 6.500 | 42.00 | 0.00 | 0.00 | 42.000 | 0.000 | 42.0 | 44.4 | 3.50 | 1,930 |
| B | 009 | Square | work floor | | 0.000 | 11.00 | 4.500 | 36.00 | 0.00 | 0.00 | 36.000 | 0.000 | 36.0 | 39.8 | 3.00 | 1,476 |
| B | 010 | Square | work floor | | 0.000 | 10.00 | 6.000 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 48.2 | 4.20 | 2,009 |
| B | 011 | Square | work floor | | 0.000 | 10.00 | 6.500 | 42.00 | 0.00 | 0.00 | 42.000 | 0.000 | 42.0 | 52.3 | 4.50 | 2,296 |
| B | 012 T | Square | work floor | | 0.000 | 10.00 | 4.500 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 36.2 | 3.00 | 1,491 |
| B | 012 B | Square | work floor -top 40' | | 0.000 | 11.00 | 10.00 | 17.00 | 0.00 | 0.00 | 17.000 | 0.000 | 17.0 | 88.4 | 5.80 | 1,590 |
| B | 013 | Square | work floor | | 0.000 | 10.00 | 6.000 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 48.2 | 4.20 | 2,009 |
| B | 014 T | Square | work floor | | 0.000 | 10.00 | 4.500 | 38.00 | 0.00 | 0.00 | 38.000 | 0.000 | 38.0 | 36.2 | 3.00 | 1,417 |
| B | 014 B | Square | work floor -top 38' | | 0.000 | 11.00 | 10.00 | 19.00 | 0.00 | 0.00 | 19.000 | 0.000 | 19.0 | 88.4 | 5.80 | 1,777 |
| B | 015 T | Square | work floor | | 0.000 | 10.00 | 4.500 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 36.2 | 3.00 | 1,491 |
| B | 015 B | Square | work floor -top 40' | | 0.000 | 11.00 | 10.00 | 17.00 | 0.00 | 0.00 | 17.000 | 0.000 | 17.0 | 88.4 | 5.80 | 1,590 |
| B | 016 | Square | work floor | | 0.000 | 10.00 | 6.000 | 38.00 | 0.00 | 0.00 | 38.000 | 0.000 | 38.0 | 48.2 | 4.20 | 1,909 |

Exam Date: 12/03/2014

Country Grain Cooperative, Inc.
Route 3 Box 84
Jamestown, ND
County:

Page: 2

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|-------------------------------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
| | | | | | Length | Width | | | | | | | | | |

Facility: Cleveland

Section: B

| | | | | | | | | | | | | | | | | |
|---|-------|-----------|----------------------------|--|--------|-------|-------|-------|------|------|--------|-------|------|--------|------|--------|
| B | 017 T | Square | work floor | | 0.000 | 10.00 | 4.500 | 38.00 | 0.00 | 0.00 | 38.000 | 0.000 | 38.0 | 36.2 | 3.00 | 1,417 |
| B | 017 B | Square | work floor -top 38' | | 0.000 | 11.00 | 10.00 | 19.00 | 0.00 | 0.00 | 19.000 | 0.000 | 19.0 | 88.4 | 5.80 | 1,777 |
| B | 018 | Square | work floor | | 0.000 | 10.00 | 6.500 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 52.3 | 4.50 | 2,186 |
| B | 019 | Square | work floor | | 0.000 | 10.00 | 6.000 | 38.00 | 0.00 | 0.00 | 38.000 | 0.000 | 38.0 | 48.2 | 4.20 | 1,909 |
| B | 020 | Square | work floor | | 0.000 | 10.00 | 6.500 | 40.00 | 0.00 | 0.00 | 40.000 | 0.000 | 40.0 | 52.3 | 4.50 | 2,186 |
| B | 0CB | Square | work floor | | 0.000 | 6.000 | 3.000 | 13.00 | 0.00 | 0.00 | 13.000 | 0.000 | 13.0 | 14.5 | 2.00 | 193 |
| B | 101 T | Square | work floor | | 0.000 | 11.50 | 11.00 | 54.00 | 0.00 | 0.00 | 54.000 | 0.000 | 54.0 | 101.7 | 6.00 | 5,822 |
| B | 101 B | Square | work floor -top 54' | | 0.000 | 14.00 | 11.50 | 11.00 | 0.00 | 0.00 | 11.000 | 0.000 | 11.0 | 129.4 | 6.50 | 1,515 |
| B | 102 | Square | work floor | | 0.000 | 11.50 | 10.50 | 54.00 | 0.00 | 0.00 | 54.000 | 0.000 | 54.0 | 97.1 | 6.00 | 5,558 |
| B | 103 T | Square | work floor | | 0.000 | 11.50 | 11.00 | 54.00 | 0.00 | 0.00 | 54.000 | 0.000 | 54.0 | 101.7 | 6.00 | 5,822 |
| B | 103 B | Square | work floor -top 54' | | 0.000 | 14.00 | 11.50 | 11.00 | 0.00 | 0.00 | 11.000 | 0.000 | 11.0 | 129.4 | 6.50 | 1,515 |
| B | 104 T | Square | work floor | | 0.000 | 11.50 | 11.00 | 54.00 | 0.00 | 0.00 | 54.000 | 0.000 | 54.0 | 101.7 | 6.00 | 5,822 |
| B | 104 B | Square | work floor - top 54' | | 0.000 | 14.00 | 11.50 | 11.00 | 0.00 | 0.00 | 11.000 | 0.000 | 11.0 | 129.4 | 6.50 | 1,515 |
| B | 105 | Square | work floor | | 0.000 | 11.50 | 10.50 | 54.00 | 0.00 | 0.00 | 54.000 | 0.000 | 54.0 | 97.1 | 6.00 | 5,558 |
| B | 106 T | Irregular | work floor need actual | | 101.70 | 11.25 | 11.25 | 28.00 | 0.00 | 0.00 | 28.000 | 0.000 | 28.0 | 101.7 | 6.00 | 3,019 |
| B | 107 T | Square | work floor | | 0.000 | 11.50 | 11.00 | 54.00 | 0.00 | 0.00 | 54.000 | 0.000 | 54.0 | 101.7 | 6.00 | 5,822 |
| B | 107 B | Square | work floor -top 54' | | 0.000 | 14.00 | 11.50 | 11.00 | 0.00 | 0.00 | 11.000 | 0.000 | 11.0 | 129.4 | 6.50 | 1,515 |
| B | 108 T | Square | work floor -need an actual | | 104.50 | 11.50 | 11.00 | 37.00 | 0.00 | 0.00 | 37.000 | 0.000 | 37.0 | 101.7 | 6.00 | 3,989 |
| B | 110 | Square | work floor | | 0.000 | 11.50 | 10.50 | 54.00 | 0.00 | 0.00 | 54.000 | 0.000 | 54.0 | 97.1 | 6.00 | 5,558 |
| B | 111 | Peaked | top of sidewall | | 37.100 | 0.000 | 0.000 | 60.60 | 0.00 | 0.00 | 60.600 | 2.200 | 62.8 | 869.0 | 10.0 | 60,030 |
| B | 112 | Peaked | top of sidewall | | 40.300 | 0.000 | 0.000 | 71.60 | 0.00 | 0.00 | 71.600 | 2.400 | 74.0 | 1025.4 | 10.0 | 83,468 |

NDPSC Bin Capacity Chart

Exam Date: 12/03/2014

Country Grain Cooperative, Inc.
Route 3 Box 84
Jamestown, ND
County:

Page: 3

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: Cleveland

Section: B

| | | | | | | | | | | | | | | | | |
|-------|---|-----|--------|------------------|--------|-------|-------|-------|------|------|--------|-------|------|--------|------|---------|
| | B | 113 | Peaked | top of sidewall | 42.000 | 0.000 | 0.000 | 74.80 | 0.00 | 0.00 | 74.800 | 2.500 | 77.3 | 1113.7 | 10.0 | 94,698 |
| | B | 114 | Peaked | top of sidewall | 38.000 | 0.000 | 0.000 | 68.00 | 0.00 | 0.00 | 68.000 | 2.300 | 70.3 | 911.7 | 10.0 | 70,502 |
| | B | 115 | Peaked | top of sidewall | 49.700 | 0.000 | 0.000 | 34.50 | 0.00 | 0.00 | 34.500 | 3.500 | 38.0 | 1559.5 | 10.0 | 65,187 |
| | B | 116 | Peaked | top of sidewall | 49.700 | 0.000 | 0.000 | 34.50 | 0.00 | 0.00 | 34.500 | 3.500 | 38.0 | 1559.5 | 10.0 | 65,187 |
| | B | 117 | Peaked | top of sidewall | 68.000 | 0.000 | 0.000 | 54.90 | 0.00 | 0.00 | 54.900 | 4.800 | 59.7 | 2919.4 | 10.0 | 191,717 |
| | B | 118 | Peaked | top of sidewall | 15.000 | 0.000 | 0.000 | 19.25 | 2.30 | 0.00 | 21.550 | 0.900 | 22.5 | 142.1 | 5.50 | 3,373 |
| Added | B | 119 | Peaked | top of sidewall | 89.500 | 0.000 | 0.000 | 62.50 | 0.00 | 0.00 | 62.500 | 6.300 | 68.8 | 5057.3 | 10.0 | 382,736 |
| | B | 201 | Peaked | top of side wall | 15.800 | 0.000 | 0.000 | 17.00 | 2.25 | 0.00 | 19.250 | 0.900 | 20.2 | 157.6 | 5.80 | 3,369 |
| | B | 202 | Peaked | top of side wall | 15.800 | 0.000 | 0.000 | 17.00 | 2.25 | 0.00 | 19.250 | 0.900 | 20.2 | 157.6 | 5.80 | 3,369 |
| | B | 203 | Peaked | top of side wall | 15.800 | 0.000 | 0.000 | 17.00 | 2.25 | 0.00 | 19.250 | 0.900 | 20.2 | 157.6 | 5.80 | 3,369 |
| | B | 204 | Peaked | top of side wall | 15.800 | 0.000 | 0.000 | 17.00 | 2.25 | 0.00 | 19.250 | 0.900 | 20.2 | 157.6 | 5.80 | 3,369 |

Bin count: 53

Facility: Cleveland Section: B Total: 1,122,429

To Even: 1,123,000

Section: C

| | | | | | | | | | | | | | | | | |
|--|---|--------|-----------|-----------------------|--------|-------|-------|-------|------|------|-------|-------|------|---------|------|--------------------|
| | C | ground | Temporary | top of sidewall- redo | 17.000 | 263.0 | 100.0 | 3.800 | 0.00 | 0.00 | 3.800 | 7.600 | 11.4 | 20278.9 | 10.0 | 254,297 |
|--|---|--------|-----------|-----------------------|--------|-------|-------|-------|------|------|-------|-------|------|---------|------|--------------------|

Bin count: 1

Facility: Cleveland Section: C Total: 254,297

To Even: 255,000 *755,000*

NDPSC Bin Capacity Chart

Exam Date: 12/03/2014

Country Grain Cooperative, Inc.
Route 3 Box 84
Jamestown, ND
County:

Page: 4

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) | Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: Eldridge**Section: A**

| | | | | | | | | | | | | | | | | |
|---|-------|--------|---------------------|--|-------|-------|-------|-------|------|------|--------|-------|------|-------|------|-------|
| A | 001 | Square | floor over bins | | 0.000 | 7.300 | 12.30 | 52.50 | 0.00 | 0.00 | 52.500 | 0.000 | 52.5 | 72.2 | 5.20 | 3,988 |
| A | 003 | Square | floor over bins | | 0.000 | 7.300 | 4.000 | 50.50 | 0.00 | 0.00 | 50.500 | 0.000 | 50.5 | 23.5 | 2.00 | 1,211 |
| A | 004 | Square | floor over bins | | 0.000 | 11.00 | 5.200 | 54.00 | 0.00 | 0.00 | 54.000 | 0.000 | 54.0 | 46.0 | 4.00 | 2,583 |
| A | 005 T | Square | floor over bins | | 0.000 | 11.00 | 5.500 | 54.00 | 0.00 | 0.00 | 54.000 | 0.000 | 54.0 | 48.6 | 4.20 | 2,734 |
| A | 005B | Square | floor over bin T54' | | 0.000 | 10.70 | 10.80 | 16.00 | 0.00 | 0.00 | 16.000 | 0.000 | 16.0 | 92.9 | 5.80 | 1,572 |
| A | 006 | Square | floor over bin | | 0.000 | 13.30 | 11.20 | 69.00 | 0.00 | 0.00 | 69.000 | 0.000 | 69.0 | 119.7 | 6.20 | 8,771 |
| A | 007 | Square | floor over bin | | 0.000 | 5.500 | 6.500 | 52.50 | 0.00 | 0.00 | 52.500 | 0.000 | 52.5 | 28.7 | 2.50 | 1,545 |
| A | 008 | Square | floor over bin | | 0.000 | 13.30 | 12.30 | 52.50 | 0.00 | 0.00 | 52.500 | 0.000 | 52.5 | 131.5 | 6.50 | 7,353 |
| A | 009 | Square | floor over bin | | 0.000 | 5.500 | 12.30 | 52.50 | 0.00 | 0.00 | 52.500 | 0.000 | 52.5 | 54.4 | 4.50 | 2,985 |
| A | 010 | Square | floor over bin | | 0.000 | 13.30 | 11.00 | 69.00 | 0.00 | 0.00 | 69.000 | 0.000 | 69.0 | 117.6 | 6.20 | 8,617 |
| A | 012 | Square | floor over bin | | 0.000 | 11.00 | 11.00 | 70.00 | 0.00 | 0.00 | 70.000 | 0.000 | 70.0 | 97.3 | 6.00 | 7,220 |
| A | 014 T | Square | floor over bin | | 0.000 | 7.300 | 5.200 | 16.00 | 0.00 | 0.00 | 16.000 | 0.000 | 16.0 | 30.5 | 2.50 | 500 |
| A | 014B | Square | floor over bin T16' | | 0.000 | 7.300 | 11.00 | 36.50 | 0.00 | 0.00 | 36.500 | 0.000 | 36.5 | 64.5 | 5.00 | 2,472 |
| A | 015 | Square | floor over bin | | 0.000 | 5.500 | 5.500 | 52.50 | 0.00 | 0.00 | 52.500 | 0.000 | 52.5 | 24.3 | 2.50 | 1,308 |
| A | 016 | Square | floor over bin | | 0.000 | 7.300 | 16.00 | 46.00 | 0.00 | 0.00 | 46.000 | 0.000 | 46.0 | 93.9 | 5.80 | 4,570 |
| A | 017 T | Square | floor over bin | | 0.000 | 11.20 | 11.20 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 100.8 | 6.00 | 6,411 |
| A | 017B | Square | floor over bin T60' | | 0.000 | 10.70 | 14.80 | 10.00 | 0.00 | 0.00 | 10.000 | 0.000 | 10.0 | 127.3 | 6.50 | 1,356 |
| A | 018 T | Square | floor over bin | | 0.000 | 7.300 | 7.400 | 41.00 | 0.00 | 0.00 | 41.000 | 0.000 | 41.0 | 43.4 | 3.50 | 1,841 |
| A | 018B | Square | floor over bin T41' | | 0.000 | 7.300 | 12.30 | 11.50 | 0.00 | 0.00 | 11.500 | 0.000 | 11.5 | 72.2 | 5.20 | 873 |
| A | 019 | Square | floor over bin | | 0.000 | 11.00 | 12.20 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 107.9 | 6.20 | 6,875 |
| A | 021 | Square | floor over bin | | 0.000 | 6.000 | 5.200 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 25.1 | 2.50 | 1,312 |

Exam Date:12/03/2014

Country Grain Cooperative, Inc.

Page: 5

Examiner: 1

Route 3 Box 84
Jamestown , ND
County:

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) | Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: Eldridge

Section: A

| | | | | | | | | | | | | | | | | |
|---|-------|--------|---------------------|--|--------|-------|-------|-------|------|------|--------|-------|------|-------|------|--------|
| A | 022 T | Square | floor over bin | | 0.000 | 11.20 | 5.500 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 49.5 | 4.20 | 2,631 |
| A | 022B | Square | floor over bin T51' | | 0.000 | 10.70 | 10.80 | 19.00 | 0.00 | 0.00 | 19.000 | 0.000 | 19.0 | 92.9 | 5.80 | 1,867 |
| A | 023 | Square | floor over bin | | 0.000 | 5.500 | 5.200 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 23.0 | 2.00 | 1,196 |
| A | 024 | Square | floor over bin | | 0.000 | 7.300 | 4.000 | 51.00 | 0.00 | 0.00 | 51.000 | 0.000 | 51.0 | 23.5 | 2.00 | 1,223 |
| A | 101 | Square | floor over bin | | 0.000 | 13.70 | 12.20 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 134.4 | 6.50 | 8,588 |
| A | 102 T | Square | floor over bin | | 0.000 | 13.70 | 11.20 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 123.3 | 6.50 | 7,879 |
| A | 102B | Square | floor over bin T60' | | 0.000 | 13.40 | 14.80 | 9.000 | 0.00 | 0.00 | 9.000 | 0.000 | 9.0 | 159.4 | 7.00 | 1,535 |
| A | 103 T | Square | floor over bin | | 0.000 | 13.70 | 11.20 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 123.3 | 6.50 | 7,879 |
| A | 103B | Square | floor over bin T60' | | 0.000 | 13.40 | 14.80 | 9.000 | 0.00 | 0.00 | 9.000 | 0.000 | 9.0 | 159.4 | 7.00 | 1,535 |
| A | 104 | Square | floor over bin | | 0.000 | 11.80 | 12.20 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 115.7 | 6.20 | 7,372 |
| A | 105 T | Square | floor over bin | | 0.000 | 11.80 | 11.20 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 106.2 | 6.20 | 6,767 |
| A | 105B | Square | floor over bin T60' | | 0.000 | 11.50 | 14.80 | 9.000 | 0.00 | 0.00 | 9.000 | 0.000 | 9.0 | 136.8 | 6.50 | 1,311 |
| A | 106 T | Square | floor over bin | | 0.000 | 11.80 | 11.20 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 106.2 | 6.20 | 6,767 |
| A | 106B | Square | floor over bin T60' | | 0.000 | 11.50 | 14.80 | 9.000 | 0.00 | 0.00 | 9.000 | 0.000 | 9.0 | 136.8 | 6.50 | 1,311 |
| A | 107 T | Square | floor over bin | | 0.000 | 11.40 | 11.20 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 102.6 | 6.00 | 6,525 |
| A | 107B | Square | floor over bin T60' | | 0.000 | 11.10 | 14.80 | 9.000 | 0.00 | 0.00 | 9.000 | 0.000 | 9.0 | 132.1 | 6.50 | 1,266 |
| A | 108 T | Square | floor over bin | | 0.000 | 11.40 | 11.20 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 102.6 | 6.00 | 6,525 |
| A | 108B | Square | floor over bin T60' | | 0.000 | 11.10 | 14.80 | 9.000 | 0.00 | 0.00 | 9.000 | 0.000 | 9.0 | 132.1 | 6.50 | 1,266 |
| A | 109 | Square | floor over bin | | 0.000 | 11.40 | 12.20 | 60.00 | 0.00 | 0.00 | 60.000 | 0.000 | 60.0 | 111.8 | 6.20 | 7,124 |
| A | 201 | Peaked | eave | | 36.000 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 2.200 | 66.2 | 818.2 | 10.0 | 59,582 |
| A | 202 | Peaked | eave | | 36.000 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 2.200 | 66.2 | 818.2 | 10.0 | 59,582 |

NDPSC Bin Capacity Chart

Exam Date: 12/03/2014

Country Grain Cooperative, Inc.
Route 3 Box 84
Jamestown, ND
County:

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: Eldridge

Section: A

| | | | | | | | | | | | | | | | | |
|-------|-----|--------|-----------------|-----------------|--------|-------|-------|-------|------|------|--------|-------|------|--------|------|---------|
| A | 203 | Peaked | eave | | 36.000 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 2.200 | 66.2 | 818.2 | 10.0 | 59,582 |
| A | 204 | Peaked | eave | | 33.000 | 0.000 | 0.000 | 62.30 | 0.00 | 0.00 | 62.300 | 2.000 | 64.3 | 687.5 | 9.50 | 48,406 |
| A | 205 | Peaked | eave | | 33.000 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 2.000 | 66.0 | 687.5 | 9.50 | 49,686 |
| A | 206 | Peaked | eave | | 42.000 | 0.000 | 0.000 | 61.20 | 0.00 | 0.00 | 61.200 | 2.500 | 63.7 | 1113.7 | 10.0 | 78,037 |
| A | 207 | Peaked | eave | | 48.000 | 0.000 | 0.000 | 61.00 | 0.00 | 0.00 | 61.000 | 3.400 | 64.4 | 1454.6 | 10.0 | 103,044 |
| A | 208 | Peaked | eave | | 74.500 | 0.000 | 0.000 | 79.50 | 0.00 | 0.00 | 79.500 | 5.200 | 84.7 | 3504.1 | 10.0 | 326,477 |
| A | 209 | Peaked | top of sidewall | | 74.500 | 0.000 | 0.000 | 80.75 | 0.00 | 0.00 | 80.750 | 5.200 | 86.0 | 3504.1 | 10.0 | 331,488 |
| A | 210 | Peaked | top of sidewall | | 89.500 | 0.000 | 0.000 | 77.00 | 0.00 | 0.00 | 77.000 | 6.300 | 83.3 | 5057.3 | 10.0 | 463,400 |
| A | 211 | Peaked | top of sidewall | | 89.500 | 0.000 | 0.000 | 77.00 | 0.00 | 0.00 | 77.000 | 6.300 | 83.3 | 5057.3 | 10.0 | 463,400 |
| Added | A | 212 | Peaked | top of sidewall | 60.000 | 0.000 | 0.000 | 73.50 | 0.00 | 0.00 | 73.500 | 4.200 | 77.7 | 2272.9 | 10.0 | 194,264 |
| Added | A | 213 | Peaked | top of sidewall | 89.500 | 0.000 | 0.000 | 70.80 | 0.00 | 0.00 | 70.800 | 6.300 | 77.1 | 5057.3 | 10.0 | 428,910 |

Bin count: 53

Facility: Eldridge Section: A Total: **2,822,522**

To Even: **2,823,000**

Section: G

| | | | | | | | | | | | | | | | | |
|---|--------|-----------|-----------------------------|--|--------|-------|-------|-------|------|------|-------|-------|------|---------|------|---------|
| G | ground | Temporary | redo dimensions -rebuilt on | | 19.300 | 245.7 | 122.7 | 3.800 | 0.00 | 0.00 | 3.800 | 8.200 | 12.0 | 24234.2 | 10.0 | 319,891 |
|---|--------|-----------|-----------------------------|--|--------|-------|-------|-------|------|------|-------|-------|------|---------|------|---------|

Bin count: 1

Facility: Eldridge Section: G Total: **319,891**

To Even: **320,000**

Overall Licensed Bin Capacity for:

Country Grain Cooperative, Inc.

Bin count: 108

Licensed Capacity:

(includes pack)

4,519,139 Bu.


Licensed Capacity (to even):

(includes pack and section totals are
rounded up to next highest 1000)



4,521,000 Bu.

Country Grain Coop Inc
 Eldridge, ND
 Section A






| | | | | | | | | | |
|-----|-----|-----|----|----|-----|----|----|----|----|
| 108 | 106 | 102 | 17 | | 16 | 14 | 12 | | 10 |
| 109 | 104 | 101 | 19 | | 18 | 01 | 15 | 09 | 08 |
| | | | | | | | 07 | | |
| 107 | 105 | 103 | 22 | | X X | 05 | | 06 | |
| | | | 21 | 23 | X X | 04 | | | |
| | | | 24 | 03 | | | | | |







Driveway and Scale




Country Grain Coop
Eldridge
Section A, west



Country Grain Coop
Cleveland location
Section B -east




Country Grain Coop
Cleveland location
Section B west



| | | |
|-----|-----|-----|
| 103 | 106 | 108 |
| 102 | 105 | 110 |
| 101 | 104 | 107 |

driveway



XX
XX

Zero Points
Elevator & annex floor over bins
Tanks – top of sidewall
Bins 106 & 108 have been hopped
with side unload .
Bin bottoms not used

