

Exam Date:03/05/2014

Plains Grain & Agronomy, LLC

Page: 1

Examiner: 1

PO Box 6

Enderlin , ND

County:

Phone: 701-437-2400

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
-------------------------------------	---------	----------

**PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE**

<NO BINS ADDED>

Total:	0
--------	---

**PART B - SPACE TO BE DELETED UNDER LICENSE**

<NO BINS DELETED>

Total:	0
--------	---

**PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

A	4,088,000
B	1,125,000
E	446,000
G	95,000
Z	0
Total:	5,754,000

**PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT**

Enderlin 1108	A Z	4,088,000
Lisbon 1124	G	95,000
Marion 1114	B	1,125,000
Sheldon 1123	E	446,000
	Total:	5,754,000

Exam Date:03/05/2014

Plains Grain &amp; Agronomy, LLC

Page: 1

Examiner: 1

PO Box 6  
Enderlin , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Enderlin

### Section: A

A	002	Square	Zero Point Floor over bins	0.000	6.000	10.00	17.00	0.00	0.00	17.000	0.000	17.0	48.2	4.20	853
A	003	Square	Zero Point Floor over bins	0.000	13.50	8.000	70.00	0.00	0.00	70.000	0.000	70.0	86.8	5.80	6,428
A	004	Square	Zero Point Floor over bins	0.000	6.500	5.500	52.00	0.00	0.00	52.000	0.000	52.0	28.7	2.50	1,529
A	006	Square	Zero Point Floor over bins	0.000	3.200	5.500	52.00	0.00	0.00	52.000	0.000	52.0	14.1	2.00	748
A	007	Square	Zero Point Floor over bins	0.000	6.500	10.50	52.00	0.00	0.00	52.000	0.000	52.0	54.9	4.50	2,983
A	008	Square	Zero Point Floor over bins	0.000	6.500	5.500	52.00	0.00	0.00	52.000	0.000	52.0	28.7	2.50	1,529
A	009	Square	Zero Point Floor over bins	0.000	13.50	8.000	70.00	0.00	0.00	70.000	0.000	70.0	86.8	5.80	6,428
A	010	Square	Zero Point Floor over bins	0.000	3.200	5.500	52.00	0.00	0.00	52.000	0.000	52.0	14.1	2.00	748
A	011	Square	Zero Point Floor over bins	0.000	6.500	10.50	52.00	0.00	0.00	52.000	0.000	52.0	54.9	4.50	2,983
A	012 T	Square	Zero Point Floor over bins	0.000	13.50	4.200	52.00	0.00	0.00	52.000	0.000	52.0	45.6	4.00	2,466
A	012B	Square	Zero Point Floor over bins T	0.000	13.50	10.00	18.00	0.00	0.00	18.000	0.000	18.0	108.5	6.20	2,074
A	013	Square	Zero Point Floor over bins	0.000	6.500	10.50	52.00	0.00	0.00	52.000	0.000	52.0	54.9	4.50	2,983
A	014 T	Square	Zero Point Floor over bins T	0.000	6.500	4.200	17.00	0.00	0.00	17.000	0.000	17.0	21.9	2.00	379
A	014 M	Square	Zero Point Floor over bins T	0.000	13.50	10.00	35.00	0.00	16.90	18.100	0.000	18.1	108.5	6.20	2,086
A	014B	Square	Zero Point Floor over bins T	0.000	13.50	10.00	18.00	0.00	0.00	18.000	0.000	18.0	108.5	6.20	2,074
A	015 T	Square	Zero Point Floor over bins	0.000	6.200	8.000	15.00	0.00	4.10	10.900	0.000	10.9	39.9	3.00	448
A	015B	Square	Zero Point Floor over bins T	0.000	6.200	8.000	37.00	0.00	0.00	37.000	0.000	37.0	39.9	3.00	1,520
A	016	Square	Zero Point Floor over bins	0.000	6.500	10.50	52.00	0.00	0.00	52.000	0.000	52.0	54.9	4.50	2,983
A	017 T	Square	Zero Point Floor over bins	0.000	6.200	8.000	15.00	0.00	4.10	10.900	0.000	10.9	39.9	3.00	448
A	017B	Square	Zero Point Floor over bins	0.000	6.200	8.000	37.00	0.00	0.00	37.000	0.000	37.0	39.9	3.00	1,520
A	018	Square	Zero Point Floor over bins	0.000	4.000	5.500	18.00	0.00	0.00	18.000	0.000	18.0	17.7	2.00	325

Exam Date:03/05/2014

Plains Grain &amp; Agronomy, LLC

Page: 2

Examiner: 1

PO Box 6  
Enderlin, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Enderlin

### Section: A

A	021	Square	Zero Point Floor over bins	0.000	6.200	10.50	52.00	0.00	0.00	52.000	0.000	52.0	52.3	4.50	2,842
A	022	Square	Zero Point Floor over bins	0.000	6.200	10.50	52.00	0.00	0.00	52.000	0.000	52.0	52.3	4.50	2,842
A	023 T	Square	Zero Point Floor over bins	0.000	15.30	15.00	62.00	0.00	0.00	62.000	0.000	62.0	184.5	7.00	12,240
A	023B	Square	Zero Point Floor over bins T	0.000	15.30	10.40	10.00	0.00	0.00	10.000	0.000	10.0	127.9	6.50	1,362
A	024 T	Square	Zero Point Floor over bins	0.000	12.50	15.00	62.00	0.00	0.00	62.000	0.000	62.0	150.7	6.80	9,978
A	024B	Square	Zero Point Floor over bins T	0.000	12.50	10.40	10.00	0.00	0.00	10.000	0.000	10.0	104.5	6.00	1,108
A	025 T	Square	Zero Point Floor over bins	0.000	12.70	15.00	62.00	0.00	0.00	62.000	0.000	62.0	153.1	6.80	10,137
A	025B	Square	Zero Point Floor over bins T	0.000	12.70	10.40	10.00	0.00	0.00	10.000	0.000	10.0	106.2	6.20	1,128
A	026	Square	Zero Point Floor over bins T	0.000	13.00	14.20	72.00	0.00	0.00	72.000	0.000	72.0	148.4	6.80	11,412
A	027	Square	Zero Point Floor over bins T	0.000	12.60	14.20	72.00	0.00	0.00	72.000	0.000	72.0	143.8	6.80	11,058
A	028	Square	Zero Point Floor over bins T	0.000	15.20	14.20	72.00	0.00	0.00	72.000	0.000	72.0	173.5	7.00	13,366
A	101	Peaked	Top of sidewall	18.000	0.000	0.000	36.00	0.00	0.00	36.000	1.100	37.1	204.6	6.00	8,046
A	501	Peaked	Top of sidewall	49.300	49.30	0.000	57.80	0.00	0.00	57.800	3.500	61.3	1534.5	10.0	103,472
A	502	Peaked	Top of sidewall	49.300	0.000	0.000	57.80	0.00	0.00	57.800	3.500	61.3	1534.5	10.0	103,472
A	503	Peaked	Top of sidewall	18.000	18.00	0.000	43.00	0.00	0.00	43.000	1.100	44.1	204.6	6.00	9,564
A	504	Peaked	Top of sidewall	18.000	0.000	0.000	43.00	0.00	0.00	43.000	1.100	44.1	204.6	6.00	9,564
A	505	Peaked	Top of sidewall	9.500	9.502	0.000	8.300	0.00	0.00	8.300	0.600	8.9	57.0	4.80	531
A	506	Peaked	Top of sidewall	14.500	14.50	0.000	16.00	0.00	0.00	16.000	0.900	16.9	132.7	5.50	2,366
A	507	Peaked	Top of sidewall	48.000	48.00	0.000	63.00	0.00	0.00	63.000	3.400	66.4	1454.6	10.0	106,244
A	508	Peaked	Top of sidewall	48.000	0.000	0.000	26.00	0.00	0.00	26.000	3.400	29.4	1454.6	10.0	47,042
A	509	Peaked	Top of sidewall	48.000	0.000	0.000	26.00	0.00	0.00	26.000	3.400	29.4	1454.6	10.0	47,042

Exam Date:03/05/2014

Plains Grain &amp; Agronomy, LLC

Page: 3

Examiner: 1

PO Box 6  
Enderlin , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Enderlin

### Section: A

A	701	Round	Top of sidewall	38.000	38.00	0.000	139.0	0.00	0.00	139.00	0.000	139.0	911.7	10.0	139,399
A	702	Round	Top of sidewall	38.000	7.758	0.000	138.4	0.00	0.00	138.40	0.000	138.4	911.7	10.0	138,797
A	703	Round	Top of sidewall	38.000	0.000	0.000	139.0	0.00	0.00	139.00	0.000	139.0	911.7	10.0	139,399
A	704	Round	Top of sidewall	38.000	0.000	0.000	139.0	0.00	0.00	139.00	0.000	139.0	911.7	10.0	139,399
A	705	Round	Top of sidewall	17.500	17.50	0.000	49.70	2.50	0.00	52.200	0.000	52.2	193.4	6.00	10,701
A	706	Irregular	Top of sidewall	143.50	13.36	13.36	109.0	0.00	0.00	109.00	0.000	109.0	143.5	6.80	16,706
A	707	Irregular	Top of sidewall	189.90	15.37	15.37	107.5	0.00	0.00	107.50	0.000	107.5	189.9	7.00	21,843
A	708	Irregular	Top of sidewall	143.50	13.36	13.36	109.0	0.00	0.00	109.00	0.000	109.0	143.5	6.80	16,706
A	709	Irregular	Top of sidewall	189.90	15.37	15.37	107.5	0.00	0.00	107.50	0.000	107.5	189.9	7.00	21,843
A	710	Irregular	Top of sidewall	34.400	6.542	6.542	116.0	0.00	0.00	116.00	0.000	116.0	34.4	3.00	4,110
A	711	Irregular	Top of sidewall	47.900	7.719	7.719	115.5	0.00	0.00	115.50	0.000	115.5	47.9	4.00	5,753
A	712	Irregular-R	Top of sidewall	156.10	15.72	0.000	123.0	0.00	0.00	123.00	0.000	123.0	156.1	5.50	20,256
A	713	Irregular	Top of sidewall	41.400	7.176	7.176	110.0	0.00	0.00	110.00	0.000	110.0	41.4	3.50	4,713
A	715	Round	Top of sidewall	65.000	0.000	0.000	131.5	0.00	0.00	131.50	0.000	131.5	2667.4	10.0	385,839
A	716	Round	Top of sidewall	65.000	0.000	0.000	131.5	0.00	0.00	131.50	0.000	131.5	2667.4	10.0	385,839
A	717	Round	Top of sidewall	65.000	0.000	0.000	131.5	0.00	0.00	131.50	0.000	131.5	2667.4	10.0	385,839
A	718	Peaked	Top of sidewall	77.500	0.000	0.000	96.00	0.00	0.00	96.000	5.400	101.4	3792.0	10.0	422,960
A	719	Peaked	Top of sidewall	77.500	0.000	0.000	96.00	0.00	0.00	96.000	5.400	101.4	3792.0	10.0	422,960
A	720	Peaked	Top of sidewall	77.500	0.000	0.000	96.00	0.00	0.00	96.000	5.400	101.4	3792.0	10.0	422,960
A	721	Peaked	Top of sidewall	77.500	0.000	0.000	96.00	0.00	0.00	96.000	5.400	101.4	3792.0	10.0	422,960

Client ID: 2809

### NDPSC Bin Capacity Chart

10/07/2014 01:30:47 PM

Exam Date:03/05/2014

Plains Grain & Agronomy, LLC

Page: 4

Examiner: 1

PO Box 6  
Enderlin , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Bin count: 62**

**Facility: Enderlin Section: A Total: 4,087,333**

**To Even: 4,088,000**

Exam Date:03/05/2014

Plains Grain &amp; Agronomy, LLC

Page: 5

Examiner: 1

PO Box 6  
Enderlin , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Lisbon

### Section: G

G	002	Square	work floor		0.000	10.20	7.000	45.00	0.00	0.00	45.000	0.000	45.0	57.4	4.80	2,707
G	003	Square	work floor		0.000	10.20	7.000	45.00	0.00	0.00	45.000	0.000	45.0	57.4	4.80	2,707
G	004	Square	work floor		0.000	10.20	7.000	45.00	0.00	0.00	45.000	0.000	45.0	57.4	4.80	2,707
G	005	Square	work floor		0.000	10.20	7.000	45.00	0.00	0.00	45.000	0.000	45.0	57.4	4.80	2,707
G	006	Square	work floor		0.000	7.000	5.200	33.00	0.00	0.00	33.000	0.000	33.0	29.3	2.50	991
G	007	Square	work floor		0.000	7.000	5.200	33.00	0.00	0.00	33.000	0.000	33.0	29.3	2.50	991
G	008	Square	work floor		0.000	7.000	5.200	33.00	0.00	0.00	33.000	0.000	33.0	29.3	2.50	991
G	009	Square	work floor		0.000	7.000	5.600	33.00	0.00	0.00	33.000	0.000	33.0	31.5	2.50	1,066
G	010	Square	work floor		0.000	7.000	5.600	33.00	0.00	0.00	33.000	0.000	33.0	31.5	2.50	1,066
G	011	Square	work floor		0.000	7.000	5.600	33.00	0.00	0.00	33.000	0.000	33.0	31.5	2.50	1,066
G	012	Square	work floor		0.000	10.20	7.000	45.00	0.00	0.00	45.000	0.000	45.0	57.4	4.80	2,707
G	013	Square	work floor		0.000	10.20	7.000	45.00	0.00	0.00	45.000	0.000	45.0	57.4	4.80	2,707
G	014	Square	work floor		0.000	10.20	7.000	45.00	0.00	0.00	45.000	0.000	45.0	57.4	4.80	2,707
G	015	Square	work floor		0.000	10.20	7.000	45.00	0.00	0.00	45.000	0.000	45.0	57.4	4.80	2,707
G	201 T	Square	work floor		0.000	12.50	11.50	35.50	0.00	0.00	35.500	0.000	35.5	115.6	6.20	4,358
G	201 B	Square	work floor		0.000	11.50	11.00	9.000	0.00	0.00	9.000	0.000	9.0	101.7	6.00	970
G	202 T	Square	work floor		0.000	12.50	11.50	35.50	0.00	0.00	35.500	0.000	35.5	115.6	6.20	4,358
G	202 B	Square	work floor-top 35'		0.000	11.50	11.00	9.000	0.00	0.00	9.000	0.000	9.0	101.7	6.00	970
G	203 T	Square	work floor		0.000	12.50	11.50	35.50	0.00	0.00	35.500	0.000	35.5	115.6	6.20	4,358
G	203 B	Square	work floor -top 35.5'		0.000	11.50	11.00	9.000	0.00	0.00	9.000	0.000	9.0	101.7	6.00	970
G	204 T	Square	work floor		0.000	12.50	11.50	35.50	0.00	0.00	35.500	0.000	35.5	115.6	6.20	4,358

### NDPSC Bin Capacity Chart

Exam Date:03/05/2014

Plains Grain & Agronomy, LLC  
 PO Box 6  
 Enderlin, ND  
 County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Lisbon

### Section: G

G	204 B	Square	work floor -top 35.5'	0.000	11.50	11.00	9.000	0.00	0.00	9.000	0.000	9.0	101.7	6.00	970
G	205 T	Square	work floor	0.000	11.50	12.50	35.50	0.00	0.00	35.500	0.000	35.5	115.6	6.20	4,358
G	205 B	Square	work floor -top 35.5'	0.000	11.50	11.00	9.000	0.00	0.00	9.000	0.000	9.0	101.7	6.00	970
G	206 T	Square	work floor	0.000	12.50	11.50	35.50	0.00	0.00	35.500	0.000	35.5	115.6	6.20	4,358
G	206 B	Square	work floor -top 35.5'	0.000	11.50	11.00	9.000	0.00	0.00	9.000	0.000	9.0	101.7	6.00	970
G	207 T	Square	work floor	0.000	12.50	11.50	35.50	0.00	0.00	35.500	0.000	35.5	115.6	6.20	4,358
G	207 B	Square	work floor -top 35.5'	0.000	11.50	11.00	9.000	0.00	0.00	9.000	0.000	9.0	101.7	6.00	970
G	208 T	Square	work floor	0.000	12.50	11.50	35.50	0.00	0.00	35.500	0.000	35.5	115.6	6.20	4,358
G	208 B	Square	work floor -top 35.5'	0.000	11.50	11.00	9.000	0.00	0.00	9.000	0.000	9.0	101.7	6.00	970
G	209 T	Square	work floor	0.000	12.50	11.50	35.50	0.00	0.00	35.500	0.000	35.5	115.6	6.20	4,358
G	209 B	Square	work floor -top 35.5'	0.000	11.50	11.00	9.000	0.00	0.00	9.000	0.000	9.0	101.7	6.00	970
G	210 T	Square	work floor	0.000	11.50	12.50	35.50	0.00	0.00	35.500	0.000	35.5	115.6	6.20	4,358
G	210 B	Square	work floor -top 35.5'	0.000	11.50	11.00	9.000	0.00	0.00	9.000	0.000	9.0	101.7	6.00	970
G	301	Peaked	top of sidewall	28.100	0.000	0.000	17.40	0.00	0.00	17.400	1.700	19.1	498.5	8.50	10,330
G	302	Round	top of sidewall	9.000	0.000	0.000	28.50	2.50	0.00	31.000	0.000	31.0	51.1	4.80	1,660
G	303	Round	top of sidewall	9.000	0.000	0.000	28.50	2.50	0.00	31.000	0.000	31.0	51.1	4.80	1,660

Bin count: 37

Facility: Lisbon Section: G Total: **94,757**

To Even: **95,000**

Exam Date:03/05/2014

Plains Grain &amp; Agronomy, LLC

Page: 7

Examiner: 1

PO Box 6  
Enderlin, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Marion

### Section: B

B	001 T	Square	Zero Point Floor over bins	0.000	5.200	4.000	26.00	0.00	0.00	26.000	0.000	26.0	16.7	2.00	443
B	001B	Square	Zero Point Floor over bins T	0.000	11.00	4.000	23.00	0.00	0.00	23.000	0.000	23.0	35.4	3.00	838
B	002	Square	Zero Point Floor over bins	0.000	5.200	4.000	26.00	0.00	0.00	26.000	0.000	26.0	16.7	2.00	443
B	003	Square	Zero Point Floor over bins	0.000	11.00	6.200	49.00	0.00	0.00	49.000	0.000	49.0	54.8	4.50	2,806
B	004 T	Square	Zero Point Floor over bins	0.000	11.00	6.500	51.00	0.00	0.00	51.000	0.000	51.0	57.5	4.80	3,074
B	004B	Square	Zero Point Floor over bins	0.000	11.00	13.20	15.00	0.00	0.00	15.000	0.000	15.0	116.7	6.20	1,860
B	005	Peaked	Eave of bin	18.700	0.000	0.000	42.00	2.90	0.00	44.900	1.100	46.0	220.8	6.20	10,787
B	006	Square	Zero Point Floor over bins	0.000	12.00	6.200	51.00	0.00	0.00	51.000	0.000	51.0	59.8	4.80	3,196
B	007	Square	Zero Point Floor over bins	0.000	5.700	6.700	50.00	0.00	0.00	50.000	0.000	50.0	30.7	2.50	1,573
B	008 T	Square	Zero Point Floor over bins	0.000	12.00	6.500	51.00	0.00	0.00	51.000	0.000	51.0	62.7	5.00	3,358
B	008B	Square	Zero Point Floor over bins T	0.000	12.00	13.20	15.00	0.00	0.00	15.000	0.000	15.0	127.3	6.50	2,034
B	010	Peaked	Eave of bin	18.700	0.000	0.000	42.00	2.90	0.00	44.900	1.100	46.0	220.8	6.20	10,787
B	011	Square	Zero Point Floor over bins	0.000	11.00	6.200	51.00	0.00	0.00	51.000	0.000	51.0	54.8	4.50	2,921
B	012 T	Square	Zero Point Floor over bins	0.000	11.00	6.500	51.00	0.00	0.00	51.000	0.000	51.0	57.5	4.80	3,074
B	013 T	Square	Zero Point Floor over bins	0.000	6.500	6.700	16.00	0.00	0.00	16.000	0.000	16.0	35.0	3.00	577
B	013B	Square	Zero Point Floor over bins T	0.000	11.00	6.700	35.00	0.00	0.00	35.000	0.000	35.0	59.2	4.80	2,171
B	016 T	Square	Zero Point Floor over bins	0.000	6.500	6.700	16.00	0.00	0.00	16.000	0.000	16.0	35.0	3.00	577
B	016B	Square	Zero Point Floor over bins T	0.000	11.00	6.700	35.00	0.00	0.00	35.000	0.000	35.0	59.2	4.80	2,171
B	017	Square	Zero Point Floor over bins	0.000	5.700	6.700	50.00	0.00	0.00	50.000	0.000	50.0	30.7	2.50	1,573
B	018	Square	Zero Point Floor over bins	0.000	11.00	6.200	51.00	0.00	0.00	51.000	0.000	51.0	54.8	4.50	2,921
B	019 T	Square	Zero Point Floor over bins	0.000	11.00	6.500	51.00	0.00	0.00	51.000	0.000	51.0	57.5	4.80	3,074

Exam Date:03/05/2014

Plains Grain &amp; Agronomy, LLC

Page: 8

Examiner: 1

PO Box 6  
Enderlin, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Marion

### Section: B

B	019B	Square	Zero Point Floor over bins T	0.000	11.00	13.20	15.00	0.00	0.00	15.000	0.000	15.0	116.7	6.20	1,860
B	020	Square	Zero Point Floor over bins	0.000	12.00	6.200	51.00	0.00	0.00	51.000	0.000	51.0	59.8	4.80	3,196
B	021	Square	Zero Point Floor over bins	0.000	12.00	6.500	51.00	0.00	0.00	51.000	0.000	51.0	62.7	5.00	3,358
B	022 T	Square	Zero Point Floor over bins	0.000	5.200	13.20	52.00	0.00	0.00	52.000	0.000	52.0	55.2	4.80	3,008
B	022B	Square	Zero Point Floor over bins T	0.000	11.00	13.20	14.00	0.00	0.00	14.000	0.000	14.0	116.7	6.20	1,735
B	023	Square	Zero Point Floor over bins	0.000	5.700	6.700	50.00	0.00	0.00	50.000	0.000	50.0	30.7	2.50	1,573
B	024	Square	Zero Point Floor over bins	0.000	10.60	4.000	49.00	0.00	0.00	49.000	0.000	49.0	34.1	3.00	1,721
B	025	Square	Zero Point Floor over bins	0.000	5.200	4.000	52.00	0.00	0.00	52.000	0.000	52.0	16.7	2.00	885
B	026	Square	Zero Point Floor over bins	0.000	5.200	5.000	52.00	0.00	0.00	52.000	0.000	52.0	20.9	2.00	1,109
B	027	Square	Zero Point Floor over bins	0.000	5.200	4.000	52.00	0.00	0.00	52.000	0.000	52.0	16.7	2.00	885
B	028	Square	Zero Point Floor over bins	0.000	5.700	6.700	50.00	0.00	0.00	50.000	0.000	50.0	30.7	2.50	1,573
B	091	Peaked	Eave	15.700	0.000	0.000	42.00	2.60	0.00	44.600	0.900	45.5	155.6	5.50	7,469
B	092	Peaked	Eave	15.700	0.000	0.000	42.00	2.60	0.00	44.600	0.900	45.5	155.6	5.50	7,469
B	093	Peaked	Eave	18.700	0.000	0.000	42.00	2.90	0.00	44.900	1.100	46.0	220.8	6.20	10,787
B	094	Peaked	Eave	18.700	0.000	0.000	42.00	2.90	0.00	44.900	1.100	46.0	220.8	6.20	10,787
B	101	Square	Zero Point Floor over bins	0.000	7.500	3.600	24.00	0.00	0.00	24.000	0.000	24.0	21.7	2.00	531
B	102	Square	Zero Point Floor over bins	0.000	7.500	3.600	24.00	0.00	0.00	24.000	0.000	24.0	21.7	2.00	531
B	103	Square	Zero Point Floor over bins	0.000	7.500	3.500	24.00	0.00	0.00	24.000	0.000	24.0	21.1	2.00	516
B	104	Square	Zero Point Floor over bins	0.000	7.500	7.500	24.00	0.00	0.00	24.000	0.000	24.0	45.2	4.00	1,128
B	105	Square	Zero Point Floor over bins	0.000	7.500	7.500	24.00	0.00	0.00	24.000	0.000	24.0	45.2	4.00	1,128
B	207	Peaked	Eave	41.800	0.000	0.000	65.70	0.00	0.00	65.700	2.500	68.2	1103.1	10.0	82,754

Client ID: 2809

## NDPSC Bin Capacity Chart

10/07/2014 01:30:47 PM

Exam Date:03/05/2014

Plains Grain &amp; Agronomy, LLC

Page: 9

Examiner: 1

PO Box 6  
Enderlin, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Marion****Section: B**

B	301	Peaked	Eave		18.000	0.000	0.000	46.00	0.00	0.00	46.000	1.100	47.1	204.6	6.00	10,215
B	302	Peaked	Eave		18.000	0.000	0.000	46.00	0.00	0.00	46.000	1.100	47.1	204.6	6.00	10,215
B	303	Peaked	Eave		18.000	0.000	0.000	46.00	0.00	0.00	46.000	1.100	47.1	204.6	6.00	10,215
B	304	Peaked	Eave		18.000	0.000	0.000	46.00	0.00	0.00	46.000	1.100	47.1	204.6	6.00	10,215
B	305	Peaked	Eave		12.000	0.000	0.000	21.50	0.00	0.00	21.500	0.700	22.2	90.9	5.00	2,119
B	306	Peaked	Eave		12.000	0.000	0.000	21.50	0.00	0.00	21.500	0.700	22.2	90.9	5.00	2,119
B	307	Peaked	Eave		15.000	0.000	0.000	21.50	0.00	0.00	21.500	0.900	22.4	142.1	5.50	3,358
B	308	Peaked	Eave		41.800	0.000	0.000	65.70	0.00	0.00	65.700	2.500	68.2	1103.1	10.0	82,754
B	309	Peaked	Eave		78.000	0.000	0.000	64.80	0.00	0.00	64.800	5.500	70.3	3841.1	10.0	297,032
B	310	Peaked	Eave		78.000	0.000	0.000	77.33	0.00	0.00	77.330	5.500	82.8	3841.1	10.0	349,847
B	311	Peaked	Eave		16.000	0.000	0.000	35.00	2.40	0.00	37.400	1.000	38.4	161.6	5.80	6,565
B	312	Peaked	Eave		16.000	0.000	0.000	35.00	2.40	0.00	37.400	1.000	38.4	161.6	5.80	6,565
B	316	Peaked	Eave		15.000	0.000	0.000	21.50	0.00	0.00	21.500	0.900	22.4	142.1	5.50	3,358
B	318	Peaked	Eave		15.000	0.000	0.000	21.50	0.00	0.00	21.500	0.900	22.4	142.1	5.50	3,358
B	319	Square	Eave		0.000	11.50	11.50	26.70	0.00	0.00	26.700	0.000	26.7	106.3	6.20	3,014
B	320	Square	Eave		0.000	11.50	11.50	26.70	0.00	0.00	26.700	0.000	26.7	106.3	6.20	3,014
B	401	Peaked	Eave		48.000	0.000	0.000	33.00	0.00	0.00	33.000	3.400	36.4	1454.6	10.0	58,242
B	404	Peaked	Eave		48.000	0.000	0.000	33.00	0.00	0.00	33.000	3.400	36.4	1454.6	10.0	58,242

Bin count: 60

Facility: Marion Section: B Total: **1,124,708**To Even: **1,125,000**

Exam Date:03/05/2014

Plains Grain &amp; Agronomy, LLC

Page: 10

Examiner: 1

PO Box 6  
Enderlin, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Sheldon

### Section: E

E	001 T	Square	work floor		0.000	9.100	7.600	26.00	0.00	0.00	26.000	0.000	26.0	55.6	4.80	1,515
E	001 B	Square	work floor -top 26'		54.300	9.000	7.500	12.00	0.00	0.00	12.000	0.000	12.0	54.3	4.50	681
E	002 T	Square	work floor		0.000	7.600	3.700	26.00	0.00	0.00	26.000	0.000	26.0	22.6	2.00	600
E	002 B	Square	work floor-top 26'		0.000	7.500	3.500	12.00	0.00	0.00	12.000	0.000	12.0	21.1	2.00	258
E	003 T	Square	work floor		0.000	7.600	4.000	26.00	0.00	0.00	26.000	0.000	26.0	24.4	2.50	650
E	003 B	Square	work floor -top 26'		0.000	7.500	3.900	12.00	0.00	0.00	12.000	0.000	12.0	23.5	2.00	288
E	004 T	Square	work floor		0.000	12.20	7.600	26.00	0.00	0.00	26.000	0.000	26.0	74.5	5.50	2,044
E	004 B	Square	work floor-top 26'		0.000	12.10	7.500	19.00	0.00	0.00	19.000	0.000	19.0	73.0	5.20	1,459
E	005 T	Square	work floor		0.000	12.20	3.300	20.00	0.00	0.00	20.000	0.000	20.0	32.4	2.50	664
E	005 M	Square	work floor -top 20'		0.000	12.20	7.600	6.000	0.00	0.00	6.000	0.000	6.0	74.5	5.50	472
E	005 B	Square	work floor -top 20'& mddle		0.000	12.10	7.500	19.00	0.00	0.00	19.000	0.000	19.0	73.0	5.20	1,459
E	005A	Square	work floor		0.000	12.20	4.000	15.00	0.00	0.00	15.000	0.000	15.0	39.2	3.00	606
E	006 T	Square	work floor		0.000	7.800	6.300	26.00	0.00	0.00	26.000	0.000	26.0	39.5	3.00	1,058
E	006 B	Square	work floor-top 26'		0.000	7.700	6.200	6.000	0.00	0.00	6.000	0.000	6.0	38.4	3.00	237
E	007 T	Square	work floor		0.000	12.20	7.800	26.00	0.00	0.00	26.000	0.000	26.0	76.5	5.50	2,098
E	007 B	Square	work floor -top 26'		0.000	12.10	7.700	19.00	0.00	0.00	19.000	0.000	19.0	74.9	5.50	1,501
E	008 T	Square	work floor		0.000	12.20	7.300	26.00	0.00	0.00	26.000	0.000	26.0	71.6	5.20	1,959
E	008 B	Square	work floor-top 26'		0.000	12.10	7.200	19.00	0.00	0.00	19.000	0.000	19.0	70.0	5.20	1,399
E	009 T	Square	work floor		0.000	7.300	6.300	26.00	0.00	0.00	26.000	0.000	26.0	37.0	3.00	991
E	009 B	Square	work floor -top 26'		0.000	7.200	6.200	7.000	0.00	0.00	7.000	0.000	7.0	35.9	3.00	259
E	010 T	Square	work floor		0.000	7.300	6.500	26.00	0.00	0.00	26.000	0.000	26.0	38.1	3.00	1,021

## NDPSC Bin Capacity Chart

Exam Date:03/05/2014

Plains Grain &amp; Agronomy, LLC

Page: 11

Examiner: 1

PO Box 6  
Enderlin, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Sheldon****Section: E**

E	010 B	Square	work floor -top 26'		0.000	7.200	6.400	7.000	0.00	0.00	7.000	0.000	7.0	37.0	3.00	267
E	011 T	Square	work floor		0.000	12.20	7.300	26.00	0.00	0.00	26.000	0.000	26.0	71.6	5.20	1,959
E	011 B	Square	work floor -top 26'		0.000	12.10	7.200	19.00	0.00	0.00	19.000	0.000	19.0	70.0	5.20	1,399
E	012 T	Square	work floor		0.000	12.20	7.800	26.00	0.00	0.00	26.000	0.000	26.0	76.5	5.50	2,098
E	012 B	Square	work floor-top 26'		0.000	12.10	7.700	19.00	0.00	0.00	19.000	0.000	19.0	74.9	5.50	1,501
E	013 T	Square	work floor		0.000	12.20	7.600	26.00	0.00	0.00	26.000	0.000	26.0	74.5	5.50	2,044
E	013 B	Square	work floor -top 26'		0.000	12.10	7.500	19.00	0.00	0.00	19.000	0.000	19.0	73.0	5.20	1,459
E	014 T	Square	work floor		0.000	12.20	7.600	26.00	0.00	0.00	26.000	0.000	26.0	74.5	5.50	2,044
E	014 B	Square	work floor -top 26'		0.000	12.10	7.500	19.00	0.00	0.00	19.000	0.000	19.0	73.0	5.20	1,459
E	015 T	Square	work floor		0.000	7.800	6.500	26.00	0.00	0.00	26.000	0.000	26.0	40.8	3.00	1,093
E	015 B	Square	work floor -top 26'		0.000	7.700	6.400	6.000	0.00	0.00	6.000	0.000	6.0	39.6	3.00	245
E	101 T	Square	catwalk		0.000	15.10	10.20	27.00	0.00	0.00	27.000	0.000	27.0	123.8	6.50	3,560
E	101 M	Square	catwalk-top 27'		0.000	15.00	10.10	16.00	0.00	0.00	16.000	0.000	16.0	121.8	6.50	2,076
E	101B	Square	catwalk-top 27'- mddle 16'		0.000	13.30	10.10	6.000	0.00	0.00	6.000	0.000	6.0	108.0	6.20	688
E	102 T	Square	catwalk		0.000	15.10	10.10	27.00	0.00	0.00	27.000	0.000	27.0	122.6	6.50	3,525
E	102 M	Square	catwalk-top 27'		0.000	15.00	10.00	16.00	0.00	0.00	16.000	0.000	16.0	120.6	6.50	2,055
E	102B	Square	catwalk-top 27'- mddle 16'		0.000	13.30	10.00	6.000	0.00	0.00	6.000	0.000	6.0	106.9	6.20	681
E	103 T	Square	catwalk		0.000	15.10	10.20	27.00	0.00	0.00	27.000	0.000	27.0	123.8	6.50	3,560
E	103 M	Square	catwalk -top 27'		0.000	15.00	10.10	16.00	0.00	0.00	16.000	0.000	16.0	121.8	6.50	2,076
E	103B	Square	catwalk -top 27'- mddle 16'		0.000	13.30	10.10	6.000	0.00	0.00	6.000	0.000	6.0	108.0	6.20	688
E	104 T	Square	catwalk		0.000	15.10	10.20	27.00	0.00	0.00	27.000	0.000	27.0	123.8	6.50	3,560

Exam Date:03/05/2014

Plains Grain &amp; Agronomy, LLC

Page: 12

Examiner: 1

PO Box 6  
Enderlin, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Sheldon

### Section: E

E	104 M	Square	catwalk -top 27'		0.000	15.00	10.10	16.00	0.00	0.00	16.000	0.000	16.0	121.8	6.50	2,076
E	104B	Square	catwalk -top 27'- mddle 16'		0.000	13.30	10.10	6.000	0.00	0.00	6.000	0.000	6.0	108.0	6.20	688
E	105 T	Square	catwalk		0.000	15.10	10.10	27.00	0.00	0.00	27.000	0.000	27.0	122.6	6.50	3,525
E	105 M	Square	catwalk -top 27'		0.000	15.00	10.00	16.00	0.00	0.00	16.000	0.000	16.0	120.6	6.50	2,055
E	105B	Square	catwalk -top 27'- mddle 16'		0.000	13.30	10.00	6.000	0.00	0.00	6.000	0.000	6.0	106.9	6.20	681
E	106 T	Square	catwalk		0.000	15.10	10.20	27.00	0.00	0.00	27.000	0.000	27.0	123.8	6.50	3,560
E	106 M	Square	catwalk -top 27'		0.000	15.00	10.10	16.00	0.00	0.00	16.000	0.000	16.0	121.8	6.50	2,076
E	106B	Square	catwalk -top 27'- mddle 16'		0.000	13.30	10.10	6.000	0.00	0.00	6.000	0.000	6.0	108.0	6.20	688
E	201 T	Square	catwalk		0.000	15.00	10.40	22.00	0.00	0.00	22.000	0.000	22.0	125.4	6.50	2,938
E	201 M	Square	catwalk-top 22		0.000	14.80	10.40	18.00	0.00	0.00	18.000	0.000	18.0	123.7	6.50	2,372
E	201B	Square	catwalk-top 22- mddle 18'		0.000	13.50	10.30	6.000	0.00	0.00	6.000	0.000	6.0	111.8	6.20	713
E	202 T	Square	catwalk		0.000	15.00	10.40	22.00	0.00	0.00	22.000	0.000	22.0	125.4	6.50	2,938
E	202 M	Square	catwalk -top 22'		0.000	14.80	10.40	18.00	0.00	0.00	18.000	0.000	18.0	123.7	6.50	2,372
E	202B	Square	catwalk -top 22'- mddle 18'		0.000	13.50	10.30	6.000	0.00	0.00	6.000	0.000	6.0	111.8	6.20	713
E	203 T	Square	catwalk		0.000	15.00	10.40	22.00	0.00	0.00	22.000	0.000	22.0	125.4	6.50	2,938
E	203 M	Square	catwalk -top 22'		0.000	14.80	10.40	18.00	0.00	0.00	18.000	0.000	18.0	123.7	6.50	2,372
E	203B	Square	catwalk -top 22'- mddle 18'		0.000	13.50	10.30	6.000	0.00	0.00	6.000	0.000	6.0	111.8	6.20	713
E	204 T	Square	catwalk		0.000	15.00	10.40	22.00	0.00	0.00	22.000	0.000	22.0	125.4	6.50	2,938
E	204 M	Square	catwalk -top 22'		0.000	14.80	10.40	18.00	0.00	0.00	18.000	0.000	18.0	123.7	6.50	2,372
E	204B	Square	catwalk -top 22' - mddle 18'		0.000	13.50	10.30	6.000	0.00	0.00	6.000	0.000	6.0	111.8	6.20	713
E	205 T	Square	catwalk		0.000	15.00	10.40	22.00	0.00	0.00	22.000	0.000	22.0	125.4	6.50	2,938

Exam Date:03/05/2014

Plains Grain &amp; Agronomy, LLC

Page: 13

Examiner: 1

PO Box 6  
Enderlin, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Sheldon

### Section: E

E	205 M	Square	catwalk -top 22'		0.000	14.80	10.40	18.00	0.00	0.00	18.000	0.000	18.0	123.7	6.50	2,372
E	205B	Square	catwalk -top 22'- mddle 18'		0.000	13.50	10.30	6.000	0.00	0.00	6.000	0.000	6.0	111.8	6.20	713
E	206 T	Square	catwalk		0.000	14.60	10.40	22.00	0.00	0.00	22.000	0.000	22.0	122.1	6.50	2,861
E	206 M	Square	catwalk -top 22'		0.000	14.40	10.40	18.00	0.00	0.00	18.000	0.000	18.0	120.4	6.50	2,308
E	206B	Square	catwalk -top 22' - mddle 18'		0.000	14.00	10.30	6.000	0.00	0.00	6.000	0.000	6.0	115.9	6.20	738
E	207 T	Square	catwalk		0.000	14.60	10.40	22.00	0.00	0.00	22.000	0.000	22.0	122.1	6.50	2,861
E	207 M	Square	catwalk -top 22'		0.000	14.40	10.40	18.00	0.00	0.00	18.000	0.000	18.0	120.4	6.50	2,308
E	207B	Square	catwalk -top 22'- mddle 18'		0.000	14.00	10.30	6.000	0.00	0.00	6.000	0.000	6.0	115.9	6.20	738
E	208 T	Square	catwalk		0.000	14.60	10.40	22.00	0.00	0.00	22.000	0.000	22.0	122.1	6.50	2,861
E	208 M	Square	catwalk-top 22'		0.000	14.40	10.40	18.00	0.00	0.00	18.000	0.000	18.0	120.4	6.50	2,308
E	208B	Square	catwalk-top 22'- mddle 18'		0.000	14.00	10.30	6.000	0.00	0.00	6.000	0.000	6.0	115.9	6.20	738
E	209 T	Square	catwalk		0.000	14.60	10.40	22.00	0.00	0.00	22.000	0.000	22.0	122.1	6.50	2,861
E	209 M	Square	catwalk- top 22'		0.000	14.40	10.40	18.00	0.00	0.00	18.000	0.000	18.0	120.4	6.50	2,308
E	209B	Square	catwalk- top 22'- mddle 18'		0.000	14.00	10.30	6.000	0.00	0.00	6.000	0.000	6.0	115.9	6.20	738
E	210 T	Square	catwalk		0.000	14.60	10.40	22.00	0.00	0.00	22.000	0.000	22.0	122.1	6.50	2,861
E	210 M	Square	catwalk -top 22'		0.000	14.40	10.40	18.00	0.00	0.00	18.000	0.000	18.0	120.4	6.50	2,308
E	210B	Square	catwalk -top 22' - mddle 18'		0.000	14.00	10.30	6.000	0.00	0.00	6.000	0.000	6.0	115.9	6.20	738
E	301	Peaked	top of sidewall		37.100	0.000	0.000	50.40	0.00	0.00	50.400	2.200	52.6	869.0	10.0	50,280
E	302	Peaked	top of sidewall		37.100	0.000	0.000	50.40	0.00	0.00	50.400	2.200	52.6	869.0	10.0	50,280
E	401	Peaked	top of sidewall		48.000	0.000	0.000	59.20	0.00	0.00	59.200	3.400	62.6	1454.6	10.0	100,164
E	402	Peaked	top of sidewall		48.000	0.000	0.000	59.20	0.00	0.00	59.200	3.400	62.6	1454.6	10.0	100,164

Client ID: 2809

### NDPSC Bin Capacity Chart

10/07/2014 01:30:47 PM

Exam Date:03/05/2014

Plains Grain & Agronomy, LLC

Page: 14

Examiner: 1

PO Box 6  
Enderlin, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Sheldon

### Section: E

E	403	Peaked	top of sidewall	18.000	0.000	0.000	44.40	3.00	0.00	47.400	1.100	48.5	204.6	6.00	10,518
---	-----	--------	-----------------	--------	-------	-------	-------	------	------	--------	-------	------	-------	------	--------

Bin count: 85

Facility: Sheldon Section: E Total: 445,661

To Even: 446,000

Overall Licensed Bin Capacity for:

Plains Grain & Agronomy, LLC

Bin count: 244

**Licensed Capacity:**  
(includes pack)

5,752,459 Bu.

**Licensed Capacity (to even):**  
(includes pack and section totals are  
rounded up to next highest 1000)

5,754,000 Bu.