

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 1

Examiner: 2

1630 1st Ave S

Casselton , ND

County:

Phone: 701-282-4094

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
101	E	4,863,665
	<b>Total:</b>	<b>4,863,665</b>

<b>PART B - SPACE TO BE DELETED UNDER LICENSE</b>		
005	C	2,309
309	P	1,934
310	P	1,934
202	D	560
203	D	560
204	D	531
205	D	3,590
207	D	1,544
208	D	3,590
209 T	D	260
209B	D	1,068
210	D	1,544
211	D	1,380
212	D	1,544
213	D	1,544
214	D	3,201
215	D	3,201
217	D	1,335
218 T	D	270
218B	D	1,024
219A	D	3,818
220B	D	3,818
509	D	9,959
510	D	9,959
511	D	9,959
512	D	9,959
513	D	9,959
514	D	9,959
	<b>Total:</b>	<b>100,313</b>

<b>PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE</b>		
	A	684,000
	B	360,000
	C	1,051,000
	D	1,038,000
	E	7,581,000
	P	298,000
	P-1	500,000

Location/Container Numbers/Comments	Section	Capacity
		<b>Total:</b> 11,512,000
<b>PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT</b>		
Casselton 1142	E	7,581,000
Chaffee 1144	B	360,000
Leonard 1145	C	1,051,000
Lynchburg 1143	A	684,000
Peak 1243	P P-1	798,000
Prosper 1141	D	1,038,000
		<b>Total:</b> 11,512,000

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 1

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Casselton

### Section: E

E	001		Round	top of slab	28.000	0.000	0.000	119.5	0.00	0.00	119.50	0.000	119.5	495.0	8.50	64,181
E	002 T		Round	top of slab	28.000	0.000	0.000	115.0	0.00	0.00	115.00	0.000	115.0	495.0	8.50	61,764
E	002 B		Irregular	top of slab	374.00	0.000	0.000	4.500	0.00	0.00	4.500	0.000	4.5	374.0	7.80	1,814
E	003		Round	top of slab	28.000	0.000	0.000	116.5	0.00	0.00	116.50	0.000	116.5	495.0	8.50	62,570
E	004		Round	top of slab	28.000	0.000	0.000	108.0	0.00	0.00	108.00	0.000	108.0	495.0	8.50	58,004
E	005		Round	top of slab	28.000	0.000	0.000	118.5	0.00	0.00	118.50	0.000	118.5	495.0	8.50	63,644
E	006		Round	top of slab	28.000	0.000	0.000	118.5	0.00	0.00	118.50	0.000	118.5	495.0	8.50	63,644
E	007		Irregular	top of slab	98.200	0.000	0.000	68.00	0.00	0.00	68.000	0.000	68.0	98.2	6.00	7,079
E	008		Irregular	top of slab	42.100	0.000	0.000	105.0	0.00	0.00	105.00	0.000	105.0	42.1	3.50	4,576
E	009		Irregular	top of slab	202.60	0.000	0.000	102.5	0.00	0.00	102.50	0.000	102.5	202.6	7.00	22,221
E	010		Irregular	top of slab	63.300	0.000	0.000	105.0	0.00	0.00	105.00	0.000	105.0	63.3	5.00	6,979
E	011		Irregular	top of slab	122.70	0.000	0.000	114.0	0.00	0.00	114.00	0.000	114.0	122.7	6.50	14,897
E	012		Peaked	top of sidewall	48.000	0.000	0.000	84.50	0.00	0.00	84.500	3.400	87.9	1454.6	10.0	140,645
E	021		Round	top of slab	56.000	0.000	0.000	146.0	0.00	0.00	146.00	0.000	146.0	1979.9	10.0	317,972
E	022		Round	top of slab	56.000	0.000	0.000	146.0	0.00	0.00	146.00	0.000	146.0	1979.9	10.0	317,972
E	023		Round	top of slab	56.000	0.000	0.000	146.0	0.00	0.00	146.00	0.000	146.0	1979.9	10.0	317,972
E	024		Irregular	top of slab	79.600	9.951	9.951	121.0	0.00	0.00	121.00	0.000	121.0	79.6	5.50	10,162
E	025		Irregular	top of slab	79.600	9.951	9.951	121.0	0.00	0.00	121.00	0.000	121.0	79.6	5.50	10,162
E	026		Square	top of slab	0.000	17.00	16.00	51.00	0.00	0.00	51.000	0.000	51.0	218.6	7.00	11,929
E	027		Irregular	top of sidewall	35.900	6.683	6.683	120.0	0.00	0.00	120.00	0.000	120.0	35.9	3.00	4,437
E	028		Irregular	top of sidewall	35.900	6.683	6.683	120.0	0.00	0.00	120.00	0.000	120.0	35.9	3.00	4,437

Client ID: 3069

## NDPSC Bin Capacity Chart

06/04/2014 10:51:25 AM

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC  
 1630 1st Ave S  
 Casselton , ND  
 County:

Page: 2

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

# Facility: Casselton

## Section: E

	E	031	Round	top of sidewall	76.000	0.000	0.000	146.0	0.00	2.70	143.30	0.000	143.3	3646.7	10.0	574,829	
	E	032	Round	top of sidewall	76.000	0.000	0.000	146.0	0.00	2.70	143.30	0.000	143.3	3646.7	10.0	574,829	
Added	E	101	Flat	top of sidewall	59.600	448.0	298.0	16.00	2.00	0.00	18.000	23.20	41.2	107318.3	10.0	4,863,665	
<b>Bin count:</b>		<b>24</b>														<b>Facility: Casselton Section: E Total:</b>	<b>7,580,384</b>
															<b>To Even:</b>	<b>7,581,000</b>	

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC  
1630 1st Ave S  
Casselton, ND  
County:

Page: 3

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Chaffee

### Section: B

B	001	Square	work floor		0.000	6.900	5.800	70.00	0.00	0.00	70.000	0.000	70.0	32.2	2.50	2,310
B	003	Square	work floor		0.000	6.900	5.800	70.00	0.00	0.00	70.000	0.000	70.0	32.2	2.50	2,310
B	004	Square	work floor		0.000	11.20	11.00	89.00	0.00	0.00	89.000	0.000	89.0	99.0	6.00	9,340
B	005	Square	work floor		0.000	6.900	5.800	70.00	0.00	0.00	70.000	0.000	70.0	32.2	2.50	2,310
B	006	Square	work floor		0.000	11.20	5.800	70.00	0.00	0.00	70.000	0.000	70.0	52.2	4.50	3,818
B	008	Square	work floor		0.000	11.20	5.800	70.00	0.00	0.00	70.000	0.000	70.0	52.2	4.50	3,818
B	009	Square	work floor		0.000	11.20	11.00	89.00	0.00	0.00	89.000	0.000	89.0	99.0	6.00	9,340
B	010	Square	work floor		0.000	7.200	4.500	70.00	0.00	0.00	70.000	0.000	70.0	26.0	2.50	1,866
B	011	Square	work floor		0.000	6.900	3.400	70.00	0.00	0.00	70.000	0.000	70.0	18.9	2.00	1,349
B	012	Square	work floor		0.000	6.900	5.300	70.00	0.00	0.00	70.000	0.000	70.0	29.4	2.50	2,109
B	013	Square	work floor		0.000	6.900	5.800	70.00	0.00	0.00	70.000	0.000	70.0	32.2	2.50	2,310
B	015	Square	work floor		0.000	6.900	5.300	70.00	0.00	0.00	70.000	0.000	70.0	29.4	2.50	2,109
B	016	Square	work floor		0.000	11.20	11.00	89.00	0.00	0.00	89.000	0.000	89.0	99.0	6.00	9,340
B	017	Square	work floor		0.000	11.20	5.800	70.00	0.00	0.00	70.000	0.000	70.0	52.2	4.50	3,818
B	018	Square	work floor		0.000	11.20	5.800	70.00	0.00	0.00	70.000	0.000	70.0	52.2	4.50	3,818
B	019	Square	work floor		0.000	11.00	5.200	70.00	0.00	0.00	70.000	0.000	70.0	46.0	4.00	3,349
B	020	Square	work floor		0.000	6.000	3.800	70.00	0.00	0.00	70.000	0.000	70.0	18.3	2.00	1,307
B	021 T	Square	work floor		0.000	11.00	5.500	70.00	0.00	0.00	70.000	0.000	70.0	48.6	4.20	3,545
B	021 B	Square	work floor -top 70'		0.000	11.20	11.00	19.00	0.00	0.00	19.000	0.000	19.0	99.0	6.00	1,994
B	023	Square	work floor		0.000	4.500	3.800	40.00	0.00	0.00	40.000	0.000	40.0	13.7	2.00	559
B	024	Square	work floor		0.000	6.000	3.800	70.00	0.00	0.00	70.000	0.000	70.0	18.3	2.00	1,307

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC  
 1630 1st Ave S  
 Casselton, ND  
 County:

Page: 4

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Chaffee

### Section: B

B	116	Peaked	top of sidewall		36.000	0.000	0.000	25.90	0.00	0.00	25.900	2.200	28.1	818.2	10.0	25,290
B	201	Flat	eaves 20' - auger 25.5'		0.000	121.5	60.00	23.00	0.00	0.00	23.000	0.000	23.0	5860.1	10.0	148,260
B	301 T	Square	work floor		0.000	11.90	10.50	20.00	0.00	0.00	20.000	0.000	20.0	100.4	6.00	2,128
B	301 M	Square	work floor -top 20'		0.000	11.70	10.30	50.00	0.00	0.00	50.000	0.000	50.0	96.9	6.00	5,136
B	301B	Irregular	top 20' & mddle 50'		101.60	0.000	0.000	7.000	0.00	0.00	7.000	0.000	7.0	101.6	6.00	754
B	302 T	Irregular	work floor 11x10.5 less 5x8		60.600	8.683	8.683	20.00	0.00	0.00	20.000	0.000	20.0	60.6	4.80	1,270
B	302 B	Irregular	top 20' 10.3x10.8 less 5x8		57.200	0.000	0.000	50.00	0.00	0.00	50.000	0.000	50.0	57.2	4.80	2,997
B	303 T	Square	work floor		0.000	11.90	10.50	20.00	0.00	0.00	20.000	0.000	20.0	100.4	6.00	2,128
B	303 M	Square	work floor-top 20'		0.000	11.70	10.30	50.00	0.00	0.00	50.000	0.000	50.0	96.9	6.00	5,136
B	303B	Square	work floor-top 20' & mddle		0.000	14.50	10.10	7.000	0.00	0.00	7.000	0.000	7.0	117.7	6.20	875
B	304 T	Square	work floor		0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
B	304 M	Square	work floor -top 20'		0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
B	304B	Square	work floor -top 20' & mddle		0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903
B	305 T	Square	work floor		0.000	11.00	10.80	20.00	0.00	0.00	20.000	0.000	20.0	95.5	6.00	2,025
B	305 B	Square	work floor-top 20'		0.000	10.80	10.60	50.00	0.00	0.00	50.000	0.000	50.0	92.0	5.80	4,867
B	306 T	Square	work floor		0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
B	306 M	Square	work floor-top 20'		0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
B	306B	Square	work floor-top 20' & mddle		0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903
B	307 T	Square	work floor		0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
B	307 M	Square	work floor -top 20'		0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
B	307B	Square	work floor -top 20' & mddle		0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 5

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak Capac.	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	------------------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Chaffee

### Section: B

B	308 T	Square	work floor		0.000	11.00	10.80	20.00	0.00	0.00	20.000	0.000	20.0	95.5	6.00	2,025
B	308 B	Square	work floor -top 20'		0.000	10.80	10.60	50.00	0.00	0.00	50.000	0.000	50.0	92.0	5.80	4,867
B	309 T	Square	work floor		0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
B	309 M	Square	work floor -top 20'		0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
B	309B	Square	work floor -top 20' & middle		0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903
B	310 T	Square	work floor		0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
B	310 M	Square	work floor-top 20'		0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
B	310B	Square	work floor-top 20' & middle		0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903
B	311 T	Square	work floor		0.000	11.00	10.80	20.00	0.00	0.00	20.000	0.000	20.0	95.5	6.00	2,025
B	311 B	Square	work floor -top 20'		0.000	10.80	10.60	50.00	0.00	0.00	50.000	0.000	50.0	92.0	5.80	4,867
B	312 T	Square	work floor		0.000	11.90	10.80	20.00	0.00	0.00	20.000	0.000	20.0	103.3	6.00	2,190
B	312 M	Square	work floor-top 20'		0.000	11.70	10.60	50.00	0.00	0.00	50.000	0.000	50.0	99.7	6.00	5,284
B	312B	Square	work floor-top 20' & middle		0.000	14.50	10.40	7.000	0.00	0.00	7.000	0.000	7.0	121.2	6.50	903
B	313 T	Square	work floor		0.000	11.90	10.50	20.00	0.00	0.00	20.000	0.000	20.0	100.4	6.00	2,128
B	313 M	Square	work floor - 20'		0.000	11.70	10.30	50.00	0.00	0.00	50.000	0.000	50.0	96.9	6.00	5,136
B	313B	Square	work floor - 20' & middle 50'		0.000	14.50	10.10	7.000	0.00	0.00	7.000	0.000	7.0	117.7	6.20	875
B	314 T	Square	work floor		0.000	11.00	10.50	20.00	0.00	0.00	20.000	0.000	20.0	92.8	5.80	1,964
B	314 B	Square	work floor -top 20'		0.000	10.80	10.30	50.00	0.00	0.00	50.000	0.000	50.0	89.4	5.80	4,729
B	315 T	Square	work floor		0.000	11.90	10.50	20.00	0.00	0.00	20.000	0.000	20.0	100.4	6.00	2,128
B	315 M	Square	work floor -top 20'		0.000	11.70	10.30	50.00	0.00	0.00	50.000	0.000	50.0	96.9	6.00	5,136
B	315B	Square	work floor -top 20' & middle		0.000	14.50	10.10	7.000	0.00	0.00	7.000	0.000	7.0	117.7	6.20	875

Client ID: 3069

### NDPSC Bin Capacity Chart

06/04/2014 10:51:25 AM

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC  
1630 1st Ave S  
Casselton , ND  
County:

Page: 6

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Bin count: 63**

**Facility: Chaffee Section: B Total: 359,909**

**To Even: 360,000**

**NDPSC Bin Capacity Chart**

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC  
 1630 1st Ave S  
 Casselton, ND  
 County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Leonard**

**Section: C**

C	001	Round	top of slab		44.200	0.000	0.000	120.0	0.00	0.00	120.00	0.000	120.0	1233.4	10.0	162,809
C	002	Peaked	eave		18.500	0.000	0.000	42.50	0.00	0.00	42.500	1.100	43.6	216.1	6.20	10,006
C	003	Peaked	eave		12.000	0.000	0.000	32.00	0.00	0.00	32.000	0.700	32.7	90.9	5.00	3,121
C	004	Peaked	eave		12.000	0.000	0.000	32.00	0.00	0.00	32.000	0.700	32.7	90.9	5.00	3,121
C	006	Peaked	eave		18.000	0.000	0.000	43.70	0.00	0.00	43.700	1.100	44.8	204.6	6.00	9,716
C	007	Peaked	eave		48.000	0.000	0.000	66.00	0.00	0.00	66.000	3.400	69.4	1454.6	10.0	111,044
C	008	Peaked	eave		48.000	0.000	0.000	66.00	0.00	0.00	66.000	3.400	69.4	1454.6	10.0	111,044
C	009	Peaked	eave		48.000	0.000	0.000	66.00	0.00	0.00	66.000	3.400	69.4	1454.6	10.0	111,044
C	010	Peaked	eave		48.000	0.000	0.000	66.00	0.00	0.00	66.000	3.400	69.4	1454.6	10.0	111,044
C	101	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	102	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	103	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	104	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	105	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	106	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	107	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	108	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	109	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	110	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	111	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
C	112	Peaked	eave		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792

Client ID: 3069

### NDPSC Bin Capacity Chart

06/04/2014 10:51:25 AM

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC  
1630 1st Ave S  
Casselton , ND  
County:

Page: 8

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Bin count: 21**

**Facility: Leonard Section: C Total: 1,050,453**

**To Even: 1,051,000**

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 9

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Lynchburg

### Section: A

A	001		Square	work floor	0.000	9.700	3.200	39.00	0.00	0.00	39.000	0.000	39.0	25.0	2.50	999
A	002 T		Square	work floor	0.000	9.700	8.400	36.00	0.00	0.00	36.000	0.000	36.0	65.5	5.00	2,476
A	002 M		Irregular	work floor -top 36' 11.8x9.7'	79.700	0.000	0.000	6.000	0.00	0.00	6.000	0.000	6.0	79.7	5.50	504
A	002B		Square	work floor -top 36' middle 6'	0.000	11.80	9.700	23.00	0.00	0.00	23.000	0.000	23.0	92.0	5.80	2,239
A	003		Square	work floor	0.000	4.800	3.200	42.00	0.00	0.00	42.000	0.000	42.0	12.3	2.00	527
A	004		Square	work floor	0.000	4.500	3.200	36.00	0.00	0.00	36.000	0.000	36.0	11.6	2.00	426
A	005		Square	work floor	0.000	11.80	5.500	45.00	0.00	0.00	45.000	0.000	45.0	52.2	4.50	2,455
A	006		Square	work floor	0.000	10.20	5.500	45.00	0.00	0.00	45.000	0.000	45.0	45.1	4.00	2,111
A	007		Square	work floor	0.000	11.80	9.700	65.00	0.00	0.00	65.000	0.000	65.0	92.0	5.80	6,327
A	008		Square	work floor	0.000	6.900	5.500	45.00	0.00	0.00	45.000	0.000	45.0	30.5	2.50	1,407
A	009 T		Irregular	work floor 6.9x5.5 less	19.200	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	19.2	2.00	294
A	009 B		Square	work floor - top 15'	0.000	6.900	5.500	28.00	0.00	0.00	28.000	0.000	28.0	30.5	2.50	875
A	010 T		Irregular	work floor - 9.7x6.9 less	45.400	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	45.4	4.00	708
A	010 B		Square	work floor - top 15'	0.000	9.700	6.900	28.00	0.00	0.00	28.000	0.000	28.0	53.8	4.50	1,574
A	011		Square	work floor	0.000	4.500	3.300	42.00	0.00	0.00	42.000	0.000	42.0	11.9	2.00	510
A	012		Square	work floor	0.000	6.900	5.500	45.00	0.00	0.00	45.000	0.000	45.0	30.5	2.50	1,407
A	013 T		Square	work floor	0.000	6.900	1.500	15.00	0.00	0.00	15.000	0.000	15.0	8.3	2.00	128
A	013 B		Square	work floor -top 15'	0.000	6.900	5.500	28.00	0.00	0.00	28.000	0.000	28.0	30.5	2.50	875
A	014 T		Square	work floor	0.000	6.900	6.700	15.00	0.00	0.00	15.000	0.000	15.0	37.2	3.00	575
A	014 B		Square	work floor -top 15'	0.000	9.700	6.900	28.00	0.00	0.00	28.000	0.000	28.0	53.8	4.50	1,574
A	015		Square	work floor	0.000	5.300	4.800	42.00	0.00	0.00	42.000	0.000	42.0	20.5	2.00	878

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 10

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Lynchburg

### Section: A

A	016	Square	work floor		0.000	6.200	4.800	42.00	0.00	0.00	42.000	0.000	42.0	23.9	2.00	1,024
A	017 T	Square	work floor		0.000	11.80	4.500	42.00	0.00	0.00	42.000	0.000	42.0	42.7	3.50	1,856
A	017 B	Square	work floor -top 42'		0.000	11.80	9.700	23.00	0.00	0.00	23.000	0.000	23.0	92.0	5.80	2,239
A	018	Square	work floor		0.000	11.80	5.500	45.00	0.00	0.00	45.000	0.000	45.0	52.2	4.50	2,455
A	019	Square	work floor		0.000	11.80	5.500	45.00	0.00	0.00	45.000	0.000	45.0	52.2	4.50	2,455
A	020	Square	work floor		0.000	11.80	9.700	65.00	0.00	0.00	65.000	0.000	65.0	92.0	5.80	6,327
A	101 T	Square	work floor		0.000	13.30	9.700	57.00	0.00	0.00	57.000	0.000	57.0	103.7	6.00	6,266
A	101 B	Square	work floor -top 57'		0.000	13.30	13.00	8.000	0.00	0.00	8.000	0.000	8.0	139.0	6.50	1,184
A	102	Square	work floor		0.000	13.30	11.00	57.00	0.00	0.00	57.000	0.000	57.0	117.6	6.20	7,119
A	103 T	Square	work floor		0.000	13.30	9.700	57.00	0.00	0.00	57.000	0.000	57.0	103.7	6.00	6,266
A	103 B	Square	work floor -top 57'		0.000	13.30	13.00	8.000	0.00	0.00	8.000	0.000	8.0	139.0	6.50	1,184
A	104 T	Square	work floor		0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644
A	104 B	Square	work floor -top 57'		0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068
A	105	Square	work floor		0.000	12.00	11.00	57.00	0.00	0.00	57.000	0.000	57.0	106.1	6.20	6,423
A	106 T	Square	work floor		0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644
A	106 B	Square	work floor -top 57'		0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068
A	107 T	Square	work floor		0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644
A	107 B	Square	work floor -top 57'		0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068
A	108	Square	work floor		0.000	12.00	11.00	57.00	0.00	0.00	57.000	0.000	57.0	106.1	6.20	6,423
A	109 T	Square	work floor		0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644
A	109 B	Square	work floor -top 57'		0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 11

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Lynchburg

### Section: A

A	110 T	Square	work floor		0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644
A	110 B	Square	work floor-top 57'		0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068
A	111	Square	work floor		0.000	12.00	11.00	57.00	0.00	0.00	57.000	0.000	57.0	106.1	6.20	6,423
A	112 T	Square	work floor		0.000	12.00	9.700	57.00	0.00	0.00	57.000	0.000	57.0	93.6	5.80	5,644
A	112 B	Square	work floor- top 57'		0.000	13.00	12.00	8.000	0.00	0.00	8.000	0.000	8.0	125.4	6.50	1,068
A	113 T	Square	work floor		0.000	12.20	9.700	57.00	0.00	0.00	57.000	0.000	57.0	95.1	6.00	5,746
A	113 B	Square	work floor-top 57'		0.000	13.00	12.20	8.000	0.00	0.00	8.000	0.000	8.0	127.5	6.50	1,086
A	114	Square	work floor		0.000	12.20	11.00	57.00	0.00	0.00	57.000	0.000	57.0	107.9	6.20	6,531
A	115 T	Square	work floor		0.000	12.20	9.700	57.00	0.00	0.00	57.000	0.000	57.0	95.1	6.00	5,746
A	115 B	Square	work floor-top 57'		0.000	13.00	12.20	8.000	0.00	0.00	8.000	0.000	8.0	127.5	6.50	1,086
A	116 T	Square	work floor		0.000	11.80	9.700	57.00	0.00	0.00	57.000	0.000	57.0	92.0	5.80	5,548
A	116 B	Square	work floor-top 57'		0.000	13.00	11.80	8.000	0.00	0.00	8.000	0.000	8.0	123.3	6.50	1,050
A	117	Square	work floor		0.000	11.80	11.00	57.00	0.00	0.00	57.000	0.000	57.0	104.3	6.00	6,302
A	118 T	Square	work floor		0.000	11.80	9.700	57.00	0.00	0.00	57.000	0.000	57.0	92.0	5.80	5,548
A	118 B	Square	work floor -top 57'		0.000	13.00	11.80	8.000	0.00	0.00	8.000	0.000	8.0	123.3	6.50	1,050
A	205	Peaked	top of sidewall		48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
A	206	Peaked	top of sidewall		48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
A	207	Peaked	top of sidewall		48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
A	208	Peaked	top of sidewall		48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
A	209	Peaked	top of sidewall		48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
A	210	Peaked	top of sidewall		48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442

Client ID: 3069

## NDPSC Bin Capacity Chart

06/04/2014 10:51:25 AM

Exam Date: 06/02/2014

Maple River Grain and Agronomy, LLC  
 1630 1st Ave S  
 Casselton, ND  
 County:

Page: 12

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

# Facility: Lynchburg

## Section: A

A	211	Peaked	top of sidewall	48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
A	212	Peaked	top of sidewall	48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442
A	213	Peaked	top of sidewall	48.000	0.000	0.000	32.50	0.00	0.00	32.500	3.400	35.9	1454.6	10.0	57,442

Bin count: 66

**Facility: Lynchburg Section: A Total: 683,456**

To Even: 684,000

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 13

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Peak

### Section: P

P	001A	Square	floor over center bins	0.000	6.500	9.000	22.50	0.00	0.00	22.500	0.000	22.5	47.0	4.00	1,100
P	002A	Square	floor over center bins	0.000	6.500	9.000	22.50	0.00	0.00	22.500	0.000	22.5	47.0	4.00	1,100
P	003A	Square	floor over center bins	0.000	6.500	9.000	22.50	0.00	0.00	22.500	0.000	22.5	47.0	4.00	1,100
P	004A	Square	floor over center bins	0.000	6.500	9.000	22.50	0.00	0.00	22.500	0.000	22.5	47.0	4.00	1,100
P	005A	Square	floor over center bins	0.000	6.500	9.000	25.50	0.00	0.00	25.500	0.000	25.5	47.0	4.00	1,247
P	006A	Square	floor over center bins	0.000	6.500	9.000	25.50	0.00	0.00	25.500	0.000	25.5	47.0	4.00	1,247
P	007A	Square	floor over center bins	0.000	6.500	9.000	25.50	0.00	0.00	25.500	0.000	25.5	47.0	4.00	1,247
P	008A	Square	floor over center bins	0.000	6.500	9.000	25.50	0.00	0.00	25.500	0.000	25.5	47.0	4.00	1,247
P	102	Irregular	floor over center bins	34.000	6.504	6.504	40.00	0.00	1.00	39.000	0.000	39.0	34.0	2.50	1,359
P	103	Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	0.00	55.500	0.000	55.5	78.6	5.50	4,602
P	104	Irregular	floor over center bins	78.600	9.888	9.888	40.00	0.00	0.00	40.000	0.000	40.0	78.6	5.50	3,317
P	106	Irregular	floor over center bins	36.600	6.748	6.748	40.00	0.00	0.00	40.000	0.000	40.0	36.6	3.00	1,508
P	107	Irregular	floor over center bins	36.600	6.748	6.748	40.00	0.00	0.00	40.000	0.000	40.0	36.6	3.00	1,508
P	108	Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	0.00	55.500	0.000	55.5	78.6	5.50	4,602
P	109	Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	0.00	55.500	0.000	55.5	78.6	5.50	4,602
P	110	Irregular	floor over center bins	44.400	7.432	7.432	40.00	0.00	0.00	40.000	0.000	40.0	44.4	3.50	1,838
P	111	Irregular	floor over center bins	44.400	7.432	7.432	40.00	0.00	0.00	40.000	0.000	40.0	44.4	3.50	1,838
P	112	Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	0.00	55.500	0.000	55.5	78.6	5.50	4,602
P	114	Irregular	floor over center bins	78.600	9.888	9.888	55.50	0.00	1.00	54.500	0.000	54.5	78.6	5.50	4,520
P	115	Irregular	floor over center bins	36.600	6.748	6.748	40.00	0.00	1.00	39.000	0.000	39.0	36.6	3.00	1,470
P	116	Irregular	floor over center bins	36.600	6.748	6.748	40.00	0.00	0.00	40.000	0.000	40.0	36.6	3.00	1,508

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC  
1630 1st Ave S  
Casselton, ND  
County:

Page: 14

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Peak

### Section: P

P	117	Irregular	floor over center bins		78.600	9.888	9.888	55.50	0.00	1.00	54.500	0.000	54.5	78.6	5.50	4,520
P	118	Irregular	floor over center bins		78.600	9.888	9.888	55.50	0.00	0.00	55.500	0.000	55.5	78.6	5.50	4,602
P	119	Irregular	floor over center bins		34.000	6.504	6.504	40.00	0.00	1.00	39.000	0.000	39.0	34.0	2.50	1,359
P	201 T	Square	floor over center bins		0.000	11.60	11.50	48.50	0.00	1.50	47.000	0.000	47.0	107.2	6.20	5,350
P	201B	Square	floor over center bins		0.000	13.00	11.20	9.500	0.00	0.00	9.500	0.000	9.5	117.0	6.20	1,181
P	202	Square	floor over center bins		0.000	11.50	11.40	45.00	0.00	1.00	44.000	0.000	44.0	105.4	6.20	4,926
P	203 T	Square	floor over center bins		0.000	11.90	11.50	45.50	0.00	3.00	42.500	0.000	42.5	110.0	6.20	4,965
P	203B	Square	floor over center bins	T45.5	0.000	17.00	11.20	12.50	0.00	0.00	12.500	0.000	12.5	153.1	6.80	2,044
P	204 T	Square	floor over center bins		0.000	11.90	11.80	45.50	0.00	2.00	43.500	0.000	43.5	112.9	6.20	5,215
P	204B	Square	floor over center bins	T45.5'	0.000	17.00	11.50	12.50	0.00	0.00	12.500	0.000	12.5	157.2	7.00	2,103
P	205	Square	floor over center bins		0.000	11.50	11.70	45.00	0.00	2.00	43.000	0.000	43.0	108.2	6.20	4,941
P	206 T	Square	floor over center bins		0.000	11.60	11.80	48.50	0.00	3.00	45.500	0.000	45.5	110.0	6.20	5,315
P	206B	Square	floor over center bins	T48.5'	0.000	13.00	11.50	9.500	0.00	0.00	9.500	0.000	9.5	120.2	6.50	1,216
P	207 T	Square	floor over center bins		0.000	11.60	11.80	48.50	0.00	2.00	46.500	0.000	46.5	110.0	6.20	5,432
P	207B	Square	floor over center bins	T48.5'	0.000	13.00	11.50	9.500	0.00	0.00	9.500	0.000	9.5	120.2	6.50	1,216
P	208	Square	floor over center bins		0.000	11.50	11.70	45.00	0.00	2.00	43.000	0.000	43.0	108.2	6.20	4,941
P	209 T	Square	floor over center bins		0.000	11.90	11.80	45.50	0.00	3.00	42.500	0.000	42.5	112.9	6.20	5,095
P	209B	Square	floor over center bins	T45.5'	0.000	17.00	11.50	12.50	0.00	0.00	12.500	0.000	12.5	157.2	7.00	2,103
P	210 T	Square	floor over center bins		0.000	11.90	11.80	45.50	0.00	3.00	42.500	0.000	42.5	112.9	6.20	5,095
P	210B	Square	floor over center bins	T45.5'	0.000	17.00	11.50	12.50	0.00	0.00	12.500	0.000	12.5	157.2	7.00	2,103
P	211	Square	floor over center bins		0.000	11.50	11.70	45.00	0.00	2.00	43.000	0.000	43.0	108.2	6.20	4,941

**NDPSC Bin Capacity Chart**

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC  
 1630 1st Ave S  
 Casselton, ND  
 County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Peak**

**Section: P**

P	212 T	Square	floor over center bins	0.000	11.60	11.80	48.50	0.00	3.00	45.500	0.000	45.5	110.0	6.20	5,315
P	212B	Square	floor over center bins T48.5'	0.000	13.00	11.50	9.500	0.00	0.00	9.500	0.000	9.5	120.2	6.50	1,216
P	213 T	Square	floor over center bins	0.000	11.60	11.80	48.50	0.00	2.00	46.500	0.000	46.5	110.0	6.20	5,432
P	213B	Square	floor over center binsT48.5'	0.000	13.00	11.50	9.500	0.00	0.00	9.500	0.000	9.5	120.2	6.50	1,216
P	214	Square	floor over center bins	0.000	11.50	11.70	45.00	0.00	2.00	43.000	0.000	43.0	108.2	6.20	4,941
P	215 T	Square	floor over center bins	0.000	11.90	11.80	45.50	0.00	1.00	44.500	0.000	44.5	112.9	6.20	5,335
P	215B	Square	floor over center bins T45.5'	0.000	17.00	11.50	12.50	0.00	0.00	12.500	0.000	12.5	157.2	7.00	2,103
P	216 T	Square	floor over center bins	0.000	11.90	11.50	45.50	0.00	2.00	43.500	0.000	43.5	110.0	6.20	5,082
P	216B	Square	floor over center bins T45.5'	0.000	17.00	11.20	12.50	0.00	0.00	12.500	0.000	12.5	153.1	6.80	2,044
P	217	Square	floor over center bins	0.000	11.50	11.40	45.00	0.00	1.00	44.000	0.000	44.0	105.4	6.20	4,926
P	218 T	Square	floor over center bins	0.000	11.60	11.50	48.50	0.00	0.00	48.500	0.000	48.5	107.2	6.20	5,521
P	218B	Square	floor over center bins	0.000	13.00	11.20	9.500	0.00	0.00	9.500	0.000	9.5	117.0	6.20	1,181
P	303	Peaked	top of sidewall	36.000	0.000	0.000	65.00	0.00	0.00	65.000	2.200	67.2	818.2	10.0	60,481
P	305	Square	top of sidewall	0.000	13.50	8.000	26.50	0.00	0.00	26.500	0.000	26.5	86.8	5.80	2,433
P	307	Square	top of sidewall	0.000	13.50	8.000	26.50	0.00	0.00	26.500	0.000	26.5	86.8	5.80	2,433
P	308	Peaked	top of sidewall	36.200	0.000	0.000	66.00	0.00	0.00	66.000	2.200	68.2	827.3	10.0	62,064

Bin count: 58

Facility: Peak Section: P Total: **297,048**

To Even: **298,000**

Client ID: 3069

## NDPSC Bin Capacity Chart

06/04/2014 10:51:25 AM

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 16

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

**Facility: Peak****Section: P-1**

P-1	001	Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977
P-1	002	Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977
P-1	003	Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977
P-1	004	Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977
P-1	005	Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977
P-1	006	Peaked	top of sidewall	21.000	0.000	0.000	18.80	0.00	0.00	18.800	1.300	20.1	278.4	6.80	5,977
P-1	007	Peaked	top of sidewall	21.000	0.000	0.000	18.50	0.00	0.00	18.500	1.300	19.8	278.4	6.80	5,887
P-1	008	Peaked	top of sidewall	21.000	0.000	0.000	18.50	0.00	0.00	18.500	1.300	19.8	278.4	6.80	5,887
P-1	009	Peaked	top of sidewall	48.000	0.000	0.000	31.80	0.00	0.00	31.800	3.400	35.2	1454.6	10.0	56,322
P-1	010	Peaked	top of sidewall	48.000	0.000	0.000	31.80	0.00	0.00	31.800	3.400	35.2	1454.6	10.0	56,322
P-1	016	Peaked	top of sidewall	42.000	0.000	0.000	25.80	0.00	0.00	25.800	2.500	28.3	1113.7	10.0	34,670
P-1	017	Peaked	top of sidewall	42.000	0.000	0.000	24.50	0.00	0.00	24.500	2.500	27.0	1113.7	10.0	33,077
P-1	018	Peaked	top of sidewall	74.700	0.000	0.000	64.80	0.00	0.00	64.800	5.200	70.0	3523.0	10.0	271,271

Bin count: 13

Facility: Peak Section: P-1 Total: **499,298**To Even: **500,000**

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 17

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Prosper

### Section: D

D	001 T	Square	binfloor (scale in bin)		0.000	12.00	7.000	13.00	0.00	1.90	11.100	0.000	11.1	67.5	5.20	788
D	001B	Square	binfloor T 13'		0.000	12.00	7.000	39.00	0.00	0.00	39.000	0.000	39.0	67.5	5.20	2,770
D	002 T	Square	binfloor		0.000	5.500	3.500	35.00	0.00	0.00	35.000	0.000	35.0	15.5	2.00	554
D	002B	Square	binfloor T35'		0.000	11.00	3.500	17.00	0.00	0.00	17.000	0.000	17.0	30.9	2.50	538
D	003	Square	binfloor		0.000	5.000	3.500	35.00	0.00	0.00	35.000	0.000	35.0	14.1	2.00	504
D	004	Square	binfloor		0.000	5.000	7.000	55.00	0.00	0.00	55.000	0.000	55.0	28.1	2.50	1,585
D	005	Square	binfloor		0.000	5.000	7.000	55.00	0.00	0.00	55.000	0.000	55.0	28.1	2.50	1,585
D	006 T	Square	binfloor		0.000	5.500	14.30	55.00	0.00	0.00	55.000	0.000	55.0	63.2	5.00	3,650
D	006B	Square	binfloor T 55'		0.000	11.00	14.30	14.00	0.00	0.00	14.000	0.000	14.0	126.4	6.50	1,885
D	008	Square	binfloor		0.000	12.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	67.5	5.20	3,693
D	009	Square	binfloor		0.000	12.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	67.5	5.20	3,693
D	010 T	Square	binfloor		0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374
D	010B	Square	binfloor T52'		0.000	11.00	14.30	17.00	0.00	0.00	17.000	0.000	17.0	126.4	6.50	2,289
D	011	Square	binfloor		0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374
D	012	Square	binfloor		0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374
D	015	Square	binfloor		0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374
D	016 T	Square	binfloor		0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374
D	016B	Square	binfloor T52'		0.000	11.00	14.30	17.00	0.00	0.00	17.000	0.000	17.0	126.4	6.50	2,289
D	017	Square	binfloor		0.000	11.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	61.9	4.80	3,374
D	018 T	Irregular	binfloor-12'X7' less 28.1bpf		39.400	7.001	7.001	13.00	0.00	0.00	13.000	0.000	13.0	39.4	3.00	527
D	018B	Square	binfloor T13'		0.000	12.00	7.000	39.00	0.00	0.00	39.000	0.000	39.0	67.5	5.20	2,770

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 18

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak Capac.	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	------------------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Prosper

### Section: D

D	019	Square	binfloor		0.000	12.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	67.5	5.20	3,693
D	020	Square	binfloor		0.000	12.00	7.000	52.00	0.00	0.00	52.000	0.000	52.0	67.5	5.20	3,693
D	022 T	Square	binfloor		0.000	5.500	14.30	55.00	0.00	0.00	55.000	0.000	55.0	63.2	5.00	3,650
D	022B	Square	binfloor T55'		0.000	11.00	14.30	14.00	0.00	0.00	14.000	0.000	14.0	126.4	6.50	1,885
D	023	Square	binfloor		0.000	5.000	7.000	55.00	0.00	0.00	55.000	0.000	55.0	28.1	2.50	1,585
D	024	Square	binfloor		0.000	5.000	7.000	55.00	0.00	0.00	55.000	0.000	55.0	28.1	2.50	1,585
D	025	Square	binfloor		0.000	11.00	3.500	52.00	0.00	0.00	52.000	0.000	52.0	30.9	2.50	1,647
D	101 T	Square	binfloor		0.000	11.40	11.20	65.00	0.00	0.00	65.000	0.000	65.0	102.6	6.00	7,069
D	101B	Square	binfloor T65'		0.000	14.90	11.10	8.500	0.00	0.00	8.500	0.000	8.5	133.0	6.50	1,205
D	102	Square	binfloor		0.000	11.30	11.20	65.00	0.00	0.00	65.000	0.000	65.0	101.7	6.00	7,008
D	103 T	Square	binfloor		0.000	11.40	11.20	65.00	0.00	0.00	65.000	0.000	65.0	102.6	6.00	7,069
D	103B	Square	binfloor T65'		0.000	14.80	11.10	8.500	0.00	0.00	8.500	0.000	8.5	132.1	6.50	1,196
D	104 T	Square	binfloor		0.000	11.40	11.50	65.00	0.00	0.00	65.000	0.000	65.0	105.4	6.20	7,276
D	104B	Square	binfloor T65'		0.000	14.90	11.30	8.500	0.00	0.00	8.500	0.000	8.5	135.3	6.50	1,225
D	105	Square	binfloor		0.000	11.30	11.30	65.00	0.00	0.00	65.000	0.000	65.0	102.6	6.00	7,069
D	106 T	Square	binfloor		0.000	11.40	11.50	65.00	0.00	0.00	65.000	0.000	65.0	105.4	6.20	7,276
D	106B	Square	binfloor T65'		0.000	14.80	11.30	8.500	0.00	0.00	8.500	0.000	8.5	134.4	6.50	1,216
D	107 T	Square	binfloor		0.000	11.40	11.50	65.00	0.00	0.00	65.000	0.000	65.0	105.4	6.20	7,276
D	107B	Square	binfloor T65'		0.000	14.90	11.40	8.500	0.00	0.00	8.500	0.000	8.5	136.5	6.50	1,235
D	108	Square	binfloor		0.000	11.30	11.40	65.00	0.00	0.00	65.000	0.000	65.0	103.6	6.00	7,138
D	109 T	Square	binfloor		0.000	11.40	11.50	65.00	0.00	0.00	65.000	0.000	65.0	105.4	6.20	7,276

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 19

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Prosper

### Section: D

D	109B	Square	binfloor T65'		0.000	14.80	11.40	8.500	0.00	0.00	8.500	0.000	8.5	135.6	6.50	1,228
D	110 T	Square	binfloor		0.000	11.40	11.10	65.00	0.00	0.00	65.000	0.000	65.0	101.7	6.00	7,008
D	110B	Square	binfloor top 65'		0.000	14.90	10.20	8.500	0.00	0.00	8.500	0.000	8.5	122.2	6.50	1,107
D	111	Square	binfloor		0.000	11.30	10.90	65.00	0.00	0.00	65.000	0.000	65.0	99.0	6.00	6,821
D	112 T	Square	binfloor		0.000	11.40	11.10	65.00	0.00	0.00	65.000	0.000	65.0	101.7	6.00	7,008
D	112B	Square	binfloor T65'		0.000	14.80	10.20	8.500	0.00	0.00	8.500	0.000	8.5	121.4	6.50	1,099
D	113	Square	binfloor		0.000	5.600	4.600	56.50	0.00	0.00	56.500	0.000	56.5	20.7	2.00	1,193
D	114	Square	binfloor		0.000	5.600	4.400	56.50	0.00	0.00	56.500	0.000	56.5	19.8	2.00	1,141
D	115	Square	binfloor		0.000	5.600	4.500	56.50	0.00	0.00	56.500	0.000	56.5	20.3	2.00	1,170
D	116	Square	binfloor		0.000	5.600	4.600	56.50	0.00	0.00	56.500	0.000	56.5	20.7	2.00	1,193
D	117	Square	binfloor		0.000	5.600	4.400	56.50	0.00	0.00	56.500	0.000	56.5	19.8	2.00	1,141
D	118	Square	binfloor		0.000	5.600	4.500	56.50	0.00	0.00	56.500	0.000	56.5	20.3	2.00	1,170
D	119	Square	binfloor		0.000	11.40	14.30	56.50	0.00	0.00	56.500	0.000	56.5	131.0	6.50	7,883
D	120	Square	binfloor		0.000	11.40	14.30	56.50	0.00	0.00	56.500	0.000	56.5	131.0	6.50	7,883
D	301 T	Square	binfloor		0.000	11.80	13.50	62.00	0.00	0.00	62.000	0.000	62.0	128.1	6.50	8,458
D	301B	Square	binfloor T62'		0.000	14.60	13.10	7.000	0.00	0.00	7.000	0.000	7.0	153.7	6.80	1,149
D	302	Square	binfloor		0.000	11.10	13.50	61.00	0.00	0.00	61.000	0.000	61.0	120.5	6.50	7,829
D	303 T	Square	binfloor		0.000	11.80	13.50	62.00	0.00	0.00	62.000	0.000	62.0	128.1	6.50	8,458
D	303B	Square	binfloor T62'		0.000	14.60	13.10	7.000	0.00	0.00	7.000	0.000	7.0	153.7	6.80	1,149
D	304 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	304B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 20

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Prosper

### Section: D

D	305	Square	binfloor		0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
D	306 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	306B	Square	binfloor T-62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	307 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	307B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	308	Square	binfloor		0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
D	309 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	309B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	310 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	310B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	311 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	311B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	312	Square	binfloor		0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
D	313 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	313B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	314 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	314B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	315	Square	binfloor		0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
D	316 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	316B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	317	Square	binfloor		0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056

Exam Date: 06/02/2014

Maple River Grain and Agronomy, LLC  
1630 1st Ave S  
Casselton, ND  
County:

Page: 21

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Prosper

### Section: D

D	318 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	318B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	319 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	319B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	320 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	320B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	321	Square	binfloor		0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
D	322 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	322B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	323 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	323B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	324	Square	binfloor		0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
D	325 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	325B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	326	Square	binfloor		0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
D	327 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	327B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	328 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	328B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	329 T	Square	binfloor		0.000	11.80	13.50	62.00	0.00	0.00	62.000	0.000	62.0	128.1	6.50	8,458
D	329B	Square	binfloor T62'		0.000	14.60	13.10	7.000	0.00	0.00	7.000	0.000	7.0	153.7	6.80	1,149

## NDPSC Bin Capacity Chart

Exam Date:06/02/2014

Maple River Grain and Agronomy, LLC

Page: 22

Examiner: 2

1630 1st Ave S  
Casselton, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Prosper****Section: D**

D	330	Square	binfloor		0.000	11.10	13.50	61.00	0.00	0.00	61.000	0.000	61.0	120.5	6.50	7,829
D	331 T	Square	binfloor		0.000	11.80	13.50	62.00	0.00	0.00	62.000	0.000	62.0	128.1	6.50	8,458
D	331B	Square	binfloor T62'		0.000	14.60	13.10	7.000	0.00	0.00	7.000	0.000	7.0	153.7	6.80	1,149
D	332 T	Square	binfloor		0.000	11.80	13.90	62.00	0.00	0.00	62.000	0.000	62.0	131.8	6.50	8,703
D	332B	Square	binfloor T62'		0.000	14.60	13.50	7.000	0.00	0.00	7.000	0.000	7.0	158.4	7.00	1,187
D	333	Square	binfloor		0.000	11.10	13.90	61.00	0.00	0.00	61.000	0.000	61.0	124.0	6.50	8,056
D	401	Peaked	eave		42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
D	402	Peaked	eave		42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
D	403	Peaked	eave		42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
D	404	Peaked	eave		42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
D	405	Peaked	eave		42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
D	406	Peaked	eave		42.000	0.000	0.000	70.00	0.00	0.00	70.000	2.500	72.5	1113.7	10.0	88,817
D	515	Peaked	eave		16.000	0.000	0.000	28.00	0.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958
D	516	Peaked	eave		16.000	0.000	0.000	28.00	0.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958
D	517	Peaked	eave		16.000	0.000	0.000	28.00	0.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958

Bin count: 120

Facility: Prosper Section: D Total: 1,037,067

To Even: 1,038,000

**Overall Licensed Bin Capacity for:**

**Maple River Grain and Agronomy, LLC**

**Bin count: 365**

**Licensed Capacity:**

(includes pack)

**11,507,615 Bu.**

---

**Licensed Capacity (to even):**

(includes pack and section totals are rounded up to next highest 1000)

**11,512,000 Bu.**

---

Maple River Grain & Agronomy, LLC  
 Lynchburg, ND  
 Section A

07		10		14		20	
06		09		13		19	
05		08		12		18	
04	02	01	XX	11	17		
03			XX				ML


scale

103	106	109	112	115	118
102	105	108	111	114	117
101	104	107	110	113	116

Driveway

Office & Warehouse


Pit



Maple Valley Grain & Agtonomy  
 Chaffee, ND  
 Section B


16		12	X X	10	09	
		15		11		
17		13		03		08
18		01		05		06
21	19	20	XX	24	04	
		23	XX	ML		
Driveway & Scale						
Office						

301	306	307	312	313
ML	305	308	311	314
302				
303	304	309	310	315





201 Flat 60'W x  
 121.5'L x 20'  
 sidewall &  
 center auger  
 ht. 25.5'

Maple River Grain & Agronomy  
Leonard, ND  
Section C



Bins 101 – 112 west of  
Office about 100 ft.



RRV&W Railroad

Maple River Grain & Agronomy  
 Prosper, ND  
 Section D -east

16	17	15	12	11	10
19	20	18	01	09	08
22		25	XX	02	06
23	24		XX	03	04




101	104	107	110	13	14	15
				16	17	18
102	105	108	111	119		
103	106	109	112	120		

Driveway & Scale

Office



Maple River Grain & Agronomy  
Prosper, ND  
Section D - west

329	328	327	320	319	318	311	310	309	304	303
330	333	326	321	324	317	312	315	308	305	302
331	332	325	322	323	316	313	314	307	306	301




Maple River Grain & Agronomy  
Casselton, ND  
Section E – Main Elev

Large flat storage



North Elev

Maple River Grain & Agronomy  
Casselton, ND  
Section E - North



Maple River Grain & Agronomy


Casselton, ND

Section E – east flat 101

Main concrete complex

North complex

Flat 101



Basic dimensions

298'W x 448'L inside

Concrete grain wall 12' plus  
4' plywood = 16' ht. for  
grainwall

Hopper floor is 4' lower at  
5.5' from center length, thus  
2' of grain for the floor layout

Floor lay-out at center is a  
rectangle flat area 11'Wx  
338'Lx 4'depth- 2 triangle  
areas 4'depth x 136' base x  
338'L as there is a 7.5' level  
area on each side before the  
start of the slope down 4'-  
the ends each consist of ½  
pyramid= 1 full pyramid of 4'  
depth x 100'W (50' slope at  
each end) x 298'L

Math total is 1.96' of grain in  
the floor hopper which is  
rounded to 2' of grain in  
tapered floor





Conveyor ht. upon  
completion?

Maple River Grain & Agronomy  
 Casselton, ND  
 Peak location  
 Section P

BNSF RAIL

Annex

Elevator



Row of 6 tanks  
 Section P-1

Driveway

Section P

Gravel road


Tank site Section P-1

Maple River Grain & Agronomy  
Casselton, ND  
Peak location  
Section P-1

---

---

BNSF RAIL



---

---

Gravel road

