


Exam Date: 06/03/2015

O'Brien Seed, Inc.
 PO Box 505
 Mayville, ND
 County:
 Phone: 701-788-9118
 CCC Number:



Location/Container Numbers/Comments	Section	Capacity
-------------------------------------	---------	----------

PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE

107	G	17,182
108	G	60,678
109	G	60,678
		Total:
		138,538

PART B - SPACE TO BE DELETED UNDER LICENSE

<NO BINS DELETED>

Total:	0
---------------	----------

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	14,000
B	15,000
C	11,000
D	41,000
E	17,000
F	89,000
G	286,000
Total:	
473,000	

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Mayville	946	A	B	C	D	E	F	G	473,000
Total:									473,000

Director of Licensing:

Please adjust the licensed capacity of O'Brien Seed, Inc. according to this statement of capacity provided by PSC staff member. The capacity increase to include the new construction of 3 steel bins in Section G numbers 107-108-109. The required bond increase to \$237,500 is in process.

Thank you,

Exam Date:06/03/2015

O'Brien Seed, Inc.
PO Box 505
Mayville, ND
County:

Page: 1

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Mayville

Section: A

A	001	Square	floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	002	Square	floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	003	Square	floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	004	Square	floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	101	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	102	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	103	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	104	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	105	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	106	Square	floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	107	Square	floor over bins		0.000	7.000	5.000	7.500	1.00	0.00	8.500	0.000	8.5	28.1	2.50	245
A	108	Square	floor over bins		0.000	7.000	5.000	7.500	1.00	0.00	8.500	0.000	8.5	28.1	2.50	245
A	109	Round	floor over bins		7.500	0.000	0.000	7.700	1.00	0.00	8.700	0.000	8.7	35.5	4.50	323
A	110	Flat	bag storage		0.000	30.50	19.00	6.500	0.00	0.00	6.500	0.000	6.5	465.8	8.50	3,285

Bin count: 14

Facility: Mayville Section: A Total: **13,276**

To Even: **14,000**

Section: B

B	201	Peaked	sidewall at eave		16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
B	202	Peaked	sidewall at eave		16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838

Exam Date:06/03/2015

O'Brien Seed, Inc.
PO Box 505
Mayville, ND
County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Mayville

Section: B

B	203	Peaked	sidewall at eave	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80		4,838	
Bin count:		3														Facility: Mayville Section: B Total:	14,514
															To Even:	15,000	

Section: C

C	301	Peaked	top of sidewall at access	12.000	0.000	0.000	15.00	1.80	0.00	16.800	0.700	17.5	90.9	5.00		1,671	
C	302	Peaked	top of sidewall at access	15.000	0.000	0.000	10.00	2.00	0.00	12.000	0.900	12.9	142.1	5.50		1,934	
C	303	Peaked	top of sidewall at access	15.000	0.000	0.000	10.00	2.00	0.00	12.000	0.900	12.9	142.1	5.50		1,934	
C	304	Peaked	top of sidewall at access	12.500	0.000	0.000	12.00	1.80	0.00	13.800	0.800	14.6	98.6	5.00		1,512	
C	305	Peaked	top of sidewall at access	12.500	0.000	0.000	12.00	1.80	0.00	13.800	0.800	14.6	98.6	5.00		1,512	
C	306	Peaked	top of sidewall at access	12.500	0.000	0.000	12.00	1.80	0.00	13.800	0.800	14.6	98.6	5.00		1,512	
Bin count:		6														Facility: Mayville Section: C Total:	10,075
															To Even:	11,000	

Section: D

D	401	Peaked	eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80		10,037
D	402	Peaked	eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80		10,037
D	403	Peaked	eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80		10,037
D	404	Peaked	eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80		10,037

NDPSC Bin Capacity Chart

Exam Date:06/03/2015

O'Brien Seed, Inc.
PO Box 505
Mayville, ND
County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
Bin count:		4											Facility: Mayville Section: D Total:	40,148		
															To Even:	41,000

Section: E

E	503	Peaked	eave at sidewall	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186	
E	504	Peaked	eave at sidewall	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186	
E	505	Peaked	eave at sidewall	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186	
E	506	Peaked	eave at sidewall	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186	
Bin count:		4											Facility: Mayville Section: E Total:	16,744		
															To Even:	17,000

Section: F

F	003 T	Square	floor over bins - extreme =	0.000	9.000	6.700	44.00	1.30	0.00	45.300	0.000	45.3	48.5	4.20	2,289
F	003 B	Square	blind bin extrme = 22' --top	0.000	9.000	12.75	12.00	2.00	0.00	14.000	0.000	14.0	92.2	5.80	1,366
F	004 T	Square	floor over bins	0.000	8.800	6.700	53.00	0.00	0.00	53.000	0.000	53.0	47.4	4.00	2,612
F	004 B	Square	top 53' extreme depth = 13'	0.000	8.800	12.75	7.000	2.00	0.00	9.000	0.000	9.0	90.2	5.80	859
F	005 T	Square	floor over bins need	0.000	10.50	7.000	53.00	0.00	0.00	53.000	0.000	53.0	59.1	4.80	3,282
F	005 B	Square	floor over bins- top 53'	0.000	14.60	4.800	7.000	2.00	0.00	9.000	0.000	9.0	56.3	4.80	531
F	006 T	Square	floor over bins	0.000	8.800	7.000	53.00	0.00	0.00	53.000	0.000	53.0	49.5	4.20	2,734
F	006 B	Square	top 53' extreme = 13	0.000	8.800	12.90	7.000	2.00	0.00	9.000	0.000	9.0	91.3	5.80	870
F	007 T	Square	floor over bins	0.000	8.000	6.750	53.00	0.00	0.00	53.000	0.000	53.0	43.4	3.50	2,381
F	007 B	Square	top 53' extrme = 13	0.000	8.000	12.75	7.000	2.00	0.00	9.000	0.000	9.0	82.0	5.50	779
F	008	Square	bin floor -- xtrme 51'	0.000	8.800	6.000	48.00	1.00	0.00	49.000	0.000	49.0	42.4	3.50	2,151
F	009	Square	bin floor extrme 51'	0.000	9.580	6.800	48.00	1.00	0.00	49.000	0.000	49.0	52.4	4.50	2,684

Exam Date:06/03/2015

O'Brien Seed, Inc.
PO Box 505
Mayville, ND
County:

Page: 4

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Mayville

Section: F

F	011		Square	bin floor xrtme 51'	0.000	8.000	6.000	48.00	1.00	0.00	49.000	0.000	49.0	38.6	3.00	1,948
F	012		Square	bin floor -- extrme 51'	0.000	9.600	6.000	48.00	1.00	0.00	49.000	0.000	49.0	46.3	4.00	2,360
F	013	T	Square	floor over bins	0.000	9.700	4.500	12.00	0.00	0.00	12.000	0.000	12.0	35.1	3.00	434
F	013	B	Square	floor over bins - top 12' -	0.000	9.700	6.000	36.00	1.00	0.00	37.000	0.000	37.0	46.8	4.00	1,801
F	014	T	Square	floor over bins	0.000	6.200	4.800	21.00	0.00	0.00	21.000	0.000	21.0	23.9	2.00	512
F	014	B	Square	floor over bins - top 21' -	0.000	6.200	9.000	27.00	1.00	0.00	28.000	0.000	28.0	44.9	3.50	1,301
F	015		Square	bin floor - xtrme 51'	0.000	10.60	4.000	48.00	1.00	0.00	49.000	0.000	49.0	34.1	3.00	1,721
F	016		Square	bin floor - extrme	0.000	8.000	6.750	48.00	1.00	0.00	49.000	0.000	49.0	43.4	3.50	2,201
F	017		Square	bin floor - extrme	0.000	8.000	6.000	48.00	1.00	0.00	49.000	0.000	49.0	38.6	3.00	1,948
F	018		Square	bin floor - extrme	0.000	8.000	6.000	48.00	1.00	0.00	49.000	0.000	49.0	38.6	3.00	1,948
F	019		Square	bin floor - extrme 51'	0.000	8.000	7.500	48.00	1.00	0.00	49.000	0.000	49.0	48.2	4.20	2,461
F	020		Square	bin floor - extrme 51'	0.000	5.600	3.300	48.00	1.00	0.00	49.000	0.000	49.0	14.9	2.00	745
F	021		Square	bin floor - extrme 51'	0.000	8.000	6.700	48.00	1.00	0.00	49.000	0.000	49.0	43.1	3.50	2,186
F	101		Square	floor over bins extrme depth	0.000	12.70	10.80	60.00	3.00	0.00	63.000	0.000	63.0	110.3	6.20	7,380
F	102	T	Square	floor over bins	0.000	13.70	10.80	54.00	0.00	0.00	54.000	0.000	54.0	118.9	6.20	6,819
F	102	M	Square	floor over bins - top 54'	0.000	11.30	10.80	4.500	0.00	0.00	4.500	0.000	4.5	98.1	6.00	467
F	102	B	Square	top & mddle 58.5' extrme =	0.000	9.000	10.80	4.000	1.75	0.00	5.750	0.000	5.8	78.1	5.50	478
F	103	T	Square	floor over bins	0.000	13.70	10.50	54.00	0.00	0.00	54.000	0.000	54.0	115.6	6.20	6,629
F	103	M	Square	floor over bins- top 54'	0.000	11.30	10.50	4.500	0.00	0.00	4.500	0.000	4.5	95.4	6.00	455
F	103	B	Square	top & mddle 58.5' extrme =	0.000	9.000	10.50	4.000	1.75	0.00	5.750	0.000	5.8	76.0	5.50	465
F	104		Square	floor over bins extrme depth	0.000	12.70	10.80	60.00	3.00	0.00	63.000	0.000	63.0	110.3	6.20	7,380

NDPSC Bin Capacity Chart

Exam Date:06/03/2015
 Examiner: 1

O'Brien Seed, Inc.
 PO Box 505
 Mayville, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Mayville

Section: F

F	105	Square	floor over bins extrme depth	0.000	12.70	10.80	60.00	3.00	0.00	63.000	0.000	63.0	110.3	6.20	7,380
F	106 T	Square	floor over bins	0.000	13.70	10.10	54.00	0.00	0.00	54.000	0.000	54.0	111.2	6.20	6,377
F	106 M	Square	floor over bins- top 54'	0.000	11.30	10.10	4.500	0.00	0.00	4.500	0.000	4.5	91.7	5.80	437
F	106B	Square	top & mddle 58.5' extreme =	0.000	9.000	10.10	4.000	1.75	0.00	5.750	0.000	5.8	73.1	5.50	447
Bin count:		37											Facility: Mayville Section: F Total:		88,818
														To Even:	89,000

Section: G

G	101	Peaked	top of sidewall-	48.000	0.000	0.000	40.30	0.00	0.00	40.300	3.400	43.7	1454.6	10.0	69,923	
G	102	Peaked	top of sidewall	48.000	0.000	0.000	40.30	0.00	0.00	40.300	3.400	43.7	1454.6	10.0	69,923	
G	103	Square	top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799	
G	104	Square	top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799	
G	105	Square	top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799	
G	106	Square	top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799	
Added	G	107	Peaked	top of sidewall	23.900	0.000	0.000	42.80	0.00	0.00	42.800	1.400	44.2	360.6	7.80	17,182
Added	G	108	Peaked	top of sidewall	47.700	0.000	0.000	35.50	0.00	0.00	35.500	2.900	38.4	1436.5	10.0	60,678
Added	G	109	Peaked	top of sidewall	47.700	0.000	0.000	35.50	0.00	0.00	35.500	2.900	38.4	1436.5	10.0	60,678
Bin count:		9											Facility: Mayville Section: G Total:		285,580	
														To Even:	286,000	

Overall Licensed Bin Capacity for:

O'Brien Seed, Inc.

Bin count: 77

Licensed Capacity:

(includes pack)

469,155 Bu.

Licensed Capacity (to even):

(includes pack and section totals are rounded up to next highest 1000)

473,000 Bu.

O'BRIEN SEED INC.
MAYVILLE N.D.
SECTION F - (old ASI plant)


Rail Siding

105	104	101	005	017	021	019	011	007	
			009	013	dead	20	15	012	3A
					no				003
					access	XX	XX		
			006	014				008	004
106	103	102			018		016		
				dead bin					


outside dump & driveway

O'BRIEN SEED INC. MAYVILLE N.D.


section E




section C



section E




section D



O'BRIEN SEED INC. MAYVILLE N.D.



section A



section B



section B



O'BRIEN SEED INC.

MAYVILLE N.D.

SECTION G

Section G

located 2 blocks south of Mayport Farmers Mayville concrete complex

