

Exam Date:06/02/2015

Johnstown Bean Company

Page: 1

Examiner: 1

PO Box 5

Gilby , ND

County:

Phone: 701-869-2680

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
012 S	B-C	32,676
	Total:	32,676
PART B - SPACE TO BE DELETED UNDER LICENSE		
117 crnqs	A	8,714
118	A	8,190
119	A	8,477
120	A	7,379
122	A	7,057
	Total:	39,817
PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE		
	A	112,000
	B	207,000
	B-C	33,000
	C	215,000
	D	76,000
	F	15,000
	L	16,000
	Total:	674,000
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT		
Johnstown 453	A B B-C C D F L	674,000
	Total:	674,000

Client ID: 267

NDPSC Bin Capacity Chart

06/02/2015 02:49:40 PM

Exam Date:06/02/2015

Johnstown Bean Company

Page: 1

Examiner: 1

PO Box 5
Gilby, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Johnstown**Section: A**

A	001	Peaked	eave at sidewall		15.000	0.000	0.000	18.00	2.70	0.00	20.700	0.900	21.6	142.1	5.50	3,238
A	002	Peaked	eave at sidewall		15.000	0.000	0.000	18.00	2.70	0.00	20.700	0.900	21.6	142.1	5.50	3,238
A	003	Flat	top of bin at sidewall		0.000	40.00	16.00	7.200	1.40	0.00	8.600	0.000	8.6	514.5	8.80	4,814
A	006	Flat	bag warehouse		0.000	50.00	50.00	4.700	0.00	0.00	4.700	0.000	4.7	2009.6	10.0	10,390
A	030	Peaked	eave at sidewall		46.000	0.000	0.000	31.50	0.00	0.00	31.500	2.800	34.3	1335.9	10.0	50,403
A	113 Brk B	Flat	west sidewall ht. 17.1'		0.000	96.70	15.40	7.500	0.00	0.00	7.500	0.000	7.5	1197.1	10.0	9,876
A	114	Flat			0.000	96.70	15.20	7.500	0.00	0.00	7.500	0.000	7.5	1181.5	10.0	9,747
A	115	Flat			0.000	96.70	15.20	7.500	0.00	0.00	7.500	0.000	7.5	1181.5	10.0	9,747
A	116	Flat	end wall ht. top of metal		0.000	96.70	15.20	7.500	0.00	0.00	7.500	0.000	7.5	1181.5	10.0	9,747

Bin count: 9

Facility: Johnstown Section: A Total: 111,200

To Even: 112,000

Section: B

B	205	Flat	hrzntl brace rods to floor		0.000	257.8	60.00	11.00	0.00	0.00	11.000	0.000	11.0	12434.1	10.0	150,453
B	206 Mill	Flat	cmnt fndtn 4.5' west wall		0.000	59.00	59.00	6.000	0.00	0.00	6.000	0.000	6.0	2798.2	10.0	18,468
B	207	Flat	sidewall ht below screen		0.000	77.70	14.60	7.000	0.00	0.00	7.000	0.000	7.0	911.9	10.0	7,021
B	208	Flat	ceiling ht. 17.3'		0.000	77.70	14.00	7.000	0.00	0.00	7.000	0.000	7.0	874.4	10.0	6,733
B	209	Flat	ceiling ht. 19.3'		0.000	77.70	14.50	7.000	0.00	0.00	7.000	0.000	7.0	905.7	10.0	6,974
B	210	Flat			0.000	91.30	15.10	7.000	0.00	0.00	7.000	0.000	7.0	1108.2	10.0	8,533
B	211	Flat			0.000	91.30	14.80	7.000	0.00	0.00	7.000	0.000	7.0	1086.2	10.0	8,363

NDPSC Bin Capacity Chart

Exam Date: 06/02/2015

Johnstown Bean Company

Page: 2

Examiner: 1

PO Box 5
Gilby, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
Bin count:		7														Facility: Johnstown Section: B Total:	206,545
															To Even:	207,000	

Section: B-C

Added	B-C	012 S	Peaked	Cummings AG location	41.900	0.000	0.000	24.25	0.00	0.00	24.250	2.500	26.8	1108.4	10.0	32,676	
Bin count:		1														Facility: Johnstown Section: B-C Total:	32,676
															To Even:	33,000	

Section: C

C	303	Quonset	overhead center U-trough	0.000	156.8	47.80	11.00	0.00	0.00	11.000	0.000	11.0	5804.9	10.0	70,239		
C	304	Flat	hrzntl brace rods 15.2' bttm	0.000	161.8	60.00	12.70	0.00	0.00	12.700	0.000	12.7	7803.9	10.0	109,021		
C	305	Flat	grain wall ht. 6.0' bttm rafter	0.000	78.60	50.50	10.00	0.00	0.00	10.000	0.000	10.0	3190.8	10.0	35,099		
Bin count:		3														Facility: Johnstown Section: C Total:	214,359
															To Even:	215,000	

Section: D

D	401	Flat	Mondry grain wall 14'	0.000	137.0	48.00	13.00	0.00	0.00	13.000	0.000	13.0	5286.2	10.0	75,593		
Bin count:		1														Facility: Johnstown Section: D Total:	75,593
															To Even:	76,000	

Section: F

F	001	Peaked	Fordville receiving tank	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
F	002	Peaked	Fordville receiving tank	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838

Client ID: 267

NDPSC Bin Capacity Chart

06/02/2015 02:49:40 PM

Exam Date: 06/02/2015

Johnstown Bean Company

Page: 3

Examiner: 1

PO Box 5
Gilby, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Johnstown

Section: F

F	003	Peaked	Fordville receiving tank	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
---	-----	--------	--------------------------	--------	-------	-------	-------	------	------	--------	-------	------	-------	------	-------

Bin count: 3

Facility: Johnstown Section: F Total: 14,514

To Even: 15,000

Section: L

L	001	Peaked	Leads-BTR receiving	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
---	-----	--------	---------------------	--------	-------	-------	-------	------	------	--------	-------	------	-------	------	-------

L	002	Peaked	Leads-BTR receiving	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
---	-----	--------	---------------------	--------	-------	-------	-------	------	------	--------	-------	------	-------	------	-------

L	003	Peaked	Leads-BTR receiving	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
---	-----	--------	---------------------	--------	-------	-------	-------	------	------	--------	-------	------	-------	------	-------

L	004	Peaked	Leads-BTR receiving	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
---	-----	--------	---------------------	--------	-------	-------	-------	------	------	--------	-------	------	-------	------	-------

Bin count: 4

Facility: Johnstown Section: L Total: 15,732

To Even: 16,000

Overall Licensed Bin Capacity for:

Johnstown Bean Company

Bin count: 28

Licensed Capacity:
(includes pack)


670,619 Bu.

Licensed Capacity (to even):
(includes pack and section totals are rounded up to next highest 1000)

674,000 Bu.

JOHNSTOWN BEAN COMPANY

Section C # 303



Located 2 blocks southeast of main plant

base dimensions

47.8' W x 156.8'L

horizontal side wall brace and conduit on east side 10.7'

side wall sheet seam above brace 11.5'

bottom center of overhead u-trough to floor 17.5'

side wall u-trough space center to center ???

