



**APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY**

Public Service Commission  
SFN 51277 (4/2013)



**TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED**

|   |  |                                     |                          |
|---|--|-------------------------------------|--------------------------|
| <b>Name of Company</b><br>Agassiz Seed & Supply     | <b>Email Address</b><br>AI@agassizseed.com | <b>Application Date</b><br>12-31-14 |                          |
| <b>Mailing Address</b><br>445 7 <sup>th</sup> St NW | <b>City</b><br>West Fargo                  | <b>State</b><br>ND                  | <b>Zip Code</b><br>58078 |
| <b>Telephone Number</b><br>701-282-8118             | <b>Cell Phone Number</b><br>701-261-8578   | <b>Fax Number</b><br>701-282-9119   |                          |

Select below all device types your company will certify:

| <b>Scales (include maximum capacity, if applicable)</b>  | <b>Liquid (include maximum flow rate, if applicable)</b>  |
|--|---|
| <input type="checkbox"/> 1. Rail<br><input type="checkbox"/> 2. Truck<br><input type="checkbox"/> 3. Livestock<br><input type="checkbox"/> 4. Hopper: Max. Capacity: _____<br><input type="checkbox"/> 5. Belt<br><input type="checkbox"/> 6. Over 30 lbs.: Max. Capacity: _____<br><input checked="" type="checkbox"/> 7. 30 lbs. or less<br><input type="checkbox"/> 8. Class II (indicate on your calibration report which weight kit is Class II certified)<br><input type="checkbox"/> 9. Other: Please List: | <input type="checkbox"/> 1. Retail Fuel (less than 20 gal. per minute)<br><input type="checkbox"/> 2. High Flow Retail Fuel (20 gal. per minute or greater)<br><input type="checkbox"/> 3. Vehicle Tank: Max. Flow Rate: _____<br><input type="checkbox"/> 4. Stationary Bulk (fuel or oil):<br>Max. Flow Rate: _____<br><input type="checkbox"/> 5. LPG<br><input type="checkbox"/> 6. Stationary LPG<br><input type="checkbox"/> 7. Fertilizer: Max. Flow Rate: _____<br><input type="checkbox"/> 8. Chemical<br><input type="checkbox"/> 9. Anhydrous<br><input type="checkbox"/> 10. Loading Rack<br><input type="checkbox"/> 11. Other: Please List: |

List below all persons employed by your company as a North Dakota Registered Service Person and the device types they are registered to certify (attach a separate sheet to list additional employees):

| <b>Permit No.</b> | <b>Employee</b>  | <b>Device Types Registered to Certify (list using device type numbers from above)</b> |
|-------------------|------------------|---|
| e.g. 1001         | e.g. John Doe    | e.g. Scales - 2, 3, 6, 8; e.g. Liquid - 1, 2, 6                                       |
| 1531              | Allen J Holleman | Scales - 7  |
|                   |                  |   |
|                   |                  |   |
|                   |                  |   |
|                   |                  |   |





**APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY**

Public Service Commission  
SFN 51277 (8/04)



**TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED**

|   |  |                                     |                          |
|---|--|-------------------------------------|--------------------------|
| Name of Company<br><i>Agassiz Seed &amp; Supply</i> | Email Address<br><i>Al@Agassizseed.com</i> | Application Date<br><i>12-31-14</i> |                          |
| Mailing Address<br><i>445 7th St NW</i>             | City<br><i>West Fargo, ND</i>              | State<br><i>ND</i>                  | Zip Code<br><i>58078</i> |
| Telephone Number<br><i>701-282-8118</i>             | Cell Phone Number<br><i>701-261-8578</i>   | Fax Number<br><i>701-282-9119</i>   |                          |

List below all persons employed by your company to break seals and place devices into service:

| Permit No.  | Employee                | Permit No. | Employee |
|-------------|-------------------------|------------|----------|
| <i>1531</i> | <i>Allen J Holliman</i> |            |          |
|             |                         |            |          |
|             |                         |            |          |

Identify below all test weights, prover tanks, etc., that will be used in the repair, inspection, and installation of weighing and measuring devices used in commercial trade:

|              |             |            |           |               |              |
|--------------|-------------|------------|-----------|---------------|--------------|
| <i>2 Kg</i>  | <i>100g</i> | <i>20g</i> | <i>5g</i> | <i>1-g</i>    | <i>100mg</i> |
| <i>1 Kg</i>  | <i>50g</i>  | <i>20g</i> | <i>2g</i> | <i>1-g</i>    | <i>50mg</i>  |
| <i>500 g</i> | <i>50g</i>  | <i>10g</i> | <i>2g</i> | <i>500 mg</i> | <i>20mg</i>  |
| <i>200g</i>  | <i>20g</i>  | <i>10g</i> | <i>2g</i> | <i>200 mg</i> | <i>20mg</i>  |
| <i>200g</i>  | <i>20g</i>  | <i>5g</i>  | <i>2g</i> | <i>200mg</i>  | <i>10mg</i>  |

I certify that all the necessary and adequate test weights or prover tanks for the repair and installation of commercial weighing, measuring, or liquid dispensing devices are listed above. I have included up-to-date calibration reports for all equipment calibrated outside of North Dakota.

*Allen J Holliman*  
Signature of Company Contact Person

**Send Completed Application and Calibration Reports (if applicable) To:**

Public Service Commission  
Testing and Safety Division  
600 E Boulevard Ave Dept 408  
Bismarck ND 58505-0480  
Telephone: (701) 328-2400  
Fax: (701) 328-2410

North Dakota

nd.gov Official Portal for North Dakota State Government



# SECRETARY OF STATE NORTH DAKOTA



[Home](#) | [Business Records Search](#)

## AGASSIZ SEED & SUPPLY

### Trade Name

|                                       |                                      |
|---------------------------------------|--------------------------------------|
| <b>System ID:</b> 13056400            | <b>Phone:</b> (701) 282-8118         |
| <b>Status:</b> Active                 |                                      |
| <b>Original File Date:</b> 12/08/1997 | <b>Last Renewal Date:</b> 12/08/2012 |

### Nature of Business

THE SALE OF SEEDS, ELEVATOR AND AGRICULTURAL SUPPLIES AND OTHER PRODUCTS.

### Owners

**AGASSIZ SEEDS, INC.**  
 445 7TH ST NW  
 WEST FARGO, ND 58078-1150

[Return to Search Results](#)

[Contact Us](#)

[Disclaimer](#)

[Privacy Policy](#)

We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.

North Dakota

nd.gov Official Portal for  
North Dakota State GovernmentNorth Dakota  
LEGENDARY

# SECRETARY OF STATE NORTH DAKOTA


[Home](#) | [Business Records Search](#)

## AGASSIZ SEEDS, INC.

### Corporation Details

**System ID:** 2060600      **Phone:** (701) 282-8118  
**Type:** BUSINESS CORPORATION  
**Status:** Active & Good Standing  
**Original File Date:** 03/03/1987      **Effective Date:** 03/03/1987  
**State of Origin:** North Dakota

### Nature of Business

SELLING GRAIN & RELATED FARM & ELEVATOR PRODUCTS

### Principal Office

445 7TH ST NW WEST FARGO, ND 58078-1150

### Registered Agent

**KIM ALBERTY**  
 445 7TH ST NW  
 WEST FARGO, ND 58078-1150  
 Established Date: Sep 04, 1996

### Authorized Shares

| Class | Number     | Par Value    |
|-------|------------|--------------|
|       | 500.000000 | \$100.000000 |

### Generate an Annual Report To File

To Generate a Annual Report form to be filed with the Secretary of State, select the appropriate year of the report you intend to file. This report does not contain details of a report previously filed with the Secretary of State. The annual report years reflected are an indication of the various report forms available in this site and is not an indication that an entity needs to file reports for all years. Missing years indicate that the forms for the missing year have not yet been deployed to the website, or have already been removed, and can be obtained by contacting the Secretary of State.

[2014](#) (generates a forms-fillable pdf in a new pop-up window)

[Return to Search Results](#)

[Contact Us](#)
[Disclaimer](#)
[Privacy Policy](#)

We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.



Receipt Date: December 23, 2014  
 Test Date: January 2, 2015  
 Report Date: January 2, 2015

State Test No.: 333583  
 Set Serial No.: A1, A1 SUB, 058F  
 Barcode: 201561

## Calibration Report

AGASSIZ SEED & SUPPLY INC.  
 445 7TH ST NW  
 WEST FARGO, ND 58078  
 Contact: ALLEN HOLLEMAN  
 Phone: 701-282-8118  
 PO Number: NONE  
 SOP: 12  
 Technician ID: 09

Item(s) Submitted: Metric weight set  
 Manufacturer: Rice Lake  
 ASTM E617 Type: I & II  
 Equipment ID#: None  
 Condition: Good  
 Temperature: 19.4°C  
 Pressure: 742.2 mmHg  
 Relative Humidity: 48. %

| Nominal Value | Serial No. | Correction (mg) |         | NIST HB105-1 Class |         | Unc. (mg) (k=2) |
|---------------|------------|-----------------|---------|--------------------|---------|-----------------|
|               |            | As Found        | As Left | As Found           | As Left |                 |
| 2000 g        |            | 90.             | 90.     | F                  | F       | 10.             |
| 1000 g        |            | 29.             | 29.     | F                  | F       | 6.              |
| 500 g         |            | 19.8            | 19.8    | F                  | F       | 4.6             |
| 200 g         |            | 17.             | 17.     | F                  | F       | 1.              |
| 200 g         |            | 17.             | 17.     | F                  | F       | 1.              |
| 100 g         |            | 7.74            | 7.74    | F                  | F       | 0.45            |
| 50 g          |            | 4.12            | 4.12    | F                  | F       | 0.25            |
| 20 g          |            | 1.76            | 1.76    | F                  | F       | 0.25            |
| 20 g          |            | 1.46            | 1.46    | F                  | F       | 0.25            |
| 10 g          |            | 0.75            | 0.75    | F                  | F       | 0.12            |
| 5 g           |            | 0.53            | 0.53    | F                  | F       | 0.1             |
| 2 g           |            | 0.41            | 0.41    | F                  | F       | 0.07            |
| 2 g           |            | 0.11            | 0.11    | F                  | F       | 0.07            |
| 1 g           |            | 0.32            | 0.32    | F                  | F       | 0.07            |
| 50 g          |            | 4.35            | 4.35    | F                  | F       | 0.25            |
| 20 g          |            | 1.58            | 1.58    | F                  | F       | 0.25            |
| 20 g          |            | 1.72            | 1.72    | F                  | F       | 0.25            |
| 10 g          |            | 0.98            | 0.98    | F                  | F       | 0.12            |
| 5 g           |            | 0.8             | 0.8     | F                  | F       | 0.1             |
| 2 g           |            | 0.22            | 0.22    | F                  | F       | 0.07            |
| 2 g           |            | 0.43            | 0.43    | F                  | F       | 0.07            |
| 1 g           |            | 0.50            | 0.50    | F                  | F       | 0.07            |



Receipt Date: December 23, 2014  
Test Date: January 2, 2015  
Report Date: January 2, 2015

Continued,  
State Test No.: 333583  
Set Serial No.: A1, A1 SUB, 058F  
Barcode: 201561

## Calibration Report

AGASSIZ SEED & SUPPLY INC.  
445 7TH ST NW  
WEST FARGO, ND 58078  
Contact: ALLEN HOLLEMAN  
Phone: 701-282-8118  
PO Number: NONE  
SOP: 12  
Technician ID: 09

Item(s) Submitted: Metric weight set  
Manufacturer: Rice Lake  
ASTM E617 Type: I & II  
Equipment ID#: None  
Condition: Good  
Temperature: 19.4°C  
Pressure: 742.2 mmHg  
Relative Humidity: 48. %

| Nominal Value | Serial No. | Correction (mg) |         | NIST HB105-1 Class |         | Unc. (mg) (k=2) |
|---------------|------------|-----------------|---------|--------------------|---------|-----------------|
|               |            | As Found        | As Left | As Found           | As Left |                 |
| 0.5 g         |            | 0.34            | 0.34    | F                  | F       | 0.07            |
| 0.2 g         |            | 0.24            | 0.24    | F                  | F       | 0.07            |
| 0.2 g         |            | 0.20            | 0.20    | F                  | F       | 0.07            |
| 0.1 g         |            | 0.02            | 0.02    | F                  | F       | 0.07            |
| 0.05 g        |            | 0.07            | 0.07    | F                  | F       | 0.07            |
| 0.02 g        |            | 0.08            | 0.08    | F                  | F       | 0.07            |
| 0.02 g        |            | 0.08            | 0.08    | F                  | F       | 0.07            |
| 0.01 g        |            | 0.07            | 0.07    | F                  | F       | 0.07            |

When used as a set these weights meet NIST HB105-1 Class F Tolerance.

The resulting tolerance class of the weight is determined by combining the correction of the weight and the uncertainty of the measurement. The corrections given above correlate to a conventional mass scale versus 8.0 g/cm<sup>3</sup> density and an air density of 1.2 mg/cm<sup>3</sup>. The items listed above have been compared to the Standards of the State of Minnesota which are currently in control. These standards are traceable to the SI through NIST. Calibration processes were monitored and found to be in control. Uncertainty calculations conform to NIST Technical Note 1297. Results apply to items identified in this report only.

Heidi Jones  
*Heidi Jones*  
Laboratory Administrator

Reviewed by:  
Mark Nicollet  
*Mark Nicollet*  
Quality Manager