



APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY
Public Service Commission
SFN 51277 (2/2014)



TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED

Name of Company HOBART Sales and Service	Email Address hobarthis@cs.com	Application Date 4-9-15	
Mailing Address PO Box 1663	City BISMARCK	State ND	Zip Code 58502
Telephone Number 701-222-0450	Cell Phone Number 701-226-5015	Fax Number 701-222-0456	

Select below all device types your company will certify:

Scales (include maximum capacity, if applicable)	Liquid (include maximum flow rate, if applicable)
<input type="checkbox"/> 1. Rail <input type="checkbox"/> 2. Truck <input type="checkbox"/> 3. Livestock <input type="checkbox"/> 4. Hopper: Max. Capacity: _____ <input type="checkbox"/> 5. Belt <input checked="" type="checkbox"/> 6. Over 30 lbs.: Max. Capacity: <u>350</u> <input checked="" type="checkbox"/> 7. 30 lbs. or less <input type="checkbox"/> 8. Class II (indicate on your calibration report which weight kit is Class II certified) <input type="checkbox"/> 9. Other: Please List:	<input type="checkbox"/> 1. Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> 2. High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> 3. Vehicle Tank: Max. Flow Rate: _____ <input type="checkbox"/> 4. Stationary Bulk (fuel or oil): Max. Flow Rate: _____ <input type="checkbox"/> 5. LPG <input type="checkbox"/> 6. Stationary LPG <input type="checkbox"/> 7. Fertilizer: Max. Flow Rate: _____ <input type="checkbox"/> 8. Chemical <input type="checkbox"/> 9. Anhydrous <input type="checkbox"/> 10. Loading Rack <input type="checkbox"/> 11. Other: Please List:

List below all persons employed by your company as a North Dakota Registered Service Person and the device types they are registered to certify (attach a separate sheet to list additional employees):

Permit No.	Employee	Device Types Registered to Certify (list using device type numbers from above)
<i>e.g. 1001</i>	<i>e.g. John Doe</i>	<i>e.g. Scales - 2, 3, 6, 8; e.g. Liquid - 1, 2, 6</i>
1326	JEFF ENDERSBE	
1333	KYLE HAMMLING	
1332	JIM LINOQUIST	

Continued on Page 2



List below all field standards (attach current calibration reports):

1 ea 3016 Test Kit	
6 ea 5016 Test Weight	
1 ea 2516 Test Weight	

Additional Application Items (initial where appropriate):

Standardized Test Report	<input checked="" type="checkbox"/> Copy enclosed
	<input type="checkbox"/> No change in report filed previously
Tested and Approved Sticker	<input checked="" type="checkbox"/> Copy enclosed
	<input type="checkbox"/> No change in sticker filed previously
Photocopy of Crimped Lead Wire Seal	<input type="checkbox"/> Copy enclosed
	<input type="checkbox"/> No change in crimped lead wire seal filed previously



Public Company Listing:

Include my company information on your registered service company list for public contact.
 Yes No

I am Jim Lindquist, and have authority to represent this company.
 By signing this application, I declare that I have examined this form and accompanying documentation, and to the best of my knowledge and belief, the facts stated and documentation provided is true, correct, and complete.

 Signature

Send Completed Application and Related Documents To:
 Public Service Commission
 600 E Boulevard Ave Dept 408
 Bismarck ND 58505-0480
Telephone: (701) 328-2400
Fax: (701) 328-2410

North Dakota

nd.gov Official Portal for North Dakota State Government



SECRETARY OF STATE NORTH DAKOTA



[Home](#) | [Business Records Search](#)

HOBART SALES AND SERVICE

Trade Name

System ID: 26807300 **Phone:** (701) 222-0450
Status: Active
Original File Date: 03/09/2010 **Last Renewal Date:** 03/09/2015

Nature of Business

SALES & SERVICE COMMERCIAL FOOD EQUIPMENT

Owners

JAMES LINDQUIST
PO BOX 1663
BISMARCK, ND 58502-1663

[Return to Search Results](#)

[Contact Us](#)

[Disclaimer](#)

[Privacy Policy](#)

We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.



14305 SOUTH CROSS DRIVE #150
BURNSVILLE, MN 55306-7008
MN.GOV/COMMERCE/
651.539.1555 FAX 651.539.1553
AN EQUAL OPPORTUNITY EMPLOYER

Receipt Date: February 26, 2015
Test Date: February 26 & 27, 2015
Report Date: February 27, 2015

State Test No.: 333898
Set Serial No.: None
Barcode: 201594

Calibration Report

HOBART SALES & SERVICES
1412 EAST FRONT AVENUE
BISMARCK, ND 58504

Contact: JIM LINDQUIST
Phone: 701-222-0450
PO Number: NONE
SOP: 12
Technician ID: 07

Item(s) Submitted: 30 lb Kit w/ Decimals
Manufacturer: Rice Lake
ASTM E617 Type: I & II
Equipment ID#: None
Condition: Good
Temperature: 19.3°C
Pressure: 750.5 mmHg
Relative Humidity: 31. %

Nominal Value	Serial No.	Correction (mg)		NIST HB105-1 Class		Unc. (mg) (k=2)
		As Found	As Left	As Found	As Left	
5 lb		47	47	F	F	10
5 lb		8	8	F	F	10
5 lb		13	13	F	F	10
5 lb		35	35	F	F	10
5 lb		35	35	F	F	10
1 lb		20.4	20.4	F	F	6
1 lb		4.7	4.7	F	F	6
1 lb		10.2	10.2	F	F	6
1 lb		21.5	21.5	F	F	6
1 lb		19.5	19.5	F	F	6
8 oz		13.0	13.0	F	F	6
0.2 lb		1.22	1.22	F	F	0.07
0.2 lb		8.32	8.32	F	F	0.07
0.1 lb		5.89	5.89	F	F	0.07
0.05 lb		0.27	0.27	F	F	0.07
0.02 lb		0.75	0.75	F	F	0.07
0.02 lb		0.89	0.89	F	F	0.07
0.01 lb		0.88	0.88	F	F	0.07
0.005 lb		0.351	0.351	F	F	0.07
0.002 lb		0.201	0.201	F	F	0.07

When used as a set these weights meet NIST HB 105-1 class F tolerances.

The resulting tolerance class of the weight is determined by combining the correction of the weight and the uncertainty of the measurement. The corrections given above correlate to a conventional mass scale versus 8.0 g/cm³ density and an air density of 1.2 mg/cm³. The items listed above have been compared to the Standards of the State of Minnesota which are currently in control. These standards are traceable to the SI through NIST. Calibration processes were monitored and found to be in control. Uncertainty calculations conform to NIST Technical Note 1297. Results apply to items identified in this report only.

Mark Nicollet

Mark Nicollet
Quality Manager

Reviewed by:

Pete Whebbe

Pete Whebbe
Metrologist



14305 SOUTHCROSS DRIVE #150
 BURNSVILLE, MN 55306-7008
 MN.GOV/COMMERCE/
 651.539.1555 FAX 651.539.1553
 AN EQUAL OPPORTUNITY EMPLOYER

Receipt Date: February 25, 2015
 Test Date: February 25, 2015
 Report Date: February 25, 2015

State Test No.: 333882
 Set Serial No.: None
 Barcode: 201599

Calibration Report

HOBART SALES & SERVICES
 1412 EAST FRONT AVENUE
 BISMARCK, ND 58504

Contact: JIM LINDQUIST
 Phone: 701-222-0450
 PO Number: NONE
 SOP: 12
 Technician ID: 07

Item(s) Submitted: Cast Handle Weights
 Manufacturer: Asst Cast Mfg
 ASTM E617 Type: II
 Equipment ID#: None
 Condition: Good
 Temperature: 18.8°C
 Pressure: 738. mmHg
 Relative Humidity: 34. %

Nominal Value	Serial No.	Correction (mg)		NIST HB105-1 Class		Unc. (mg) (k=2)
		As Found	As Left	As Found	As Left	
50 lb		-80	-80	F	F	110
50 lb		-830	-830	F	F	110
50 lb		-410	-410	F	F	110
50 lb		290	290	F	F	110
50 lb		890	890	F	F	110
50 lb		30	30	F	F	110
25 lb		-60	-60	F	F	75

When used as a set these weights meet NIST HB 105-1 class F tolerances.

The resulting tolerance class of the weight is determined by combining the correction of the weight and the uncertainty of the measurement. The corrections given above correlate to a conventional mass scale versus 8.0 g/cm³ density and an air density of 1.2 mg/cm³. The items listed above have been compared to the Standards of the State of Minnesota which are currently in control. These standards are traceable to the SI through NIST. Calibration processes were monitored and found to be in control. Uncertainty calculations conform to NIST Technical Note 1297. Results apply to items identified in this report only.

Mark Nicollet

 Quality Manager

Reviewed by:
 Pete Whebbe

 Metrologist