



APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY
Public Service Commission
SFN 51277 (2/2014)



TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED

12-31-2015

Name of Company NCR Corporation	Email Address dave.boykin@ncr.com	Application Date 3/9/15	
Mailing Address 200 Highway 74 South	City Peachtree City	State GA	Zip Code 30269
Telephone Number 770-288-1556	Cell Phone Number 678-416-0208	Fax Number 770-288-1801	

Select below all device types your company will certify:

Weights (include maximum capacity, if applicable)	Liquid (include maximum flow rate, if applicable)
<input type="checkbox"/> 1. Rail <input type="checkbox"/> 2. Truck <input type="checkbox"/> 3. Livestock <input type="checkbox"/> 4. Hopper: Max. Capacity: _____ <input type="checkbox"/> 5. Belt <input type="checkbox"/> 6. Over 30 lbs.: Max. Capacity: _____ <input checked="" type="checkbox"/> 7. 30 lbs. or less <input type="checkbox"/> 8. Class II (indicate on your calibration report which weight kit is Class II certified) <input type="checkbox"/> 9. Other: Please List:	<input type="checkbox"/> 1. Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> 2. High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> 3. Vehicle Tank: Max. Flow Rate: _____ <input type="checkbox"/> 4. Stationary Bulk (fuel or oil): Max. Flow Rate: _____ <input type="checkbox"/> 5. LPG <input type="checkbox"/> 6. Stationary LPG <input type="checkbox"/> 7. Fertilizer: Max. Flow Rate: _____ <input type="checkbox"/> 8. Chemical <input type="checkbox"/> 9. Anhydrous <input type="checkbox"/> 10. Loading Rack <input type="checkbox"/> 11. Other: Please List:

List below all persons employed by your company as a North Dakota Registered Service Person and the device types they are registered to certify (attach a separate sheet to list additional employees):

Permit No.	Employee	Device Types Registered to Certify (list using device type numbers from above)
<i>e.g. 1001</i>	<i>e.g. John Doe</i>	<i>e.g. Scales - 2, 3, 6, 8; e.g. Liquid - 1, 2, 6</i>
1675	David Collins	Scales - 7
1754	Jesse Simpson	Scales - 7
1758	DeLisa Lyght	Scales - 7



List below all field standards (attach current calibration reports):


30# kit containing 2-10#, 1-5#, 2-2# & 1-1#	

Additional Application Items (initial where appropriate):

Standardized Test Report	<input type="checkbox"/> Copy enclosed <input checked="" type="checkbox"/> No change in report filed previously
Tested and Approved Sticker	<input type="checkbox"/> Copy enclosed <input checked="" type="checkbox"/> No change in sticker filed previously
Photocopy of Crimped Lead Wire Seal	<input type="checkbox"/> Copy enclosed <input checked="" type="checkbox"/> No change in crimped lead wire seal filed previously

Public Company Listing:

Include my company information on your registered service company list for public contact. <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

I am <u>David Boykin</u> , and have authority to represent this company. By signing this application, I declare that I have examined this form and accompanying documentation, and to the best of my knowledge and belief, the facts stated and documentation provided is true, correct, and complete.  Signature
--

Send Completed Application and Related Documents To:

Public Service Commission
600 E Boulevard Ave Dept 408
Bismarck ND 58505-0480
Telephone: (701) 328-2400
Fax: (701) 328-2410



SECRETARY OF STATE NORTH DAKOTA

[Home](#) | [Business Records Search](#)

NCR CORPORATION

Corporation Details

System ID: 3206700 **Phone:** (770) 623-7249
Type: FOREIGN BUSINESS CORPORATION
Status: Active & Good Standing
Original File Date: 04/19/1926 **Effective Date:** 04/19/1926
State of Origin: Maryland

Nature of Business

COMPUTER PROGRAMING, DATA PROCESSING & RELATED SERVICES

Principal Office

3097 SATELLITE BLVD DULUTH, GA 30096-1242

Registered Agent

CORPORATION SERVICE COMPANY
1501 N 12TH ST STE 1
BISMARCK, ND 58501-2713
Established Date: Jul 02, 2014


Generate an Annual Report To File

To Generate a Annual Report form to be filed with the Secretary of State, select the appropriate year of the report you intend to file. This report does not contain details of a report previously filed with the Secretary of State. The annual report years reflected are an indication of the various report forms available in this site and is not an indication that an entity needs to file reports for all years. Missing years indicate that the forms for the missing year have not yet been deployed to the website, or have already been removed, and can be obtained by contacting the Secretary of State.

[2014](#) [2015](#) (generates a forms-fillable pdf in a new pop-up window)

[Return to Search Results](#)

[Contact Us](#)[Disclaimer](#) | [Privacy Policy](#)

 We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

 Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.



Hugh E. Weathers
Commissioner

DAVID COLLINS

State of South Carolina
Department of Agriculture

Metrology Laboratory

Mailing Address
PO Box 11280
Columbia, SC 29211

Physical Location
237 Catawba Street
Columbia, SC 29201

803.253.4052 (Phone/Fax)
www.agriculture.sc.gov

CERTIFICATE OF CALIBRATION
FOR

One weight set ranging from 0.001 pound through 10 pounds consisting of 19 test weights



Manufacturer
Troemner

Serial Number
Asset # 0893

State Test Number
SC150121-5-15

Submitted by

NCR Corporation
200 Highway 74 South
Peachtree City, GA 30269

The test weights described above have been compared with the standards of the State of South Carolina using procedure SOP 8 from NIST IR 6969 and were found (adjusted) to be within NIST Class F tolerances with the following exceptions:

None

Date of Test: 02/02/15

Robert L. McGee, Director
Metrology Laboratory

Comments:

- This calibration was performed within the requirements of the laboratory Quality Management System version 6, Jan 2010 which is compliant with the ISO/IEC 17025, 2005 standard. The laboratory has demonstrated measurement proficiency through training and interlaboratory comparisons and has been issued a NIST Certificate of Measurement Traceability effective through December 31, 2015.
- This calibration has metrological traceability to the International System of Units (SI) through South Carolina primary standards traceable to the National Institute of Standards and Technology through NIST Test Numbers 822/275141-07, 822/278993-10, 684/283739-13.
- Date received: 01/13/15
- Laboratory environment: Temperature 22.10 °C Humidity: 45.09 %RH
- Density corrections are negligible at the applied tolerance but are included as a component in the uncertainty calculation.
- The calibration values reported on the following pages are Conventional Mass corrections based on a reference density of 8.0 g/cm³ and a reference temperature of 20 °C.
- If the standard was not adjusted the "As Found" and "As Left" values are the same.

JESSE SIMPSON



Hugh E. Weathers
Commissioner

State of South Carolina
Department of Agriculture

Metrology Laboratory

Mailing Address
PO Box 11280
Columbia, SC 29211

Physical Location
237 Catawba Street
Columbia, SC 29201

803.253.4052 (Phone/Fax)
www.agriculture.sc.gov

CERTIFICATE OF CALIBRATION
FOR

One weight set ranging from 0.001 pound through 10 pounds consisting of 19 test weights

Manufacturer
Troemner

Serial Number
Asset # 2312

State Test Number
SC150121-12-15



Submitted by

NCR Corporation
200 Highway 74 South
Peachtree City, GA 30269

The test weights described above have been compared with the standards of the State of South Carolina using procedure SOP 8 from NIST IR 6969 and were found (adjusted) to be within NIST Class F tolerances with the following exceptions:

None

Date of Test: 01/30/15

Robert L. McGee, Director
Metrology Laboratory

Comments:

- This calibration was performed within the requirements of the laboratory Quality Management System version 6, Jan 2010 which is compliant with the ISO/IEC 17025, 2005 standard. The laboratory has demonstrated measurement proficiency through training and interlaboratory comparisons and has been issued a NIST Certificate of Measurement Traceability effective through December 31, 2015.
- This calibration has metrological traceability to the International System of Units (SI) through South Carolina primary standards traceable to the National Institute of Standards and Technology through NIST Test Numbers 822/275141-07, 822/278993-10, 684/283739-13.
- Date received: 01/13/15
- Laboratory environment: Temperature 21.73 °C Humidity: 40.23 %RH
- Density corrections are negligible at the applied tolerance but are included as a component in the uncertainty calculation.
- The calibration values reported on the following pages are Conventional Mass corrections based on a reference density of 8.0 g/cm³ and a reference temperature of 20 °C.
- If the standard was not adjusted the "As Found" and "As Left" values are the same.

DELISA LYGHT



Hugh E. Weathers
Commissioner

State of South Carolina Department of Agriculture

Metrology Laboratory

Mailing Address
PO Box 11280
Columbia, SC 29211

Physical Location
237 Catawba Street
Columbia, SC 29201

803.253.4052 (Phone/Fax)
www.agriculture.sc.gov

CERTIFICATE OF CALIBRATION FOR

One weight set ranging from 0.001 pound through 10 pounds consisting of 19 test weights

Manufacturer
Troemner

Serial Number
Asset # 2187

State Test Number
SC130429-3-15



Submitted by

NCR Corporation
200 Highway 74 South
Peachtree City, GA 30269

The test weights described above have been compared with the standards of the State of South Carolina using procedure SOP 8 from NIST IR 6969 and were found (adjusted) to be within NIST Class F tolerances with the following exceptions:

None

Date of Test: 01/30/15

Robert L. McGee, Director
Metrology Laboratory

Comments:

- This calibration was performed within the requirements of the laboratory Quality Management System version 6, Jan 2010 which is compliant with the ISO/IEC 17025, 2005 standard. The laboratory has demonstrated measurement proficiency through training and interlaboratory comparisons and has been issued a NIST Certificate of Measurement Traceability effective through December 31, 2015.
- This calibration has metrological traceability to the International System of Units (SI) through South Carolina primary standards traceable to the National Institute of Standards and Technology through NIST Test Numbers 822/275141-07, 822/278993-10, 684/283739-13.
- Date received: 01/13/15
- Laboratory environment: Temperature 21.43 °C Humidity: 41.95 %RH
- Density corrections are negligible at the applied tolerance but are included as a component in the uncertainty calculation.
- The calibration values reported on the following pages are Conventional Mass corrections based on a reference density of 8.0 g/cm³ and a reference temperature of 20 °C.
- If the standard was not adjusted the "As Found" and "As Left" values are the same.

United States Department of Commerce

National Institute of Standards and Technology

Certificate of Metrological Traceability For:

South Carolina



This laboratory has demonstrated evidence of an unbroken chain of metrological traceability of its standards to the international system of units (SI), documented measurement uncertainties, uses documented measurement procedures, successfully completed training and proficiency tests, documented calibration intervals, submitted a quality management system, and demonstrated suitable measurement assurance for the Scope listed on this certificate.

The Office of Weights and Measures Program assesses laboratories to NIST Handbook 143 - Program Handbook for State Weights and Measures Laboratories and ISO/IEC 17025:2005.

2014 - 2015

Scope

Mass Echelon I

30 kg to 1 mg

Mass Echelon II

50 kg to 1 mg
1000 lb to 0.001 lb
8 oz to 0.015625 oz

Mass Echelon III

1000 kg to 1 mg
2500 lb to 0.001 lb
8 oz to 0.015625 oz

Weight Carts
6000 lb to 2500 lb

Wheel Load Weighers
36 000 lb to 12 000 lb

Volume Gravimetric, I

5 L to 100 mL
5 gal

Volume Transfer, II

20 L - 1 L
1500 gal to 1 gal
100 gal to 20 gal LPG

Grain Moisture

23 % to 13 %

A handwritten signature in blue ink that reads "Carol T. Hockert".

Carol T. Hockert, Chief
NIST Office of Weights and Measures

Effective Dates: 2014-01-01 to 2015-12-31