



**TEMPORARY AUTHORITY PERMIT**  
 NORTH DAKOTA PUBLIC SERVICE COMMISSION  
 PUBLIC UTILITIES  
 SFN 50560 (6-96)

Date November 7, 2014	Time 3:00	<input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.	Name of Utility Montana-Dakota Utilities	Telephone Number 701-572-1620
Name of Person Calling Ken Callahan			Name of Coop Serving Mountrial-Williams	
Name of Customer USG Midstream Bakken LLC		Location Sec NE 14 Twp 159N R 99W		
Address 8183 127th Ave NW			County Williams	
City Alamo			State ND	Zip Code 58830
Name of Nearest City Alamo			Distance to the City 2+ miles	
When will service be extended? December 1, 2014		Type of Service <input type="checkbox"/> Residence <input type="checkbox"/> Storage <input type="checkbox"/> Grain Bin <input checked="" type="checkbox"/> Other <u>Valve site 1 PH</u>		
Extension Length to Most Economical Point of Service Utility: 600' Coop: 1/2 mile+		Extension <input type="checkbox"/> Overhead <input checked="" type="checkbox"/> Underground		
Has customer signed request for service? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Will cooperative protest application? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Name of Person Contacted (PSC Use)		Date of Contact (PSC Use)	Time (PSC Use) <input type="checkbox"/> a.m. <input type="checkbox"/> p.m.	
Estimated Cost of Extension \$4,400		Estimated Revenue \$600 a year		
Under what rate filed with the Public Service Commission will customer be served? Rate 20				
Will extension cross over coop lines? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Will extension cross over railroad tracks? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Temporary Authority Authorized By <input type="checkbox"/> Telephone <input type="checkbox"/> Letter		Date Authorized		
Authorized By (Name of Commissioner)				

Extension must be made from most economical point of service.

**Comments:**  
 USG Midstream Bakken LLC has requested MDU serve this valve site, MDU serves other buildings on this same site. Chris from MWEC has agreed MDU should serve this customer.