



TEMPORARY AUTHORITY PERMIT
NORTH DAKOTA PUBLIC SERVICE COMMISSION
PUBLIC UTILITIES
 SFN 50560 (6-96)

Date 11-24-2014	Time 1:00	<input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.	Name of Utility Montana-Dakota Utilities Co.	Telephone Number 701-224-5815
Name of Person Calling Craig Lohstreter			Name of Coop Serving Capital Electric Cooperative	
Name of Customer Burlington Northern Santa Fe		Location Sec 34 Twp 139N R 77W		
Address 80 44th Avenue NE			County Burleigh	
City Minneapolis			State MN	Zip Code 55421
Name of Nearest City Mckenzie			Distance to the City Approximately 6,500 Feet	
When will service be extended? December 2014		Type of Service <input type="checkbox"/> Residence <input type="checkbox"/> Storage <input checked="" type="checkbox"/> Grain Bin <input type="checkbox"/> Other _____		
Extension Length to Most Economical Point of Service Utility: 3,750Ft. Coop: 4,390 Ft.		Extension Both, underground on Menard's property, then overhead on BN ROW <input type="checkbox"/> Overhead <input type="checkbox"/> Underground		
Has customer signed request for service? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Will cooperative protest application? <input type="checkbox"/> Yes <input type="checkbox"/> No Undetermined		
Name of Person Contacted (PSC Use)		Date of Contact (PSC Use)	Time (PSC Use) <input type="checkbox"/> a.m. <input type="checkbox"/> p.m.	
Estimated Cost of Extension \$30,682.00		Estimated Revenue Annual Revenue = \$816.00		
Under what rate filed with the Public Service Commission will customer be served? Small General Electric Service Rate 20				
Will extension cross over coop lines? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Will extension cross over railroad tracks? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Temporary Authority Authorized By <input type="checkbox"/> Telephone <input type="checkbox"/> Letter		Date Authorized 12/5/14		
Authorized By (Name of Commissioner) <i>Julie Fedachak</i>				

Extension must be made from most economical point of service.

Comments:

BNSF has requested electric service to their new track heater / bungalow shack located approximately 2,500 feet east of Menards east property line. Starting at a transformer on the Menards site, MDU will extend single phase underground primary approximately 1,250 feet to the east Menards property line. From that point a single phase overhead primary line will extend approximately 2,500 feet east to the track heater / bungalow shack location. This track heater / bungalow shack is for the railroad spur line into Menards.

