



TEMPORARY AUTHORITY PERMIT
 NORTH DAKOTA PUBLIC SERVICE COMMISSION
 PUBLIC UTILITIES
 SFN 50560 (6-96)

Date November 25, 2014	Time 3:00	<input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.	Name of Utility Montana-Dakota Utilities	Telephone Number 701-572-1620
Name of Person Calling Ken Callahan			Name of Coop Serving Mountrail-Williams	
Name of Customer James Polkinghome		Location Sec SE7 Twp 159N R 102W		
Address 8227 149th Ave NW			County Williams	
City Grenora			State ND	Zip Code 58845
Name of Nearest City Grenora			Distance to the City 1 mile	
When will service be extended? December 5, 2014		Type of Service <input checked="" type="checkbox"/> Residence <input type="checkbox"/> Storage <input type="checkbox"/> Grain Bin <input type="checkbox"/> Other <u>Home & Shop</u>		
Extension Length to Most Economical Point of Service Utility: 525' Coop: 1/4 + Mile		Extension <input type="checkbox"/> Overhead <input checked="" type="checkbox"/> Underground		
Has customer signed request for service? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Will cooperative protest application? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Name of Person Contacted (PSC Use)		Date of Contact (PSC Use)	Time (PSC Use) <input type="checkbox"/> a.m. <input type="checkbox"/> p.m.	
Estimated Cost of Extension \$3,400		Estimated Revenue \$1,800/Year.		
Under what rate filed with the Public Service Commission will customer be served? Rate 20				
Will extension cross over coop lines? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Will extension cross over railroad tracks? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Temporary Authority Authorized By <input type="checkbox"/> Telephone <input type="checkbox"/> Letter		Date Authorized		
Authorized By (Name of Commissioner)				

Extension must be made from most economical point of service.

Comments:
 Customer requested MDU to serve them, MDU notified Chris with Mountrail-Williams and they agree MDU should serve this customer. Customer will provide open trench to MDU specs.