



APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY
 Public Service Commission
 SFN 51277 (2/2014)



TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED

Name of Company Bison Food Equipment Services Inc.	Email Address bisonfoodequipment@hotmail.com	Application Date	
Mailing Address 17409 Besean Lake Road	City Lake Park	State ND	Zip Code 56554
Telephone Number 218-238-6363	Cell Phone Number 701-261-2102	Fax Number 218-238-5417	

Select below all device types your company will certify:

Scales (include maximum capacity, if applicable)	Liquid (include maximum flow rate, if applicable)
<input type="checkbox"/> 1. Rail <input type="checkbox"/> 2. Truck <input type="checkbox"/> 3. Livestock <input type="checkbox"/> 4. Hopper: Max. Capacity: _____ <input type="checkbox"/> 5. Belt <input checked="" type="checkbox"/> 6. Over 30 lbs.: Max. Capacity: <u>350 lbs</u> <input type="checkbox"/> 7. 30 lbs. or less <input type="checkbox"/> 8. Class II (indicate on your calibration report which weight kit is Class II certified) <input type="checkbox"/> 9. Other: Please List:	<input type="checkbox"/> 1. Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> 2. High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> 3. Vehicle Tank: Max. Flow Rate: _____ <input type="checkbox"/> 4. Stationary Bulk (fuel or oil): Max. Flow Rate: _____ <input type="checkbox"/> 5. LPG <input type="checkbox"/> 6. Stationary LPG <input type="checkbox"/> 7. Fertilizer: Max. Flow Rate: _____ <input type="checkbox"/> 8. Chemical <input type="checkbox"/> 9. Anhydrous <input type="checkbox"/> 10. Loading Rack <input type="checkbox"/> 11. Other: Please List:

List below all persons employed by your company as a North Dakota Registered Service Person and the device types they are registered to certify (attach a separate sheet to list additional employees):

Permit No.	Employee	Device Types Registered to Certify (list using device type numbers from above)
e.g. 1001	e.g. John Doe	e.g. Scales - 2, 3, 6, 8; e.g. Liquid - 1, 2, 6
1482	Dale G Bohren	6

Continued on Page 2



List below all field standards (attach current calibration reports):

		1		11
		2	TESTED & APPROVED	12
		3		13
		4	Bison Food Equipment	14
		5	Service, Inc.	15
		6	M	Y
		7	O	E
		8	N	A
		9	T	R
		10	218-238-6363	19
		11		20
		12	Do NOT DETACH OR DEFACE	21
				22

Additional Application Items (initial where appropriate):

Standardized Test Report	<input type="checkbox"/> Copy enclosed
	<input checked="" type="checkbox"/> No change in report filed previously
Tested and Approved Sticker	<input checked="" type="checkbox"/> Copy enclosed
	<input type="checkbox"/> No change in sticker filed previously
Photocopy of Crimped Lead Wire Seal	<input type="checkbox"/> Copy enclosed
	<input type="checkbox"/> No change in crimped lead wire seal filed previously

Public Company Listing:


Include my company information on your registered service company list for public contact.
 Yes No

I am Dale Bohner, and have authority to represent this company.
 By signing this application, I declare that I have examined this form and accompanying documentation, and to the best of my knowledge and belief, the facts stated and documentation provided is true, correct, and complete.

Signature

Send Completed Application and Related Documents To:

Public Service Commission
 600 E Boulevard Ave Dept 408
 Bismarck ND 58505-0480
Telephone: (701) 328-2400
Fax: (701) 328-2410



SECRETARY OF STATE NORTH DAKOTA

[Home](#) | [Business Records Search](#)

BISON FOOD EQUIPMENT SERVICE, INC.

Corporation Details

System ID: 19106600 **Phone:** (218) 238-6363
Type: FOREIGN BUSINESS CORPORATION
Status: Active & Good Standing
Original File Date: 04/03/2003 **Effective Date:** 04/03/2003
State of Origin: Minnesota

Nature of Business

FOOD EQUIPMENT SERVICE AND SALES

Principal Office

17409 BESEAU LAKE RD LAKE PARK, MN 56554-9645

Registered Agent

MICHAEL SCULLY
6620 SAPHIRE LANE
BISMARCK, ND 58501-
Established Date: May 18, 2005

Generate an Annual Report To File

To Generate a Annual Report form to be filed with the Secretary of State, select the appropriate year of the report you intend to file. This report does not contain details of a report previously filed with the Secretary of State. The annual report years reflected are an indication of the various report forms available in this site and is not an indication that an entity needs to file reports for all years. Missing years indicate that the forms for the missing year have not yet been deployed to the website, or have already been removed, and can be obtained by contacting the Secretary of State.


[2014](#) [2015](#) (generates a forms-fillable pdf in a new pop-up window)

[Return to Search Results](#)

[Contact Us](#)

[Disclaimer](#)

[Privacy Policy](#)

 We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

 Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.



Receipt Date: April 7, 2015
Test Date: April 7, 2015
Report Date: April 7, 2015

State Test No.: 334107
Set Serial No.: None
Barcode: 202268

Calibration Report

BISON FOOD EQUIPMENT SERVICE INC.
17409 BESEAU LAKE ROAD
LAKE PARK, MN 56554
Contact: Dale Bohner
Phone: 701-261-2102
PO Number: NONE
SOP: 12
Technician ID: 07

Item(s) Submitted: Cast Handle Weights
Manufacturer: Troemner
ASTM E617 Type: II
Equipment ID#: None
Condition: Good
Temperature: 18.9°C
Pressure: 740.8 mmHg
Relative Humidity: 30. %

Nominal Value	Serial No.	Correction (mg)		NIST HB105-1 Class		Unc. (mg) (k=2)
		As Found	As Left	As Found	As Left	
50 lb		260	260	F	F	110
50 lb		1560	1560	F	F	110
50 lb		1270	1270	F	F	110
50 lb		420	420	F	F	110
50 lb		1770	1770	F	F	110
50 lb		1890	1890	F	F	110
25 lb		1030	890	*	F	75
25 lb		520	520	F	F	75
25 lb		720	720	F	F	75
25 lb		790	790	F	F	75

* Weight(s) as found exceed NIST HB 105-1 Class F tolerance.

When used as a set these weights meet NIST HB 105-1 class F tolerances.

The resulting tolerance class of the weight is determined by combining the correction of the weight and the uncertainty of the measurement. The corrections given above correlate to a conventional mass scale versus 8.0 g/cm³ density and an air density of 1.2 mg/cm³. The items listed above have been compared to the Standards of the State of Minnesota which are currently in control. These standards are traceable to the SI through NIST. Calibration processes were monitored and found to be in control. Uncertainty calculations conform to NIST Technical Note 1297. Results apply to items identified in this report only.

Mark Nicollet

Mark Nicollet
Quality Manager

Reviewed by:

Pete Whebbe

Pete Whebbe
Metrologist



Receipt Date: April 7, 2015
Test Date: April 7, 2015
Report Date: April 7, 2015

State Test No.: 334106
Set Serial No.: 1 thru 6
Barcode: 202472

Calibration Report

BISON FOOD EQUIPMENT SERVICE INC.
17409 BESEAU LAKE ROAD
LAKE PARK, MN 56554

Contact: Dale Bohner
Phone: 701-261-2102
PO Number: NONE
SOP: 12
Technician ID: 09

Item(s) Submitted: 30 lb kit
Manufacturer: TROEMNER
ASTM E617 Type: II
Equipment ID#: None
Condition: Good
Temperature: 20.5°C
Pressure: 740.7 mmHg
Relative Humidity: 53. %

Nominal Value	Serial No.	Correction (mg)		NIST HB105-1 Class		Unc. (mg) (k=2)
		As Found	As Left	As Found	As Left	
5 lb	1	112	112	F	F	10.
5 lb	2	120	120	F	F	10.
5 lb	3	103	103	F	F	10.
5 lb	4	127	127	F	F	10.
5 lb	5	105	105	F	F	10.
5 lb	6	93	93	F	F	10.

When used as a set these weights meet NIST HB 105-1 class F tolerances.

The resulting tolerance class of the weight is determined by combining the correction of the weight and the uncertainty of the measurement. The corrections given above correlate to a conventional mass scale versus 8.0 g/cm³ density and an air density of 1.2 mg/cm³. The items listed above have been compared to the Standards of the State of Minnesota which are currently in control. These standards are traceable to the SI through NIST. Calibration processes were monitored and found to be in control. Uncertainty calculations conform to NIST Technical Note 1297. Results apply to items identified in this report only.

Heidi Jones
Heidi Jones
Laboratory Administrator

Reviewed by:
Mark Nicollet
Mark Nicollet
Quality Manager



Receipt Date: April 7, 2015
Test Date: April 7, 2015
Report Date: April 7, 2015

State Test No.: 334105
Set Serial No.: NONE
Barcode: 201022

Calibration Report

BISON FOOD EQUIPMENT SERVICE INC.
17409 BESEAU LAKE ROAD
LAKE PARK, MN 56554
Contact: Dale Bohner
Phone: 701-261-2102
PO Number: NONE
SOP: 12
Technician ID: 09

Item(s) Submitted: 30 lb kit w/decimals and fractions
Manufacturer: Rice Lake
ASTM E617 Type: I & II
Equipment ID#: None
Condition: Good
Temperature: 20.5°C
Pressure: 740.7 mmHg
Relative Humidity: 53. %

Nominal Value	Serial No.	Correction (mg)		NIST HB105-1 Class		Unc. (mg) (k=2)
		As Found	As Left	As Found	As Left	
5 lb		52	52	F	F	10.
5 lb		67	67	F	F	10.
5 lb		119	119	F	F	10.
5 lb		70	70	F	F	10.
5 lb		51	51	F	F	10.
1 lb		21	21	F	F	6.
1 lb		21	21	F	F	6.
1 lb		29	29	F	F	6.
1 lb		22	22	F	F	6.
1 lb		29	29	F	F	6.
0.2 lb		4.96	4.96	F	F	0.07
0.2 lb		6.56	6.56	F	F	0.07
0.1 lb		2.13	2.13	F	F	0.07
0.05 lb		0.44	0.44	F	F	0.07
0.02 lb		0.60	0.60	F	F	0.07
0.02 lb		0.74	0.74	F	F	0.07
0.01 lb		0.10	0.10	F	F	0.07
0.005 lb		0.27	0.27	F	F	0.07
0.002 lb		0.03	0.03	F	F	0.07
0.002 lb		0.20	0.20	F	F	0.07
0.001 lb		-0.12	-0.12	F	F	0.07



Receipt Date: April 7, 2015
Test Date: April 7, 2015
Report Date: April 7, 2015

Continued,
State Test No.: 334105
Set Serial No.: NONE
Barcode: 201022

Calibration Report

BISON FOOD EQUIPMENT SERVICE INC.
17409 BESEAU LAKE ROAD
LAKE PARK, MN 56554
Contact: Dale Bohner
Phone: 701-261-2102
PO Number: NONE
SOP: 12
Technician ID: 09

Item(s) Submitted: 30 lb kit w/decimals and fractions
Manufacturer: Rice Lake
ASTM E617 Type: I & II
Equipment ID#: None
Condition: Good
Temperature: 20.5°C
Pressure: 740.7 mmHg
Relative Humidity: 53. %

Nominal Value	Serial No.	Correction (mg)		NIST HB105-1 Class		Unc. (mg) (k=2)
		As Found	As Left	As Found	As Left	
8 oz		20	20	F	F	1.
4 oz		5.24	5.24	F	F	0.07
2 oz		2.81	2.81	F	F	0.07
1 oz		1.68	1.68	F	F	0.07
1/2 oz		0.35	0.35	F	F	0.07
1/4 oz		1.01	1.01	F	F	0.07
1/8 oz		0.31	0.31	F	F	0.07
1/16 oz		0.39	0.39	F	F	0.07
1/32 oz		0.55	0.55	F	F	0.07
1/32 oz		0.36	0.36	F	F	0.07

When used as a set these weights meet NIST HB105-1 Class F Tolerance.

The resulting tolerance class of the weight is determined by combining the correction of the weight and the uncertainty of the measurement. The corrections given above correlate to a conventional mass scale versus 8.0 g/cm³ density and an air density of 1.2 mg/cm³. The items listed above have been compared to the Standards of the State of Minnesota which are currently in control. These standards are traceable to the SI through NIST. Calibration processes were monitored and found to be in control. Uncertainty calculations conform to NIST Technical Note 1297. Results apply to items identified in this report only.

Heidi Jones

Heidi Jones
Laboratory Administrator

Reviewed by:

Mark Nicollet

Mark Nicollet
Quality Manager