

Bauske, Shelly A.

From: Junell Schaefer <jschaefer@rrpetroleum.net>
Sent: Monday, August 17, 2015 2:36 PM
To: Bauske, Shelly A.
Subject: 100 Gallon Prover

Shelly

R & R Petroleum is requesting a variance on our 100 gallon prover. We are trying to shift our calibration renewal from August to January which is a much slower time of year for us. We currently have (11) 5 gallon provers and 6 of them were taken to MN weights and measures to be calibrated on 01/17/2015. The other (5) 5 gallon provers along with the 50 gallon prover will be pulled from service until January 2016 when they will all be taken to MN for calibration. We would however like permission to use the 100 gallon prover until January. Please advise.

Junell Schaefer
R & R Petroleum Equipment
(P) 701-293-1707
(F) 701-293-0310



August 12, 2015

Junell Schaeffer
R&R Petroleum Equipment
5115 County Road 81 North
Fargo, ND 58102

Dear Ms. Schaeffer;

This letter is in regard to your request for a variance on the certification interval for the 100-gallon prover owned by R&R Petroleum Equipment, 5115 County Road 81 North, Fargo, ND 58102. Your request is approved. The calibration interval is extended for this year only on three conditions:

- The prover remains in good condition with no dents, leaks, or damage that would affect its accuracy.
- The seals on the sight gauge and the levels of the prover remain intact.
- The prover is certified by our laboratory, or another recognized state laboratory before your PIS service agents' permits are due for renewal on January 27, 2016.

After January 27, 2016, the prover will again be expected to be certified annually

Please call if we can provide any further information or assistance.

Sincerely;



Julie Quinn, Director

cc: Heidi Jones