

Exam Date:05/05/2015

Bowman Grain, Inc.

Page: 1

Examiner: 1

Box 91

Bowman , ND

County:

Phone: 701-523-3173

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
100	A	4,855
101	A	4,855
102	A	4,000
103	A	2,191
104	A	2,191
105	A	2,191
106	A	2,191
	<b>Total:</b>	<b>22,474</b>
<b>PART B - SPACE TO BE DELETED UNDER LICENSE</b>		
002	C	8,790
003	C	8,790
004	C	8,790
006	C	8,790
007	C	8,790
008	C	8,790
031	C	14,740
032	C	14,740
	<b>Total:</b>	<b>82,220</b>
<b>PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE</b>		
	A	191,000
	C	15,000
	E	220,000
	<b>Total:</b>	<b>426,000</b>
<b>PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT</b>		
Bowman 231	A C E	426,000
	<b>Total:</b>	<b>426,000</b>

Exam Date:05/05/2015

Bowman Grain, Inc.

Page: 1

Examiner: 1

Box 91

Bowman, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Bowman

### Section: A

A	001	Square	work floor		0.000	11.00	3.500	31.00	0.00	0.00	31.000	0.000	31.0	30.9	2.50	982
A	003	Square	work floor		0.000	11.00	7.800	47.00	0.00	0.00	47.000	0.000	47.0	69.0	5.20	3,412
A	004	Square	work floor		0.000	11.00	7.500	47.00	0.00	0.00	47.000	0.000	47.0	66.3	5.00	3,272
A	006	Square	work floor		0.000	11.00	7.500	47.00	0.00	0.00	47.000	0.000	47.0	66.3	5.00	3,272
A	007	Square	work floor		0.000	11.00	7.800	47.00	0.00	0.00	47.000	0.000	47.0	69.0	5.20	3,412
A	009	Square	work floor		0.000	10.00	5.000	33.00	0.00	0.00	33.000	0.000	33.0	40.2	3.00	1,367
A	010	Square	work floor		0.000	10.00	5.000	33.00	0.00	0.00	33.000	0.000	33.0	40.2	3.00	1,367
A	011	Square	work floor		0.000	10.00	5.000	33.00	0.00	0.00	33.000	0.000	33.0	40.2	3.00	1,367
A	012	Square	work floor		0.000	10.00	5.000	33.00	0.00	0.00	33.000	0.000	33.0	40.2	3.00	1,367
A	013	Square	work floor		0.000	11.00	7.800	47.00	0.00	0.00	47.000	0.000	47.0	69.0	5.20	3,412
A	014	Square	work floor		0.000	11.00	7.500	28.00	0.00	0.00	28.000	0.000	28.0	66.3	5.00	1,949
A	015	Square	work floor		0.000	11.00	6.500	28.00	0.00	0.00	28.000	0.000	28.0	57.5	4.80	1,687
A	017 T	Square	work floor		0.000	11.00	2.500	8.000	0.00	0.00	8.000	0.000	8.0	22.1	2.00	181
A	017 B	Square	work floor-top 8'		0.000	11.00	9.000	39.00	0.00	0.00	39.000	0.000	39.0	79.6	5.50	3,275
A	019	Square	work floor		0.000	11.00	6.500	8.000	0.00	0.00	8.000	0.000	8.0	57.5	4.80	482
A	021 T	Square	catwalk		0.000	15.50	10.00	36.00	0.00	0.00	36.000	0.000	36.0	124.6	6.50	4,778
A	021 B	Square	catwalk, - top 36'		0.000	11.50	10.00	9.000	0.00	0.00	9.000	0.000	9.0	92.4	5.80	880
A	022	Square	catwalk		0.000	15.50	10.00	45.00	0.00	0.00	45.000	0.000	45.0	124.6	6.50	5,971
A	023 T	Square	catwalk		0.000	15.50	10.30	36.00	0.00	0.00	36.000	0.000	36.0	128.3	6.50	4,919
A	023 B	Square	catwalk - top 36'		0.000	11.50	10.30	9.000	0.00	0.00	9.000	0.000	9.0	95.2	6.00	908
A	024	Square	catwalk		0.000	15.50	10.30	45.00	0.00	0.00	45.000	0.000	45.0	128.3	6.50	6,149

Exam Date:05/05/2015

Bowman Grain, Inc.

Page: 2

Examiner: 1

Box 91

Bowman, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Bowman

### Section: A

A	025 T		Square	catwalk	0.000	15.50	10.00	36.00	0.00	0.00	36.000	0.000	36.0	124.6	6.50	4,778
A	025 B		Square	catwalk - top 36'	0.000	11.50	10.00	9.000	0.00	0.00	9.000	0.000	9.0	92.4	5.80	880
A	026		Square	catwalk	0.000	15.50	10.00	45.00	0.00	0.00	45.000	0.000	45.0	124.6	6.50	5,971
A	031 T		Square	catwalk	0.000	14.50	13.70	45.00	0.00	0.00	45.000	0.000	45.0	159.7	7.00	7,690
A	031 B		Square	catwalk - top 45'	0.000	13.50	11.80	3.500	0.00	0.00	3.500	0.000	3.5	128.1	6.50	477
A	032 T		Square	catwalk	0.000	14.50	13.70	45.00	0.00	0.00	45.000	0.000	45.0	159.7	7.00	7,690
A	032 B		Square	catwalk - top 45'	0.000	13.50	11.80	3.500	0.00	0.00	3.500	0.000	3.5	128.1	6.50	477
A	033 T		Square	catwalk	0.000	14.50	13.70	45.00	0.00	0.00	45.000	0.000	45.0	159.7	7.00	7,690
A	033 B		Square	catwalk-top 45'	0.000	13.50	11.80	3.500	0.00	0.00	3.500	0.000	3.5	128.1	6.50	477
A	034 T		Square	catwalk	0.000	14.50	13.70	45.00	0.00	0.00	45.000	0.000	45.0	159.7	7.00	7,690
A	034 B		Square	catwalk - top 45'	0.000	13.50	11.80	3.500	0.00	0.00	3.500	0.000	3.5	128.1	6.50	477
A	035 T		Square	catwalk -	0.000	14.50	13.70	45.00	0.00	0.00	45.000	0.000	45.0	159.7	7.00	7,690
A	035 B		Square	catwalk - top 45'	0.000	13.50	11.80	3.500	0.00	0.00	3.500	0.000	3.5	128.1	6.50	477
A	036 T		Square	catwalk	0.000	14.50	13.70	45.00	0.00	0.00	45.000	0.000	45.0	159.7	7.00	7,690
A	036 B		Square	catwalk - top 45'	0.000	13.50	11.80	3.500	0.00	0.00	3.500	0.000	3.5	128.1	6.50	477
A	037 T		Square	catwalk	0.000	14.50	13.70	45.00	0.00	0.00	45.000	0.000	45.0	159.7	7.00	7,690
A	037 B		Square	catwalk - top 45'	0.000	13.50	11.80	3.500	0.00	0.00	3.500	0.000	3.5	128.1	6.50	477
A	038 T		Square	catwalk	0.000	14.50	13.70	45.00	0.00	0.00	45.000	0.000	45.0	159.7	7.00	7,690
A	038 B		Square	catwalk - top 45'	0.000	13.50	11.80	3.500	0.00	0.00	3.500	0.000	3.5	128.1	6.50	477
A	039 T		Square	catwalk	0.000	14.50	13.70	45.00	0.00	0.00	45.000	0.000	45.0	159.7	7.00	7,690
A	039 B		Square	catwalk-top 45'	0.000	13.50	11.80	3.500	0.00	0.00	3.500	0.000	3.5	128.1	6.50	477

Exam Date:05/05/2015

Bowman Grain, Inc.  
Box 91  
Bowman, ND  
County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Bowman

### Section: A

	A	040 T	Square	catwalk	0.000	14.50	13.70	45.00	0.00	0.00	45.000	0.000	45.0	159.7	7.00	7,690
	A	040 B	Square	catwalk- top 45'	0.000	13.50	11.80	3.500	0.00	0.00	3.500	0.000	3.5	128.1	6.50	477
Added	A	100	Peaked	top of sidewall	16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855
Added	A	101	Peaked	top of sidewall	16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855
Added	A	102	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
Added	A	103	Peaked	top of sidewall	13.500	0.000	0.000	15.00	2.25	0.00	17.250	0.800	18.1	115.1	5.20	2,191
Added	A	104	Peaked	top of sidewall	13.500	0.000	0.000	15.00	2.25	0.00	17.250	0.800	18.1	115.1	5.20	2,191
Added	A	105	Peaked	top of sidewall	13.500	0.000	0.000	15.00	2.25	0.00	17.250	0.800	18.1	115.1	5.20	2,191
Added	A	106	Peaked	top of sidewall	13.500	0.000	0.000	15.00	2.25	0.00	17.250	0.800	18.1	115.1	5.20	2,191
	A	107	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
	A	108	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
	A	109	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
	A	110	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
	A	111	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000

Bin count: 56

Facility: Bowman Section: A Total: **190,182**

To Even: **191,000**

### Section: C

	C	030	Peaked		30.000	0.000	0.000	22.00	0.00	0.00	22.000	1.800	23.8	568.2	9.00	14,740
--	---	-----	--------	--	--------	-------	-------	-------	------	------	--------	-------	------	-------	------	--------

### NDPSC Bin Capacity Chart

Exam Date:05/05/2015

Bowman Grain, Inc.

Page: 4

Examiner: 1

Box 91

Bowman , ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
<b>Bin count:</b>		<b>1</b>														<b>14,740</b>
															<b>Facility: Bowman Section: C Total:</b>	<b>14,740</b>
															<b>To Even:</b>	<b>15,000</b>

## Section: E

E	001	Square	work floor		0.000	9.200	4.200	47.00	0.00	0.00	47.000	0.000	47.0	31.1	2.50	1,499
E	002 T	Square	work floor		0.000	8.700	6.300	54.00	0.00	0.00	54.000	0.000	54.0	44.1	3.50	2,464
E	002 B	Square	work floor - top 54'		0.000	9.700	7.700	17.00	0.00	0.00	17.000	0.000	17.0	60.0	4.80	1,069
E	004	Square	work floor		0.000	9.800	6.800	52.00	0.00	0.00	52.000	0.000	52.0	53.6	4.50	2,912
E	005	Square	work floor		0.000	11.40	5.000	52.00	0.00	0.00	52.000	0.000	52.0	45.8	4.00	2,477
E	006	Square	work floor		0.000	11.40	5.000	52.00	0.00	0.00	52.000	0.000	52.0	45.8	4.00	2,477
E	007 T	Square	work floor		0.000	8.700	6.300	54.00	0.00	0.00	54.000	0.000	54.0	44.1	3.50	2,464
E	007 B	Square	work floor - top 54'		0.000	9.700	7.700	17.00	0.00	0.00	17.000	0.000	17.0	60.0	4.80	1,069
E	009 T	Square	work floor		0.000	6.800	1.500	14.00	0.00	0.00	14.000	0.000	14.0	8.2	2.00	117
E	009 B	Square	work floor - top 14'		0.000	7.700	6.800	38.00	0.00	0.00	38.000	0.000	38.0	42.1	3.50	1,656
E	012	Square	work floor		0.000	7.700	6.800	52.00	0.00	0.00	52.000	0.000	52.0	42.1	3.50	2,266
E	013	Square	work floor		0.000	9.800	6.800	52.00	0.00	0.00	52.000	0.000	52.0	53.6	4.50	2,912
E	014 T	Square	work floor		0.000	13.50	10.40	64.00	0.00	0.00	64.000	0.000	64.0	112.9	6.20	7,674
E	014 B	Square	work floor -top 64'		0.000	11.10	10.40	7.000	0.00	0.00	7.000	0.000	7.0	92.8	5.80	688
E	015 T	Square	work floor		0.000	10.40	4.200	47.00	0.00	0.00	47.000	0.000	47.0	35.1	3.00	1,700
E	015 M	Square	work floor - top 47'		0.000	13.50	10.40	17.00	0.00	0.00	17.000	0.000	17.0	112.9	6.20	2,038
E	015B	Square	work floor -top & mddle64'		0.000	11.10	10.40	7.000	0.00	0.00	7.000	0.000	7.0	92.8	5.80	688
E	017	Square	work floor		0.000	9.000	5.000	47.00	0.00	0.00	47.000	0.000	47.0	36.2	3.00	1,752
E	018	Square	work floor		0.000	9.000	5.000	47.00	0.00	0.00	47.000	0.000	47.0	36.2	3.00	1,752
E	021 T	Square	work floor -		0.000	11.60	4.200	54.00	0.00	0.00	54.000	0.000	54.0	39.2	3.00	2,181
E	021 M	Square	work floor - top 54'		0.000	13.50	11.60	10.00	0.00	0.00	10.000	0.000	10.0	125.9	6.50	1,341

Exam Date:05/05/2015

Bowman Grain, Inc.

Page: 5

Examiner: 1

Box 91  
Bowman , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Bowman

### Section: E

E	021B	Square	work floor -top & middle 64'	0.000	11.60	11.10	7.000	0.00	0.00	7.000	0.000	7.0	103.5	6.00	769
E	022	Square	work floor	0.000	9.000	5.700	47.00	0.00	0.00	47.000	0.000	47.0	41.2	3.50	2,004
E	023 T	Square	work floor	0.000	13.50	11.60	64.00	0.00	0.00	64.000	0.000	64.0	125.9	6.50	8,582
E	023 B	Square	work floor - top 64'	0.000	11.60	11.10	7.000	0.00	0.00	7.000	0.000	7.0	103.5	6.00	769
E	024	Square	work floor	0.000	9.000	5.700	47.00	0.00	0.00	47.000	0.000	47.0	41.2	3.50	2,004
E	025 T	Square	work floor	0.000	13.50	11.60	64.00	0.00	0.00	64.000	0.000	64.0	125.9	6.50	8,582
E	025 B	Square	work floor - top 64'	0.000	11.60	11.10	7.000	0.00	0.00	7.000	0.000	7.0	103.5	6.00	769
E	026 T	Square	work floor	0.000	13.50	11.60	64.00	0.00	0.00	64.000	0.000	64.0	125.9	6.50	8,582
E	026 B	Square	work floor - top 64'	0.000	11.60	11.10	7.000	0.00	0.00	7.000	0.000	7.0	103.5	6.00	769
E	027 T	Square	work floor	0.000	13.50	11.60	64.00	0.00	0.00	64.000	0.000	64.0	125.9	6.50	8,582
E	027 B	Square	work floor-top 64'	0.000	11.60	11.10	7.000	0.00	0.00	7.000	0.000	7.0	103.5	6.00	769
E	028 T	Square	work floor	0.000	13.50	11.60	64.00	0.00	0.00	64.000	0.000	64.0	125.9	6.50	8,582
E	028 B	Square	work floor -top 64'	0.000	11.60	11.10	7.000	0.00	0.00	7.000	0.000	7.0	103.5	6.00	769
E	029 T	Square	work floor	0.000	13.50	11.60	64.00	0.00	0.00	64.000	0.000	64.0	125.9	6.50	8,582
E	029 B	Square	work floor - top 64'	0.000	11.60	11.10	7.000	0.00	0.00	7.000	0.000	7.0	103.5	6.00	769
E	030 T	Square	work floor	0.000	13.50	11.60	64.00	0.00	0.00	64.000	0.000	64.0	125.9	6.50	8,582
E	030 B	Square	work floor- top 64'	0.000	11.60	11.10	7.000	0.00	0.00	7.000	0.000	7.0	103.5	6.00	769
E	031 T	Square	work floor	0.000	13.50	11.30	64.00	0.00	0.00	64.000	0.000	64.0	122.6	6.50	8,356
E	031 B	Square	work floor - top 64'	0.000	11.30	11.10	7.000	0.00	0.00	7.000	0.000	7.0	100.8	6.00	748
E	032 T	Square	work floor	0.000	13.50	11.30	64.00	0.00	0.00	64.000	0.000	64.0	122.6	6.50	8,356
E	032 B	Square	work floor - top 64'	0.000	11.30	11.10	7.000	0.00	0.00	7.000	0.000	7.0	100.8	6.00	748

Exam Date:05/05/2015

Bowman Grain, Inc.

Page: 6

Examiner: 1

Box 91  
Bowman, ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Bowman

### Section: E

E	101	Irregular	work floor -12.3x9.5 +		99.400	0.000	0.000	62.00	0.00	0.00	62.000	0.000	62.0	99.4	6.00	6,533
E	102 T	Square	work floor		0.000	12.30	8.600	62.00	0.00	0.00	62.000	0.000	62.0	85.0	5.80	5,576
E	102 B	Square	work floor - top 62'		0.000	11.80	10.50	8.000	0.00	0.00	8.000	0.000	8.0	99.6	6.00	845
E	103 T	Square	work floor		0.000	12.30	8.600	62.00	0.00	0.00	62.000	0.000	62.0	85.0	5.80	5,576
E	103 B	Square	work floor -top 62'		0.000	11.80	10.50	8.000	0.00	0.00	8.000	0.000	8.0	99.6	6.00	845
E	105 T	Square	work floor		0.000	11.30	10.80	62.00	0.00	0.00	62.000	0.000	62.0	98.1	6.00	6,447
E	105 B	Square	work floor -top 62'		0.000	10.50	10.20	8.000	0.00	0.00	8.000	0.000	8.0	86.1	5.80	729
E	106 T	Square	work floor		0.000	10.70	8.600	62.00	0.00	0.00	62.000	0.000	62.0	74.0	5.50	4,840
E	106 B	Square	work floor - top 62'		0.000	10.50	10.30	8.000	0.00	0.00	8.000	0.000	8.0	86.9	5.80	735
E	107 T	Square	work floor		0.000	11.30	10.80	62.00	0.00	0.00	62.000	0.000	62.0	98.1	6.00	6,447
E	107 B	Square	work floor -TOP 62'		0.000	10.50	10.20	8.000	0.00	0.00	8.000	0.000	8.0	86.1	5.80	729
E	108 T	Square	work floor		0.000	10.70	8.600	62.00	0.00	0.00	62.000	0.000	62.0	74.0	5.50	4,840
E	108 B	Square	work floor -top 62'		0.000	10.50	10.30	8.000	0.00	0.00	8.000	0.000	8.0	86.9	5.80	735
E	110 T	Square	work floor		0.000	10.70	8.600	62.00	0.00	0.00	62.000	0.000	62.0	74.0	5.50	4,840
E	110 B	Square	work floor - top 62'		0.000	10.50	10.30	8.000	0.00	0.00	8.000	0.000	8.0	86.9	5.80	735
E	111 T	Square	work floor		0.000	10.70	8.600	62.00	0.00	0.00	62.000	0.000	62.0	74.0	5.50	4,840
E	111 B	Square	work floor - top 62'		0.000	10.50	10.30	8.000	0.00	0.00	8.000	0.000	8.0	86.9	5.80	735
E	112	Square	work floor		0.000	10.70	9.500	62.00	0.00	0.00	62.000	0.000	62.0	81.7	5.50	5,344
E	113	Square	work floor		0.000	13.50	9.500	62.00	0.00	0.00	62.000	0.000	62.0	103.1	6.00	6,776
E	114	Irregular	work floor 10.7x9.5 + 2.5x4		89.800	0.000	0.000	62.00	0.00	0.00	62.000	0.000	62.0	89.8	5.80	5,891
E	115 T	Square	work floor		0.000	13.50	8.600	62.00	0.00	0.00	62.000	0.000	62.0	93.3	5.80	6,121

Client ID: 115

## NDPSC Bin Capacity Chart

10/29/2015 04:28:17 PM

Exam Date: 05/05/2015

Bowman Grain, Inc.

Page: 7

Examiner: 1

Box 91

Bowman, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Bowman

### Section: E

E	115 B	Square	work floor - top 62'	0.000	12.90	10.50	8.000	0.00	0.00	8.000	0.000	8.0	108.9	6.20		925
E	116 T	Square	work floor	0.000	13.50	8.600	62.00	0.00	0.00	62.000	0.000	62.0	93.3	5.80		6,121
E	116 B	Square	work floor -top 62'	0.000	12.90	10.50	8.000	0.00	0.00	8.000	0.000	8.0	108.9	6.20		925

Bin count: 66

**Facility: Bowman Section: E Total: 219,768**

To Even: 220,000

**Overall Licensed Bin Capacity for:**

Bowman Grain, Inc.

Bin count: 123

**Licensed Capacity:**

(includes pack)




424,690 Bu.

**Licensed Capacity (to even):**


(includes pack and section totals are rounded up to next highest 1000)

426,000 Bu.




Bowman Grain Inc  
Bowman, ND  
Section A  
Corp #115



Bins 107-111 200 yds west of elevator



Bowman Grain Inc  
Bowman, ND  
Section E



31	29	27	25	23	14	12	09	07	102	107	106	110	115	
							scale							
						13	04	05	06	101	XX	114	112	113
	30	28	26	21	15						XX			
				24	22	17	18	XX	01	02				
								ML XX						
									103	105	108	111	116	

