

Exam Date:05/01/2018

ADM Edible Bean Specialties, Inc.  
 4666 Faries Parkway  
 Decatur, IL  
 County:  
 Phone: 217-451-4387  
 CCC Number:

Page: 1

Examiner: 2

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
MCM Shed	C-S	416,701
	<b>Total:</b>	<b>416,701</b>

<b>PART B - SPACE TO BE DELETED UNDER LICENSE</b>		
100S	P	24,578
101S	P	24,578
	<b>Total:</b>	<b>49,156</b>

<b>PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE</b>		
A		149,000
A-C		41,000
A-G		437,000
A-N		749,000
A-S		308,000
A-V		39,000
B		14,000
B-C		7,000
B-N		153,000
B-S		152,000
B-V		243,000
C-C		586,000
C-S		645,000
C-V		260,000
D		386,000
D-C		40,000
E		68,000
E-C		10,000
G		66,000
H		70,000
I		31,000
J		67,000
L		74,000
P		100,000
	<b>Total:</b>	<b>4,695,000</b>

<b>PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT</b>		
Casselton 105	A-C B-C C-C D-C E-C	684,000
Cavalier 942	A-V B-V C-V	542,000
Galesburg 927	A-G	437,000
Grafton 940	A B D E G H J L P	994,000
Inkster 941	I	31,000
Northwood 106	A-N B-N	902,000

Location/Container Numbers/Comments	Section	Capacity
St. Thomas 107	A-S B-S C-S	1,105,000
Total:		4,695,000

Exam Date:05/01/2018

ADM Edible Bean Specialties, Inc.  
4666 Faries Parkway  
Decatur , IL  
County:

Page: 17

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: St. Thomas

### Section: A-S

A-S	001	Square	floor over bins		0.000	6.700	3.000	46.00	0.00	0.00	46.000	0.000	46.0	16.2	2.00	760
A-S	002	Square	floor over bins		0.000	11.00	3.600	45.00	0.00	0.00	45.000	0.000	45.0	31.8	2.50	1,467
A-S	004 T	Square	floor over bins		0.000	11.20	5.500	49.00	0.00	0.00	49.000	0.000	49.0	49.5	4.20	2,528
A-S	004 B	Square	bleow 4T 49.0'		0.000	11.20	11.00	17.00	0.00	0.00	17.000	0.000	17.0	99.0	6.00	1,784
A-S	005	Square	floor over bins		0.000	5.500	5.000	48.00	0.00	0.00	48.000	0.000	48.0	22.1	2.00	1,082
A-S	006	Square	floor over bins		0.000	5.200	5.000	48.00	0.00	0.00	48.000	0.000	48.0	20.9	2.00	1,023
A-S	009	Square	floor over bins		0.000	12.00	11.20	44.00	0.00	0.00	44.000	0.000	44.0	108.0	6.20	5,047
A-S	010	Square	floor over bins		0.000	11.20	11.00	65.00	0.00	0.00	65.000	0.000	65.0	99.0	6.00	6,821
A-S	011 T	Square	floor over bins obstruct in		0.000	11.00	4.750	13.00	0.00	0.00	13.000	0.000	13.0	42.0	3.50	565
A-S	011 B	Square	floor over bins		0.000	11.00	6.700	31.00	0.00	0.00	31.000	0.000	31.0	59.2	4.80	1,923
A-S	013	Square	floor over bins		0.000	6.700	6.000	46.00	0.00	0.00	46.000	0.000	46.0	32.3	2.50	1,523
A-S	014	Square	floor over bins		0.000	6.700	6.000	46.00	0.00	0.00	46.000	0.000	46.0	32.3	2.50	1,523
A-S	015	Square	floor over bins		0.000	11.50	11.00	65.00	0.00	0.00	65.000	0.000	65.0	101.7	6.00	7,008
A-S	016	Square	floor over bins		0.000	12.00	11.50	44.00	0.00	0.00	44.000	0.000	44.0	110.9	6.20	5,183
A-S	019	Square	floor over bins		0.000	6.700	6.000	46.00	0.00	0.00	46.000	0.000	46.0	32.3	2.50	1,523
A-S	020	Square	floor over bins		0.000	8.000	3.600	16.00	0.00	0.00	16.000	0.000	16.0	23.2	2.00	378
A-S	021	Square	floor over bins		0.000	5.700	5.600	45.00	0.00	0.00	45.000	0.000	45.0	25.7	2.50	1,186
A-S	022	Square	floor over bins		0.000	5.700	5.500	45.00	0.00	0.00	45.000	0.000	45.0	25.2	2.50	1,162
A-S	023 T	Square	floor over bins		0.000	11.50	5.500	45.00	0.00	0.00	45.000	0.000	45.0	50.8	4.50	2,389
A-S	023 B	Square	bottom of 23T 45- depth		0.000	11.50	11.00	21.00	0.00	0.00	21.000	0.000	21.0	101.7	6.00	2,264
A-S	024 T	Square	floor over bins		0.000	3.600	2.700	14.00	0.00	0.00	14.000	0.000	14.0	7.8	2.00	111

Exam Date:05/01/2018

ADM Edible Bean Specialties, Inc.  
4666 Faries Parkway  
Decatur, IL  
County:

Page: 18

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: St. Thomas

### Section: A-S

A-S	024 B	Square	bottom of 24T	14.0'	0.000	11.00	3.600	31.00	0.00	0.00	31.000	0.000	31.0	31.8	2.50	1,011
A-S	028	Square	floor over bins		0.000	16.70	13.50	26.00	0.00	0.00	26.000	0.000	26.0	181.2	7.00	5,041
A-S	029	Square	floor over bins		0.000	16.70	13.50	26.00	0.00	0.00	26.000	0.000	26.0	181.2	7.00	5,041
A-S	030	Square	floor over bins		0.000	16.70	13.50	26.00	0.00	0.00	26.000	0.000	26.0	181.2	7.00	5,041
A-S	031	Square	floor over bins		0.000	12.50	11.40	54.50	0.00	0.00	54.500	0.000	54.5	114.5	6.20	6,627
A-S	032 T	Square	floor over bins		0.000	11.40	11.00	54.00	0.00	0.00	54.000	0.000	54.0	100.8	6.00	5,770
A-S	032 B	Square	bottom of 32T	54.0'	0.000	14.80	11.40	11.00	0.00	0.00	11.000	0.000	11.0	135.6	6.50	1,589
A-S	033 T	Square	floor over bins		0.000	11.40	11.00	54.00	0.00	0.00	54.000	0.000	54.0	100.8	6.00	5,770
A-S	033 B	Square	bottom of 33T	54.0'	0.000	14.80	11.40	11.00	0.00	0.00	11.000	0.000	11.0	135.6	6.50	1,589
A-S	034	Square	floor over bins		0.000	12.50	11.60	54.50	0.00	0.00	54.500	0.000	54.5	116.6	6.20	6,749
A-S	035 T	Square	floor over bins		0.000	11.60	11.00	54.00	0.00	0.00	54.000	0.000	54.0	102.6	6.00	5,872
A-S	035 B	Square	bottom of 35T	54.0'	0.000	14.80	11.60	11.00	0.00	0.00	11.000	0.000	11.0	138.0	6.50	1,617
A-S	036 T	Square	floor over bins		0.000	11.60	11.00	54.00	0.00	0.00	54.000	0.000	54.0	102.6	6.00	5,872
A-S	036 B	Square	bottom of 36T	54.0'	0.000	14.80	11.60	11.00	0.00	0.00	11.000	0.000	11.0	138.0	6.50	1,617
A-S	037 T	Square	floor over bins		0.000	11.60	11.00	54.00	0.00	0.00	54.000	0.000	54.0	102.6	6.00	5,872
A-S	037 B	Square	bottom of 37T	54.0'	0.000	14.80	11.60	11.00	0.00	0.00	11.000	0.000	11.0	138.0	6.50	1,617
A-S	038 T	Square	floor over bins		0.000	11.60	11.00	54.00	0.00	0.00	54.000	0.000	54.0	102.6	6.00	5,872
A-S	038 B	Square	bottom of 38T	54.0'	0.000	14.80	11.60	11.00	0.00	0.00	11.000	0.000	11.0	138.0	6.50	1,617
A-S	039	Square	floor over bins		0.000	12.50	11.60	54.50	0.00	0.00	54.500	0.000	54.5	116.6	6.20	6,749
A-S	040	Square	floor over bins		0.000	10.50	4.000	9.000	0.00	0.00	9.000	0.000	9.0	33.8	2.50	312
A-S	041	Square	floor over bins		0.000	10.50	10.50	37.00	0.00	0.00	37.000	0.000	37.0	88.6	5.80	3,468

Exam Date:05/01/2018

ADM Edible Bean Specialties, Inc.  
4666 Faries Parkway  
Decatur, IL  
County:

Page: 19

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: St. Thomas

### Section: A-S

A-S	042	Square	floor over bins	0.000	10.50	10.50	37.00	0.00	0.00	37.000	0.000	37.0	88.6	5.80	3,468
A-S	043	Square	floor over bins	0.000	9.500	10.50	37.00	0.00	0.00	37.000	0.000	37.0	80.2	5.50	3,130
A-S	044	Square	floor over bins	0.000	10.50	10.50	38.00	0.00	0.00	38.000	0.000	38.0	88.6	5.80	3,562
A-S	045	Square	floor over bins	0.000	9.500	4.500	21.00	0.00	0.00	21.000	0.000	21.0	34.4	3.00	744
A-S	046	Square	floor over bins	0.000	9.500	4.500	21.00	0.00	0.00	21.000	0.000	21.0	34.4	3.00	744
A-S	047	Square	floor over bins	0.000	10.50	9.500	14.00	0.00	0.00	14.000	0.000	14.0	80.2	5.50	1,185
A-S	048	Square	floor over bins	0.000	10.50	10.50	38.00	0.00	0.00	38.000	0.000	38.0	88.6	5.80	3,562
A-S	049	Square	floor over bins	0.000	9.500	10.50	37.00	0.00	0.00	37.000	0.000	37.0	80.2	5.50	3,130
A-S	050	Square	floor over bins	0.000	10.50	4.000	25.00	0.00	0.00	25.000	0.000	25.0	33.8	2.50	866
A-S	051	Peaked	eave at side wall	48.000	0.000	0.000	40.00	0.00	0.00	40.000	3.400	43.4	1454.6	10.0	69,443
A-S	052	Peaked	eave at side wall	48.000	0.000	0.000	40.00	0.00	0.00	40.000	3.400	43.4	1454.6	10.0	69,443
A-S	053	Flat	bag storage	0.000	75.00	36.00	7.000	0.00	0.00	7.000	0.000	7.0	2170.4	10.0	16,712

Bin count: 54

Facility: St. Thomas Section: A-S Total: 307,952

To Even: 308,000

### Section: B-S

B-S	101 T	Square	floor over bins	0.000	6.300	4.800	9.000	0.00	0.00	9.000	0.000	9.0	24.3	2.50	224
B-S	101 B	Square	bottom of bin 101T 9.0'	0.000	5.900	4.600	37.00	0.00	0.00	37.000	0.000	37.0	21.8	2.00	823
B-S	102 T	Square	floor over bins	0.000	10.50	10.10	9.000	0.00	0.00	9.000	0.000	9.0	85.2	5.80	811
B-S	102 M	Square	bleow 101T 9.0'	0.000	10.10	9.700	41.00	0.00	0.00	41.000	0.000	41.0	78.8	5.50	3,409

Exam Date:05/01/2018

ADM Edible Bean Specialties, Inc.  
4666 Faries Parkway  
Decatur, IL  
County:

Page: 20

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: St. Thomas

### Section: B-S

	B-S	102B	Square	bottom of 102M 41 + 9	0.000	9.700	9.300	17.50	0.00	0.00	17.500	0.000	17.5	72.5	5.20	1,335
	B-S	104 T	Square	floor over bins	0.000	14.00	10.10	9.000	0.00	0.00	9.000	0.000	9.0	113.7	6.20	1,086
	B-S	104 B	Square	bottom of 104T 9.0'	0.000	14.00	9.700	9.000	0.00	0.00	9.000	0.000	9.0	109.2	6.20	1,044
	B-S	105	Square	floor over bins	0.000	8.600	6.800	18.00	0.00	0.00	18.000	0.000	18.0	47.0	4.00	880
	B-S	106	Square	floor over bins deduct	0.000	6.900	4.600	18.00	0.00	0.00	18.000	0.000	18.0	25.5	2.50	470
	B-S	108 T	Square	floor over bins	0.000	10.10	4.800	9.000	0.00	0.00	9.000	0.000	9.0	39.0	3.00	362
	B-S	108 B	Square	bottom of 108T 9.0'	0.000	9.900	4.600	37.00	0.00	0.00	37.000	0.000	37.0	36.6	3.00	1,395
	B-S	109 T	Square	floor over bins	0.000	17.30	13.60	9.000	0.00	0.00	9.000	0.000	9.0	189.1	7.00	1,821
	B-S	109 M	Square	below 109T 9.0'	0.000	17.00	13.20	41.00	0.00	0.00	41.000	0.000	41.0	180.4	7.00	7,914
	B-S	109B	Square	bottom of 109T & 109M	0.000	16.70	12.80	22.10	0.00	0.00	22.100	0.000	22.1	171.8	7.00	4,063
	B-S	110 T	Square	floor over bins	0.000	17.10	13.60	9.000	0.00	0.00	9.000	0.000	9.0	186.9	7.00	1,800
	B-S	110 M	Square	below 110T 9.0'	0.000	16.80	13.20	41.00	0.00	0.00	41.000	0.000	41.0	178.3	7.00	7,822
	B-S	110B	Square	bottom of 110T & 110M	0.000	16.50	12.80	22.10	0.00	0.00	22.100	0.000	22.1	169.8	7.00	4,016
	B-S	111 T	Square	floor over bins	0.000	10.10	5.200	9.000	0.00	0.00	9.000	0.000	9.0	42.2	3.50	393
	B-S	111 B	Square	bottom of 111T 9.0'	0.000	9.900	5.000	37.00	0.00	0.00	37.000	0.000	37.0	39.8	3.00	1,517
	B-S	113 T	Square	floor over bins	0.000	10.10	10.10	9.000	0.00	0.00	9.000	0.000	9.0	82.0	5.50	779
	B-S	113 M	Square	below 113T 9.0'	0.000	9.900	9.700	41.00	0.00	0.00	41.000	0.000	41.0	77.2	5.50	3,339
	B-S	113B	Square	bottom of 113T & 113M	0.000	9.700	9.300	17.50	0.00	0.00	17.500	0.000	17.5	72.5	5.20	1,335
	B-S	114 T	Square	floor over bins	0.000	10.10	10.10	9.000	0.00	0.00	9.000	0.000	9.0	82.0	5.50	779
	B-S	114 M	Square	below 114T 9.0'	0.000	9.900	9.700	41.00	0.00	0.00	41.000	0.000	41.0	77.2	5.50	3,339
	B-S	114B	Square	bottom of 114T & 114M	0.000	9.700	9.300	17.50	0.00	0.00	17.500	0.000	17.5	72.5	5.20	1,335

Exam Date:05/01/2018

ADM Edible Bean Specialties, Inc.  
4666 Faries Parkway  
Decatur, IL  
County:

Page: 21

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: St. Thomas

### Section: B-S

B-S	115	T	Square	floor over bins	0.000	14.00	10.10	9.000	0.00	0.00	9.000	0.000	9.0	113.7	6.20	1,086
B-S	115	B	Square	bottom of 115T 9.0'	0.000	14.00	9.700	35.00	0.00	0.00	35.000	0.000	35.0	109.2	6.20	4,059
B-S	116	T	Square	floor over bins	0.000	10.50	10.10	9.000	0.00	0.00	9.000	0.000	9.0	85.2	5.80	811
B-S	116	M	Square	below 116T 9.0'	0.000	10.10	9.700	41.00	0.00	0.00	41.000	0.000	41.0	78.8	5.50	3,409
B-S	116B		Square	bottom of 116T & 116M	0.000	9.700	9.300	17.50	0.00	0.00	17.500	0.000	17.5	72.5	5.20	1,335
B-S	117		Peaked	eave at sidewall	30.000	0.000	0.000	58.80	0.00	0.00	58.800	1.800	60.6	568.2	9.00	37,532
B-S	118	T	Square	floor over bins	0.000	14.00	5.200	9.000	0.00	0.00	9.000	0.000	9.0	58.5	4.80	552
B-S	118	B	Square	bottom of 118T 9.0'	0.000	14.00	5.000	37.00	0.00	0.00	37.000	0.000	37.0	56.3	4.80	2,183
B-S	119	T	Square	floor over bins	0.000	10.50	5.200	9.000	0.00	0.00	9.000	0.000	9.0	43.9	3.50	409
B-S	119	B	Square	bottom of 119T 9.0'	0.000	10.10	5.000	35.00	0.00	0.00	35.000	0.000	35.0	40.6	3.00	1,464
B-S	120		Square	dist. bin	0.000	10.50	9.600	9.000	0.00	0.00	9.000	0.000	9.0	81.0	5.50	769
B-S	121		Square	gravity floor bins	0.000	14.00	9.700	20.00	0.00	0.00	20.000	0.000	20.0	109.2	6.20	2,319
B-S	122		Square	gravity floor bins	0.000	8.600	6.900	12.00	0.00	0.00	12.000	0.000	12.0	47.7	4.00	595
B-S	123		Square	gravity floor bins	0.000	8.600	6.800	12.00	0.00	0.00	12.000	0.000	12.0	47.0	4.00	587
B-S	124		Flat	bag storage	0.000	99.00	49.20	6.500	0.00	0.00	6.500	0.000	6.5	3915.4	10.0	27,995
B-S	125		Flat	bag storage	0.000	80.00	40.00	5.200	0.00	0.00	5.200	0.000	5.2	2572.3	10.0	14,714

Bin count: 41

Facility: St. Thomas Section: B-S Total: 151,910

To Even: 152,000

Exam Date:05/01/2018

ADM Edible Bean Specialties, Inc.  
4666 Faries Parkway  
Decatur , IL  
County:

Page: 22

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: St. Thomas

### Section: C-S

C-S	211	Flat	end grain wall 14.1' high	0.000	83.50	19.00	6.000	0.00	0.00	6.000	0.000	6.0	1275.3	10.0	8,417
C-S	212	Flat	end grain wall 14.1' high	0.000	83.50	19.00	6.000	0.00	0.00	6.000	0.000	6.0	1275.3	10.0	8,417
C-S	213	Flat	sidewall 14.2' end wall ht.	0.000	83.50	19.50	6.000	0.00	0.00	6.000	0.000	6.0	1308.9	10.0	8,638
C-S	214	Flat	sidewall 14.2' end wall ht.	0.000	83.50	19.50	6.000	0.00	0.00	6.000	0.000	6.0	1308.9	10.0	8,638
C-S	215	Flat	end wall 14.1' high 13.8' low	0.000	83.50	19.00	6.000	0.00	0.00	6.000	0.000	6.0	1275.3	10.0	8,417
C-S	216	Flat	end wall 14.1' high 13.8' low	0.000	83.50	19.00	6.000	0.00	0.00	6.000	0.000	6.0	1275.3	10.0	8,417
C-S	217	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	218	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	219	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	220	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	221	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	222	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	223	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	224	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	225	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	226	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	227	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	228	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	229	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	230	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059
C-S	231	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059

Exam Date:05/01/2018

ADM Edible Bean Specialties, Inc.  
4666 Faries Parkway  
Decatur, IL  
County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

## Facility: St. Thomas

### Section: C-S

C-S	232	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059	
C-S	233	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059	
C-S	234	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059	
C-S	235	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059	
C-S	236	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059	
C-S	237	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059	
C-S	238	Flat	end wall 14.5' side wall ht	0.000	84.00	15.50	7.000	0.00	0.00	7.000	0.000	7.0	1046.6	10.0	8,059	
Added	C-S	MCM Shed	Flat	bag warehouse	0.000	290.0	125.0	13.00	0.00	0.00	13.000	0.000	13.0	29139.9	10.0	416,701

Bin count: 29

Facility: St. Thomas Section: C-S Total: **644,943**

To Even: **645,000**

Overall Licensed Bin Capacity for:

ADM Edible Bean Specialties, Inc.

Bin count: 303

**Licensed Capacity:**  
(includes pack)

**4,685,353 Bu.**


**Licensed Capacity (to even):**  
(includes pack and section totals are rounded up to next highest 1000)

**4,695,000 Bu.**

*STThomas*

A-S	306,000
B-S	152,000
C-S	645,000
	<u>1,105,000</u>

ADM Edible Bean  
MCM Shed  
St Thomas, ND  
Section C-S  
Corp 0262  
PH 05/01/18



Basic Dimensions  
125 x 290  
3' Stem Wall  
Back 100' Finished Product  
Size based on 13' average pile height

