

Exam Date:08/24/2009

Overly Co-oper Elevator Company
 114 East Central Avenue
 Overly, ND
 County:
 Phone: 701-366-4562
 CCC Number:

Examiner: 1

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
201	A	11,056
202	A	11,056
203	A	11,056
204	A	11,056
	Total:	44,224

PART B - SPACE TO BE DELETED UNDER LICENSE

101 T	A	2,363
101B	A	1,283
103 T	A	2,363
103B	A	1,283
104 T	A	620
104B	A	107
105 T	A	631
105B	A	102
106	A	3,360
107 T	A	2,286
107B	A	1,222
108	A	1,409
109 T	A	2,286
109B	A	1,222
110	A	3,360
111 T	A	754
111B	A	124
112 T	A	726
112B	A	454
	Total:	25,955

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	98,000
C	49,000
D	77,000
E	193,000
Total:	417,000

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Overly	50	A C D E	417,000
		Total:	417,000

Exam Date:08/24/2009

Overly Co-operative Elevator Company
114 East Central Avenue
Overly, ND
County:

Page: 1

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack

Facility: Overly

Section: A

A	001 T	Square	Floor over bins		0.000	3.500	3.800	31.00	0.00	0.00	31.000	0.000	31.0	10.7	2.00		339
A	001B	Square	Floor over binT13'		0.000	3.300	3.500	13.00	0.00	0.00	13.000	0.000	13.0	9.3	2.00		123
A	002 T	Square	Floor over bins		0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00		1,306
A	002B	Square	Floor over binT13'		0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00		517
A	003 T	Square	Floor over bins		0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00		1,306
A	003 M	Square	Floor over binT31'		0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00		517
A	003B	Square	Floor over bin T31' M13'		0.000	8.000	12.00	16.00	0.00	0.00	16.000	0.000	16.0	77.2	5.50		1,303
A	004 T	Square	Floor over bins		0.000	8.200	6.500	31.00	0.00	0.00	31.000	0.000	31.0	42.8	3.50		1,373
A	004B	Square	Floor over binT31'		0.000	8.000	6.300	13.00	0.00	0.00	13.000	0.000	13.0	40.5	3.00		543
A	005 T	Square	Floor over bins		0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00		1,306
A	005B	Square	Floor over binT31'		0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00		517
A	006 T	Square	Floor over bins		0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00		1,306
A	006 M	Square	Floor over binT31'		0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00		517
A	006B	Square	Floor over bin T31' M13'		0.000	8.000	12.00	16.00	0.00	0.00	16.000	0.000	16.0	77.2	5.50		1,303
A	008 T	Square	Floor over bins		0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00		1,306
A	008B	Square	Floor over binT31'		0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00		517
A	009 T	Square	Floor over bins		0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00		1,306
A	009 M	Square	Floor over binT31'		0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00		517
A	009B	Square	Floor over bin T31' M13'		0.000	8.000	12.00	16.00	0.00	0.00	16.000	0.000	16.0	77.2	5.50		1,303
A	010 T	Square	Floor over bins		0.000	8.200	12.30	31.00	0.00	0.00	31.000	0.000	31.0	81.1	5.50		2,652
A	010B	Square	Floor over binT31'		0.000	8.000	12.00	29.00	0.00	0.00	29.000	0.000	29.0	77.2	5.50		2,362

Exam Date:08/24/2009

Examiner: 1

Overly Co-operative Elevator Company
 114 East Central Avenue
 Overly, ND
 County:

Page: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Overly

Section: A

A	011 T	Square	Floor over bins		0.000	8.200	6.500	31.00	0.00	0.00	31.000	0.000	31.0	42.8	3.50	1,373
A	011B	Square	Floor over binT31'		0.000	8.000	6.500	13.00	0.00	0.00	13.000	0.000	13.0	41.8	3.50	562
A	012 T	Square	Floor over bin		0.000	8.200	6.500	31.00	0.00	0.00	31.000	0.000	31.0	42.8	3.50	1,373
A	012B	Square	Floor over binT31'		0.000	8.000	6.300	13.00	0.00	0.00	13.000	0.000	13.0	40.5	3.00	543
A	013 T	Square	Floor over bins		0.000	8.200	6.500	31.00	0.00	0.00	31.000	0.000	31.0	42.8	3.50	1,373
A	013B	Square	Floor over binT31'		0.000	8.000	6.500	13.00	0.00	0.00	13.000	0.000	13.0	41.8	3.50	562
A	015 T	Square	Floor over bins		0.000	8.200	6.500	31.00	0.00	0.00	31.000	0.000	31.0	42.8	3.50	1,373
A	015B	Square	Floor over binT31'		0.000	8.000	6.500	13.00	0.00	0.00	13.000	0.000	13.0	41.8	3.50	562
A	016 T	Square	Floor over bins		0.000	8.200	12.30	31.00	0.00	0.00	31.000	0.000	31.0	81.1	5.50	2,652
A	016B	Square	Floor over binT31'		0.000	8.000	12.00	29.00	0.00	0.00	29.000	0.000	29.0	77.2	5.50	2,362
A	017 T	Square	Floor over bins		0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00	1,306
A	017B	Square	Floor over binT31'		0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00	517
A	018 T	Square	Floor over bins		0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00	1,306
A	018 M	Square	Floor over binT31'		0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00	517
A	018B	Square	Floor over bin T31' M13'		0.000	8.000	12.00	16.00	0.00	0.00	16.000	0.000	16.0	77.2	5.50	1,303
A	019 T	Square	Floor over bins		0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00	1,306
A	019B	Square	Floor over binT31'		0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00	517
A	020 T	Square	Floor over bins		0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00	1,306
A	020 M	Square	Floor over bin T31'		0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00	517
A	020B	Square	Floor over bin T31' M13'		0.000	8.000	12.00	16.00	0.00	0.00	16.000	0.000	16.0	77.2	5.50	1,303
A	021 T	Square	Floor over bins		0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00	1,306

Exam Date:08/24/2009

Examiner: 1

Overly Co-operative Elevator Company
 114 East Central Avenue
 Overly, ND
 County:

Page: 3

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Overly

Section: A

	A	021B	Square	Floor over binT31'	0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00	517
	A	022 T	Square	Floor over bins	0.000	8.200	6.200	31.00	0.00	0.00	31.000	0.000	31.0	40.9	3.00	1,306
	A	022 M	Square	Floor over binT31'	0.000	8.000	6.000	13.00	0.00	0.00	13.000	0.000	13.0	38.6	3.00	517
	A	022B	Square	Floor over bin T31' M13'	0.000	8.000	12.00	16.00	0.00	0.00	16.000	0.000	16.0	77.2	5.50	1,303
	A	024 T	Square	Floor over bins	0.000	8.200	4.200	31.00	0.00	0.00	31.000	0.000	31.0	27.7	2.50	880
	A	024B	Square	Floor over binT31'	0.000	8.000	4.000	13.00	0.00	0.00	13.000	0.000	13.0	25.7	2.50	342
	A	025 T	Square	Floor over bins	0.000	8.200	6.500	31.00	0.00	0.00	31.000	0.000	31.0	42.8	3.50	1,373
	A	025B	Square	Floor over binT31'	0.000	8.000	6.500	13.00	0.00	0.00	13.000	0.000	13.0	41.8	3.50	562
Added	A	201	Peaked	Eave of bin	24.000	0.000	0.000	24.50	2.33	0.00	26.830	1.400	28.2	363.7	7.80	11,056
Added	A	202	Peaked	Eave of bin	24.000	0.000	0.000	24.50	2.33	0.00	26.830	1.400	28.2	363.7	7.80	11,056
Added	A	203	Peaked	Eave of bin	24.000	0.000	0.000	24.50	2.33	0.00	26.830	1.400	28.2	363.7	7.80	11,056
Added	A	204	Peaked	Eave of bin	24.000	0.000	0.000	24.50	2.33	0.00	26.830	1.400	28.2	363.7	7.80	11,056

Bin count: 54

Facility: Overly Section: A Total: 97,202

To Even: 98,000

Section: C

	C	001	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012
	C	002	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012
	C	003	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012
	C	004	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012

Exam Date:08/24/2009

Overly Co-operative Elevator Company

Page: 4

Examiner: 1

114 East Central Avenue

Overly, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Overly

Section: C

C	005	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012
C	006	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012
C	007	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012
C	008	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012
C	009	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012
C	010	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012
C	011	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012
C	012	Peaked	Eave of bin	18.000	0.000	0.000	15.70	1.67	0.00	17.370	1.100	18.5	204.6	6.00	4,012

Bin count: 12

Facility: Overly Section: C Total: 48,144To Even: 49,000

Section: D

D	001	Peaked	Eave of bin	30.000	0.000	0.000	32.30	0.00	0.00	32.300	1.800	34.1	568.2	9.00	21,120
D	003	Peaked	Eave of bin	30.000	0.000	0.000	32.30	0.00	0.00	32.300	1.800	34.1	568.2	9.00	21,120
D	004	Peaked	Eave of bin	30.000	0.000	0.000	32.30	0.00	0.00	32.300	1.800	34.1	568.2	9.00	21,120
D	006	Peaked	Eave of bin	24.000	0.000	0.000	30.00	3.00	0.00	33.000	1.400	34.4	363.7	7.80	13,487

Bin count: 4

Facility: Overly Section: D Total: 76,847To Even: 77,000

Exam Date:08/24/2009

Examiner: 1

Overly Co-operative Elevator Company
 114 East Central Avenue
 Overly, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Overly

Section: E

E	001	Peaked	Eave of bin		42.200	0.000	0.000	23.50	0.00	0.00	23.500	2.500	26.0	1124.3	10.0	32,155
E	002	Peaked	Eave of bin		42.200	0.000	0.000	23.50	0.00	0.00	23.500	2.500	26.0	1124.3	10.0	32,155
E	003	Peaked	Eave of bin		42.200	0.000	0.000	23.50	0.00	0.00	23.500	2.500	26.0	1124.3	10.0	32,155
E	004	Peaked	Eave of bin		42.200	0.000	0.000	23.50	0.00	0.00	23.500	2.500	26.0	1124.3	10.0	32,155
E	005	Peaked	Eave of bin		42.200	0.000	0.000	23.50	0.00	0.00	23.500	2.500	26.0	1124.3	10.0	32,155
E	006	Peaked	Eave of bin		42.200	0.000	0.000	23.50	0.00	0.00	23.500	2.500	26.0	1124.3	10.0	32,155

Bin count: 6

Facility: Overly Section: E Total: 192,930

To Even: 193,000

Overall Licensed Bin Capacity for:

Overly Co-operative Elevator Company

Bin count: 76

Licensed Capacity:

(includes pack)


415,123 Bu.

Licensed Capacity (to even):





(includes pack and section totals are rounded up to next highest 1000)

417,000 Bu.


Overly Coop Elevator Company
Overly, North Dakotaz



Section A is 1 block East of Section D




North West of Section A




Overly Coop Elevator Company

Overly, North Dakota



Section A

016		012	011	010		
018	017	015	013	008	009	
020	019	025	004	005	006	
022	021	024	X X XXX	001	002	003



Driveway & Scale