

Exam Date:03/03/2016

O'Brien Seed, Inc.

Page: 1

Examiner: 2

PO Box 505

Mayville, ND

County:

Phone: 701-788-9118

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
-------------------------------------	---------	----------

PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE

01	E	35,852
02	E	8,580
03 T	F	2,289
04 N Star	B	6,450
07	C	4,186
05	D	4,186
06	D	4,186
03	E	8,580
07	G	17,369
08	G	69,443
09	G	69,443
Total:		230,564

PART B - SPACE TO BE DELETED UNDER LICENSE

04	E	4,186
05	E	4,186
06	E	4,186
Total:		12,558

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	14,000	
B	21,000	
C	17,000	
D	49,000	
E	54,000	
F	89,000	
G	304,000	
Total:		548,000

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Mayville 946	A B C D E F G	548,000
Total:		548,000

Exam Date:03/03/2016

O'Brien Seed, Inc.
PO Box 505
Mayville , ND
County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Mayville

Section: A

A	001		floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	002		floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	003		floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	004		floor over bins		0.000	8.000	8.000	12.00	1.60	0.00	13.600	0.000	13.6	51.4	4.50	730
A	101		floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	102		floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	103		floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	104		floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	105		floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	106		floor over bins		0.000	8.500	7.500	19.50	0.00	0.00	19.500	0.000	19.5	51.2	4.50	1,043
A	107		floor over bins		0.000	7.000	5.000	7.500	1.00	0.00	8.500	0.000	8.5	28.1	2.50	245
A	108		floor over bins		0.000	7.000	5.000	7.500	1.00	0.00	8.500	0.000	8.5	28.1	2.50	245
A	109		floor over bins		7.500	0.000	0.000	7.700	1.00	0.00	8.700	0.000	8.7	35.5	4.50	323
A	110		bag storage		0.000	30.50	19.00	6.500	0.00	0.00	6.500	0.000	6.5	465.8	8.50	3,285

Bin count: 14

Facility: Mayville Section: A Total: 13,276

To Even: 14,000

Section: B

B	201		sidewall at eave		16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
B	202		sidewall at eave		16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838

Exam Date:03/03/2016

O'Brien Seed, Inc.
PO Box 505
Mayville, ND
County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Mayville

Section: B

	B	203		sidewall at eave	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838	
Added	B	204 N Star		sidewall at eave	17.000	0.000	0.000	30.00	2.40	0.00	32.400	1.000	33.4	182.5	5.80	6,450	
		Bin count:	4													Facility: Mayville Section: B Total:	20,964
														To Even:	21,000		

Section: C

	C	301		top of sidewall at access	12.000	0.000	0.000	12.00	1.80	0.00	13.800	0.700	14.5	90.9	5.00	1,384	
	C	302		top of sidewall at access	15.000	0.000	0.000	10.00	2.00	0.00	12.000	0.900	12.9	142.1	5.50	1,934	
	C	303		top of sidewall at access	12.600	0.000	0.000	12.00	2.00	0.00	14.000	0.800	14.8	100.2	5.00	1,557	
	C	304		top of sidewall at access	12.600	0.000	0.000	12.00	2.00	0.00	14.000	0.800	14.8	100.2	5.00	1,557	
	C	305		top of sidewall at access	12.500	0.000	0.000	15.00	1.80	0.00	16.800	0.800	17.6	98.6	5.00	1,822	
	C	306		top of sidewall at access	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186	
Added	C	307		top of sidewall at access	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186	
		Bin count:	7													Facility: Mayville Section: C Total:	16,626
														To Even:	17,000		

Section: D

	D	401		eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80	10,037
	D	402		eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80	10,037
	D	403		eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80	10,037

Exam Date:03/03/2016

O'Brien Seed, Inc.
PO Box 505
Mayville, ND
County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Mayville

Section: D

	D	404		eave at sidewall	24.000	0.000	0.000	22.00	2.20	0.00	24.200	1.400	25.6	363.7	7.80	10,037
Added	D	405		eave at sidewall	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186
Added	D	406		eave at sidewall	18.000	0.000	0.000	16.00	2.20	0.00	18.200	1.100	19.3	204.6	6.00	4,186

Bin count: 6

Facility: Mayville Section: D Total: **48,520**

To Even: 49,000

Section: E

Added	E	501		center overhead rafter 15.5'	0.000	138.0	98.00	3.000	0.00	0.00	3.000	0.000	3.0	10864.4	10.0	35,852
Added	E	502		Peaked	24.500	0.000	0.000	17.50	2.00	0.00	19.500	1.500	21.0	379.0	7.80	8,580
Added	E	503		Peaked	24.500	0.000	0.000	17.50	2.00	0.00	19.500	1.500	21.0	379.0	7.80	8,580

Bin count: 3

Facility: Mayville Section: E Total: **53,012**

To Even: 54,000

Section: F

Added	F	003 T	Flat	floor over bins - extreme =	0.000	9.000	6.700	44.00	1.30	0.00	45.300	0.000	45.3	48.5	4.20	2,289
	F	003 B		blind bin extrme = 22' -top	0.000	9.000	12.75	12.00	2.00	0.00	14.000	0.000	14.0	92.2	5.80	1,366
	F	004 T		floor over bins	0.000	8.800	6.700	53.00	0.00	0.00	53.000	0.000	53.0	47.4	4.00	2,612
	F	004 B		top 53' extreme depth = 13'	0.000	8.800	12.75	7.000	2.00	0.00	9.000	0.000	9.0	90.2	5.80	859
	F	005 T		floor over bins need	0.000	10.50	7.000	53.00	0.00	0.00	53.000	0.000	53.0	59.1	4.80	3,282
	F	005 B		floor over bins- top 53'	0.000	14.60	4.800	7.000	2.00	0.00	9.000	0.000	9.0	56.3	4.80	531

Exam Date:03/03/2016

O'Brien Seed, Inc.
PO Box 505
Mayville, ND
County:

Page: 4

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Mayville

Section: F

F	006 T			floor over bins	0.000	8.800	7.000	53.00	0.00	0.00	53.000	0.000	53.0	49.5	4.20	2,734
F	006 B			top 53' extreme = 13	0.000	8.800	12.90	7.000	2.00	0.00	9.000	0.000	9.0	91.3	5.80	870
F	007 T			floor over bins	0.000	8.000	6.750	53.00	0.00	0.00	53.000	0.000	53.0	43.4	3.50	2,381
F	007 B			top 53' extrme = 13	0.000	8.000	12.75	7.000	2.00	0.00	9.000	0.000	9.0	82.0	5.50	779
F	008			bin floor -- xtrme 51'	0.000	8.800	6.000	48.00	1.00	0.00	49.000	0.000	49.0	42.4	3.50	2,151
F	009			bin floor extrme 51'	0.000	9.580	6.800	48.00	1.00	0.00	49.000	0.000	49.0	52.4	4.50	2,684
F	011			bin floor xtrme 51'	0.000	8.000	6.000	48.00	1.00	0.00	49.000	0.000	49.0	38.6	3.00	1,948
F	012			bin floor -- extrme 51'	0.000	9.600	6.000	48.00	1.00	0.00	49.000	0.000	49.0	46.3	4.00	2,360
F	013 T			floor over bins	0.000	9.700	4.500	12.00	0.00	0.00	12.000	0.000	12.0	35.1	3.00	434
F	013 B			floor over bins - top 12' -	0.000	9.700	6.000	36.00	1.00	0.00	37.000	0.000	37.0	46.8	4.00	1,801
F	014 T			floor over bins	0.000	6.200	4.800	21.00	0.00	0.00	21.000	0.000	21.0	23.9	2.00	512
F	014 B			floor over bins - top 21' -	0.000	6.200	9.000	27.00	1.00	0.00	28.000	0.000	28.0	44.9	3.50	1,301
F	015			bin floor - xtrme 51'	0.000	10.60	4.000	48.00	1.00	0.00	49.000	0.000	49.0	34.1	3.00	1,721
F	016			bin floor - extrme	0.000	8.000	6.750	48.00	1.00	0.00	49.000	0.000	49.0	43.4	3.50	2,201
F	017			bin floor - extrme	0.000	8.000	6.000	48.00	1.00	0.00	49.000	0.000	49.0	38.6	3.00	1,948
F	018			bin floor - extrme	0.000	8.000	6.000	48.00	1.00	0.00	49.000	0.000	49.0	38.6	3.00	1,948
F	019			bin floor - extrme 51'	0.000	8.000	7.500	48.00	1.00	0.00	49.000	0.000	49.0	48.2	4.20	2,461
F	020			bin floor - extrme 51'	0.000	5.600	3.300	48.00	1.00	0.00	49.000	0.000	49.0	14.9	2.00	745
F	021			bin floor - extrme 51'	0.000	8.000	6.700	48.00	1.00	0.00	49.000	0.000	49.0	43.1	3.50	2,186
F	101			floor over bins extrme depth	0.000	12.70	10.80	60.00	3.00	0.00	63.000	0.000	63.0	110.3	6.20	7,380
F	102 T			floor over bins	0.000	13.70	10.80	54.00	0.00	0.00	54.000	0.000	54.0	118.9	6.20	6,819

Exam Date:03/03/2016

O'Brien Seed, Inc.
PO Box 505
Mayville, ND
County:

Page: 5

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Mayville

Section: F

F	102 M			floor over bins - top 54'	0.000	11.30	10.80	4.500	0.00	0.00	4.500	0.000	4.5	98.1	6.00	467
F	102B			top & middle 58.5' extreme =	0.000	9.000	10.80	4.000	1.75	0.00	5.750	0.000	5.8	78.1	5.50	478
F	103 T			floor over bins	0.000	13.70	10.50	54.00	0.00	0.00	54.000	0.000	54.0	115.6	6.20	6,629
F	103 M			floor over bins- top 54'	0.000	11.30	10.50	4.500	0.00	0.00	4.500	0.000	4.5	95.4	6.00	455
F	103B			top & middle 58.5' extreme =	0.000	9.000	10.50	4.000	1.75	0.00	5.750	0.000	5.8	76.0	5.50	465
F	104			floor over bins extreme depth	0.000	12.70	10.80	60.00	3.00	0.00	63.000	0.000	63.0	110.3	6.20	7,380
F	105			floor over bins extreme depth	0.000	12.70	10.80	60.00	3.00	0.00	63.000	0.000	63.0	110.3	6.20	7,380
F	106 T			floor over bins	0.000	13.70	10.10	54.00	0.00	0.00	54.000	0.000	54.0	111.2	6.20	6,377
F	106 M			floor over bins- top 54'	0.000	11.30	10.10	4.500	0.00	0.00	4.500	0.000	4.5	91.7	5.80	437
F	106B			top & middle 58.5' extreme =	0.000	9.000	10.10	4.000	1.75	0.00	5.750	0.000	5.8	73.1	5.50	447

Bin count: 37

Facility: Mayville Section: F Total: 88,818

To Even: 89,000

Section: G

G	101			top of sidewall-	48.000	0.000	0.000	40.30	0.00	0.00	40.300	3.400	43.7	1454.6	10.0	69,923
G	102			top of sidewall	48.000	0.000	0.000	40.30	0.00	0.00	40.300	3.400	43.7	1454.6	10.0	69,923
G	103			top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799
G	104			top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799
G	105			top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799
G	106			top of sidewall	48.000	8.000	8.000	33.50	0.00	0.00	33.500	0.000	33.5	51.4	4.50	1,799

Exam Date:03/03/2016

O'Brien Seed, Inc.
PO Box 505
Mayville , ND
County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Mayville

Section: G

Added	G	107		top of sidewall	24.000	0.000	0.000	42.90	0.00	0.00	42.900	1.400	44.3	363.7	7.80	17,369
Added	G	108		top of sidewall	48.000	0.000	0.000	40.00	0.00	0.00	40.000	3.400	43.4	1454.6	10.0	69,443
Added	G	109		top of sidewall	48.000	0.000	0.000	40.00	0.00	0.00	40.000	3.400	43.4	1454.6	10.0	69,443

Bin count: 9

Facility: Mayville Section: G Total: 303,297

To Even: 304,000

Overall Licensed Bin Capacity for:

O'Brien Seed, Inc.














Bin count: 80

Licensed Capacity:
(includes pack)

544,513 Bu.




Licensed Capacity (to even):
(includes pack and section totals are
rounded up to next highest 1000)

548,000 Bu.



O'Brien Seed 3
Mayville, ND N < S
M

O'Brien Seed 3
Mayville, ND N < S
M



W
 S -> N
 E
 Section G
 O'Brien Seed
 Mayville, ND