

Exam Date:02/21/2017

Page: 1

Examiner: 1

County:
Phone:
CCC Number:

| Location/Container Numbers/Comments | Section | Capacity |
|---|---------|----------------------|
| PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE | | |
| 024 | B | 4,000 |
| 019 | B | 4,000 |
| 020 | B | 4,000 |
| 021 | B | 4,000 |
| 022 | B | 4,000 |
| 023 | B | 4,000 |
| 025 | B | 4,000 |
| E&P 1 | H | 3,991 |
| E&P 2 | H | 3,991 |
| E&P 3 | H | 3,991 |
| E&P 4 | H | 3,991 |
| E&P 5 | H | 3,991 |
| D-5 | H | 3,991 |
| | | Total: 51,946 |

PART B - SPACE TO BE DELETED UNDER LICENSE

<NO BINS DELETED>

Total: 0

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

| | |
|-----------------------|---------|
| A | 250,000 |
| B | 170,000 |
| H | 24,000 |
| Total: 444,000 | |

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

| | | |
|--------------------|-------|-----------------------|
| East Fairview 1189 | A B H | 444,000 |
| | | Total: 444,000 |

Exam Date:02/21/2017

Safflower Technologies International LLC
PO Box 485
Fairview , MT
County:

Page: 1

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: East Fairview

Section: A

| | | | | | | | | | | | | | | | |
|---|-------|-----------|----------------------------|--------|-------|-------|-------|------|------|--------|-------|------|-------|------|-------|
| A | 001 | Irregular | Zero point - eave of bin | 23.400 | 0.000 | 0.000 | 49.00 | 0.00 | 0.00 | 49.000 | 0.000 | 49.0 | 23.4 | 2.00 | 1,170 |
| A | 002 | Irregular | Zero point - Floor of bins | 91.200 | 0.000 | 0.000 | 65.00 | 0.00 | 0.00 | 65.000 | 0.000 | 65.0 | 91.2 | 5.80 | 6,272 |
| A | 004 | Irregular | Zero point - Floor of bins | 52.700 | 0.000 | 0.000 | 49.00 | 0.00 | 0.00 | 49.000 | 0.000 | 49.0 | 52.7 | 4.50 | 2,698 |
| A | 006 | Irregular | Zero point - Floor of bins | 50.800 | 0.000 | 0.000 | 49.00 | 0.00 | 0.00 | 49.000 | 0.000 | 49.0 | 50.8 | 4.50 | 2,601 |
| A | 007 | Irregular | Zero point - Floor of bins | 27.800 | 0.000 | 0.000 | 49.00 | 0.00 | 0.00 | 49.000 | 0.000 | 49.0 | 27.8 | 2.50 | 1,396 |
| A | 008 | Irregular | Zero point - Floor of bins | 91.200 | 0.000 | 0.000 | 65.00 | 0.00 | 0.00 | 65.000 | 0.000 | 65.0 | 91.2 | 5.80 | 6,272 |
| A | 009 | Irregular | Zero point - Floor of bins | 49.900 | 0.000 | 0.000 | 47.00 | 0.00 | 0.00 | 47.000 | 0.000 | 47.0 | 49.9 | 4.20 | 2,443 |
| A | 011 T | Irregular | Zero point - Floor of bins | 33.700 | 0.000 | 0.000 | 13.00 | 0.00 | 0.00 | 13.000 | 0.000 | 13.0 | 33.7 | 2.50 | 449 |
| A | 011B | Irregular | Zero point - Floor of bins | 49.900 | 0.000 | 0.000 | 34.00 | 0.00 | 0.00 | 34.000 | 0.000 | 34.0 | 49.9 | 4.20 | 1,768 |
| A | 013 | Irregular | Zero point - Floor of bins | 91.200 | 0.000 | 0.000 | 65.00 | 0.00 | 0.00 | 65.000 | 0.000 | 65.0 | 91.2 | 5.80 | 6,272 |
| A | 014 T | Irregular | Zero point - Floor of bins | 14.700 | 0.000 | 0.000 | 13.00 | 0.00 | 0.00 | 13.000 | 0.000 | 13.0 | 14.7 | 2.00 | 195 |
| A | 014B | Irregular | Zero point - Floor of bins | 27.800 | 0.000 | 0.000 | 36.00 | 0.00 | 0.00 | 36.000 | 0.000 | 36.0 | 27.8 | 2.50 | 1,026 |
| A | 015 | Irregular | Zero point - Floor of bins | 51.300 | 0.000 | 0.000 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 51.3 | 4.50 | 2,573 |
| A | 016 | Irregular | Zero point - Floor of bins | 51.300 | 0.000 | 0.000 | 48.00 | 0.00 | 0.00 | 48.000 | 0.000 | 48.0 | 51.3 | 4.50 | 2,573 |
| A | 018 | Irregular | Zero point - Floor of bins | 28.800 | 0.000 | 0.000 | 49.00 | 0.00 | 0.00 | 49.000 | 0.000 | 49.0 | 28.8 | 2.50 | 1,446 |
| A | 019 | Irregular | Zero point - Floor of bins | 91.200 | 0.000 | 0.000 | 65.00 | 0.00 | 0.00 | 65.000 | 0.000 | 65.0 | 91.2 | 5.80 | 6,272 |
| A | 020 | Irregular | Zero point - Floor of bins | 9.600 | 0.000 | 0.000 | 27.00 | 0.00 | 0.00 | 27.000 | 0.000 | 27.0 | 9.6 | 2.00 | 264 |
| A | 021 T | Irregular | Zero point - Floor of bins | 9.600 | 0.000 | 0.000 | 27.00 | 0.00 | 0.00 | 27.000 | 0.000 | 27.0 | 9.6 | 2.00 | 264 |
| A | 021B | Irregular | Zero point - Floor of bins | 23.400 | 0.000 | 0.000 | 22.00 | 0.00 | 0.00 | 22.000 | 0.000 | 22.0 | 23.4 | 2.00 | 525 |
| A | 022 | Irregular | Zero point - Floor of bins | 28.800 | 0.000 | 0.000 | 49.00 | 0.00 | 0.00 | 49.000 | 0.000 | 49.0 | 28.8 | 2.50 | 1,446 |
| A | 101 T | Irregular | Zero point - Floor of bins | 145.80 | 0.000 | 0.000 | 56.00 | 0.00 | 0.00 | 56.000 | 0.000 | 56.0 | 145.8 | 6.80 | 8,720 |

Exam Date:02/21/2017

Safflower Technologies International LLC
PO Box 485
Fairview , MT
County:

Page: 2

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|-------------------------------|--------|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: East Fairview

Section: A

| | | | | | | | | | | | | | | | |
|---|-------|-----------|----------------------------|--------|-------|-------|-------|------|------|--------|-------|------|-------|------|-------|
| A | 101B | Irregular | Zero point - Floor of bins | 98.800 | 0.000 | 0.000 | 8.000 | 0.00 | 0.00 | 8.000 | 0.000 | 8.0 | 98.8 | 6.00 | 837 |
| A | 102 | Irregular | Zero point - Floor of bins | 145.80 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 0.000 | 64.0 | 145.8 | 6.80 | 9,966 |
| A | 103 T | Irregular | Zero point - Floor of bins | 144.50 | 0.000 | 0.000 | 56.00 | 0.00 | 0.00 | 56.000 | 0.000 | 56.0 | 144.5 | 6.80 | 8,642 |
| A | 103B | Irregular | Zero point - Floor of bins | 97.900 | 0.000 | 0.000 | 8.000 | 0.00 | 0.00 | 8.000 | 0.000 | 8.0 | 97.9 | 6.00 | 830 |
| A | 104 | Irregular | Zero point - Floor of bins | 144.50 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 0.000 | 64.0 | 144.5 | 6.80 | 9,877 |
| A | 105 T | Irregular | Zero point - Floor of bins | 144.50 | 0.000 | 0.000 | 56.00 | 0.00 | 0.00 | 56.000 | 0.000 | 56.0 | 144.5 | 6.80 | 8,642 |
| A | 105B | Irregular | Zero point - Floor of bins | 97.900 | 0.000 | 0.000 | 8.000 | 0.00 | 0.00 | 8.000 | 0.000 | 8.0 | 97.9 | 6.00 | 830 |
| A | 106 | Irregular | Zero point - Floor of bins | 144.50 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 0.000 | 64.0 | 144.5 | 6.80 | 9,877 |
| A | 107 T | Irregular | Zero point - Floor of bins | 144.50 | 0.000 | 0.000 | 56.00 | 0.00 | 0.00 | 56.000 | 0.000 | 56.0 | 144.5 | 6.80 | 8,642 |
| A | 107B | Irregular | Zero point - Floor of bins | 97.900 | 0.000 | 0.000 | 8.000 | 0.00 | 0.00 | 8.000 | 0.000 | 8.0 | 97.9 | 6.00 | 830 |
| A | 108 | Irregular | Zero point - Floor of bins | 144.50 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 0.000 | 64.0 | 144.5 | 6.80 | 9,877 |
| A | 109 T | Irregular | Zero point - Floor of bins | 144.50 | 0.000 | 0.000 | 56.00 | 0.00 | 0.00 | 56.000 | 0.000 | 56.0 | 144.5 | 6.80 | 8,642 |
| A | 109B | Irregular | Zero point - Floor of bins | 97.900 | 0.000 | 0.000 | 8.000 | 0.00 | 0.00 | 8.000 | 0.000 | 8.0 | 97.9 | 6.00 | 830 |
| A | 110 | Irregular | Zero point - Floor of bins | 144.50 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 0.000 | 64.0 | 144.5 | 6.80 | 9,877 |
| A | 111 T | Irregular | Zero point - Floor of bins | 144.50 | 0.000 | 0.000 | 56.00 | 0.00 | 0.00 | 56.000 | 0.000 | 56.0 | 144.5 | 6.80 | 8,642 |
| A | 111B | Irregular | Zero point - Floor of bins | 98.800 | 0.000 | 0.000 | 8.000 | 0.00 | 0.00 | 8.000 | 0.000 | 8.0 | 98.8 | 6.00 | 837 |
| A | 112 | Irregular | Zero point - Floor of bins | 145.80 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 0.000 | 64.0 | 145.8 | 6.80 | 9,966 |
| A | 201 T | Irregular | Zero point - Floor of bins | 141.40 | 0.000 | 0.000 | 55.50 | 0.00 | 0.00 | 55.500 | 0.000 | 55.5 | 141.4 | 6.80 | 8,382 |
| A | 201B | Irregular | Zero point - Floor of bins | 98.000 | 0.000 | 0.000 | 8.500 | 0.00 | 0.00 | 8.500 | 0.000 | 8.5 | 98.0 | 6.00 | 883 |
| A | 202 | Irregular | Zero point - Floor of bins | 140.50 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 0.000 | 64.0 | 140.5 | 6.80 | 9,603 |
| A | 203 T | Irregular | Zero point - Floor of bins | 143.90 | 0.000 | 0.000 | 55.50 | 0.00 | 0.00 | 55.500 | 0.000 | 55.5 | 143.9 | 6.80 | 8,529 |

Exam Date:02/21/2017

Safflower Technologies International LLC
 PO Box 485
 Fairview, MT
 County:

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg). | | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|----------------------------|-------|-----------|----------------|----------------|-----------------|--------------|------------------|------------------|------------|---------------------------|
| | | | | | Length | Width | | | | | | | | | |

Facility: East Fairview

Section: A

| | | | | | | | | | | | | | | | |
|---|-----------|-----------|----------------------------|--------|-------|-------|-------|------|------|--------|-------|------|--------|------|-------|
| A | 203B | Irregular | Zero point - Floor of bins | 99.700 | 0.000 | 0.000 | 8.500 | 0.00 | 0.00 | 8.500 | 0.000 | 8.5 | 99.7 | 6.00 | 898 |
| A | 204 | Irregular | Zero point - Floor of bins | 143.00 | 0.000 | 0.000 | 64.00 | 0.00 | 0.00 | 64.000 | 0.000 | 64.0 | 143.0 | 6.80 | 9,774 |
| A | 205 T | Irregular | Zero point - Floor of bins | 143.90 | 0.000 | 0.000 | 55.50 | 0.00 | 0.00 | 55.500 | 0.000 | 55.5 | 143.9 | 6.80 | 8,529 |
| A | 205B | Irregular | Zero point - Floor of bins | 99.700 | 0.000 | 0.000 | 8.500 | 0.00 | 0.00 | 8.500 | 0.000 | 8.5 | 99.7 | 6.00 | 898 |
| A | 206 T | Irregular | Zero point - Floor of bins | 33.900 | 0.000 | 0.000 | 42.00 | 0.00 | 0.00 | 42.000 | 0.000 | 42.0 | 33.9 | 2.50 | 1,460 |
| A | 206B | Irregular | Zero point - Floor of bins | 143.00 | 0.000 | 0.000 | 22.00 | 0.00 | 0.00 | 22.000 | 0.000 | 22.0 | 143.0 | 6.80 | 3,360 |
| A | 207 T | Irregular | Zero point - Floor of bins | 141.40 | 0.000 | 0.000 | 55.50 | 0.00 | 0.00 | 55.500 | 0.000 | 55.5 | 141.4 | 6.80 | 8,382 |
| A | 207B | Irregular | Zero point - Floor of bins | 98.000 | 0.000 | 0.000 | 8.500 | 0.00 | 0.00 | 8.500 | 0.000 | 8.5 | 98.0 | 6.00 | 883 |
| A | 208 T | Irregular | Zero point - Floor of bins | 33.300 | 0.000 | 0.000 | 42.00 | 0.00 | 0.00 | 42.000 | 0.000 | 42.0 | 33.3 | 2.50 | 1,434 |
| A | 208B | Irregular | Zero point - Floor of bins | 140.50 | 0.000 | 0.000 | 22.00 | 0.00 | 0.00 | 22.000 | 0.000 | 22.0 | 140.5 | 6.80 | 3,301 |
| A | P201 | Irregular | Zero point - Floor of bins | 105.40 | 0.000 | 0.000 | 42.00 | 0.00 | 0.00 | 42.000 | 0.000 | 42.0 | 105.4 | 6.20 | 4,701 |
| A | P202 | Irregular | Zero point - Floor of bins | 107.20 | 0.000 | 0.000 | 42.00 | 0.00 | 0.00 | 42.000 | 0.000 | 42.0 | 107.2 | 6.20 | 4,781 |
| A | Warehouse | Flat | Zero point - Floor of bins | 1.200 | 50.00 | 100.0 | 1.000 | 0.00 | 0.00 | 1.000 | 1.200 | 2.2 | 4019.3 | 10.0 | 9,726 |

Bin count: 55

Facility: East Fairview Section: A Total: 249,813

To Even: 250,000

Section: B

| | | | | | | | | | | | | | | | |
|---|-----|--------|--------------------------|--------|-------|-------|-------|------|------|--------|-------|------|-------|------|-------|
| B | 001 | Square | Zero point - eave of bin | 0.000 | 13.00 | 6.500 | 13.50 | 1.33 | 0.00 | 14.830 | 0.000 | 14.8 | 67.9 | 5.20 | 1,057 |
| B | 002 | Square | Zero point - eave of bin | 0.000 | 13.00 | 6.500 | 13.50 | 1.33 | 0.00 | 14.830 | 0.000 | 14.8 | 67.9 | 5.20 | 1,057 |
| B | 003 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 15.00 | 2.00 | 0.00 | 17.000 | 1.000 | 18.0 | 161.6 | 5.80 | 3,078 |

Exam Date:02/21/2017

Safflower Technologies International LLC
PO Box 485
Fairview , MT
County:

Page: 4

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: East Fairview

Section: B

| | | | | | | | | | | | | | | | | |
|-------|---|-----|--------|--------------------------|--------|-------|-------|-------|------|------|--------|-------|------|--------|------|--------|
| | B | 004 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.00 | 0.00 | 22.000 | 1.000 | 23.0 | 161.6 | 5.80 | 3,933 |
| | B | 005 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.00 | 0.00 | 22.000 | 1.000 | 23.0 | 161.6 | 5.80 | 3,933 |
| | B | 006 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.00 | 0.00 | 22.000 | 1.000 | 23.0 | 161.6 | 5.80 | 3,933 |
| | B | 007 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.00 | 0.00 | 22.000 | 1.000 | 23.0 | 161.6 | 5.80 | 3,933 |
| | B | 008 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.00 | 0.00 | 22.000 | 1.000 | 23.0 | 161.6 | 5.80 | 3,933 |
| | B | 009 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.00 | 0.00 | 22.000 | 1.000 | 23.0 | 161.6 | 5.80 | 3,933 |
| | B | 010 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.00 | 0.00 | 22.000 | 1.000 | 23.0 | 161.6 | 5.80 | 3,933 |
| | B | 011 | Peaked | Zero point - eave of bin | 13.000 | 0.000 | 0.000 | 10.00 | 1.66 | 0.00 | 11.660 | 0.800 | 12.5 | 106.7 | 5.20 | 1,403 |
| | B | 012 | Peaked | Zero point - eave of bin | 13.000 | 0.000 | 0.000 | 10.00 | 1.66 | 0.00 | 11.660 | 0.800 | 12.5 | 106.7 | 5.20 | 1,403 |
| | B | 013 | Peaked | Zero point - eave of bin | 13.000 | 0.000 | 0.000 | 10.00 | 1.66 | 0.00 | 11.660 | 0.800 | 12.5 | 106.7 | 5.20 | 1,403 |
| | B | 014 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.35 | 0.00 | 22.350 | 1.000 | 23.4 | 161.6 | 5.80 | 4,000 |
| | B | 015 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.35 | 0.00 | 22.350 | 1.000 | 23.4 | 161.6 | 5.80 | 4,000 |
| | B | 016 | Peaked | Zero point - eave of bin | 41.420 | 0.000 | 0.000 | 24.50 | 0.00 | 0.00 | 24.500 | 2.500 | 27.0 | 1083.2 | 10.0 | 32,171 |
| | B | 017 | Peaked | Zero point - eave of bin | 41.420 | 0.000 | 0.000 | 24.50 | 0.00 | 0.00 | 24.500 | 2.500 | 27.0 | 1083.2 | 10.0 | 32,171 |
| | B | 018 | Peaked | Zero point - eave of bin | 41.420 | 0.000 | 0.000 | 24.50 | 0.00 | 0.00 | 24.500 | 2.500 | 27.0 | 1083.2 | 10.0 | 32,171 |
| Added | B | 019 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.35 | 0.00 | 22.350 | 1.000 | 23.4 | 161.6 | 5.80 | 4,000 |
| Added | B | 020 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.35 | 0.00 | 22.350 | 1.000 | 23.4 | 161.6 | 5.80 | 4,000 |
| Added | B | 021 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.35 | 0.00 | 22.350 | 1.000 | 23.4 | 161.6 | 5.80 | 4,000 |
| Added | B | 022 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.35 | 0.00 | 22.350 | 1.000 | 23.4 | 161.6 | 5.80 | 4,000 |
| Added | B | 023 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.35 | 0.00 | 22.350 | 1.000 | 23.4 | 161.6 | 5.80 | 4,000 |
| Added | B | 024 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.35 | 0.00 | 22.350 | 1.000 | 23.4 | 161.6 | 5.80 | 4,000 |

Exam Date:02/21/2017

Safflower Technologies International LLC
 PO Box 485
 Fairview , MT
 County:

Examiner: 1

| Status | Section | Bin Number | Bin Type | Base Point | Diameter or Bu/Ft (Irreg.) Length | Width | Side wall | Add for Hopper | Ded. for Obst. | Effective Depth | Add for Peak | Depth for Capac. | Bushels per Foot | Base Pack% | Bushel Capacity with Pack |
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|
|--------|---------|------------|----------|------------|---|-------|--------------|----------------------|----------------------|--------------------|--------------------|------------------------|------------------------|---------------|------------------------------|

Facility: East Fairview

Section: B

| | | | | | | | | | | | | | | | | |
|-------|---|-------------------|--------|--------------------------|--------|-------|-------|-------|------|------|--------|-------|------|--|------|----------------|
| Added | B | 025 | Peaked | Zero point - eave of bin | 16.000 | 0.000 | 0.000 | 20.00 | 2.35 | 0.00 | 22.350 | 1.000 | 23.4 | 161.6 | 5.80 | 4,000 |
| | | Bin count: | | | | | | | | | | | | | | 25 |
| | | | | | | | | | | | | | | Facility: East Fairview Section: B Total: | | 169,445 |
| | | | | | | | | | | | | | | To Even: | | 170,000 |

Section: H

| | | | | | | | | | | | | | | | | |
|-------|---|-------------------|--------|--------------------------|--------|-------|-------|-------|------|------|--------|-------|------|--|------|---------------|
| Added | H | D-5 | Peaked | | 18.000 | 0.000 | 0.000 | 17.30 | 0.00 | 0.00 | 17.300 | 1.100 | 18.4 | 204.6 | 6.00 | 3,991 |
| Added | H | E&P 1 | Peaked | Zero point - eave of bin | 18.000 | 0.000 | 0.000 | 17.30 | 0.00 | 0.00 | 17.300 | 1.100 | 18.4 | 204.6 | 6.00 | 3,991 |
| Added | H | E&P 2 | Peaked | | 18.000 | 0.000 | 0.000 | 17.30 | 0.00 | 0.00 | 17.300 | 1.100 | 18.4 | 204.6 | 6.00 | 3,991 |
| Added | H | E&P 3 | Peaked | | 18.000 | 0.000 | 0.000 | 17.30 | 0.00 | 0.00 | 17.300 | 1.100 | 18.4 | 204.6 | 6.00 | 3,991 |
| Added | H | E&P 4 | Peaked | | 18.000 | 0.000 | 0.000 | 17.30 | 0.00 | 0.00 | 17.300 | 1.100 | 18.4 | 204.6 | 6.00 | 3,991 |
| Added | H | E&P 5 | Peaked | | 18.000 | 0.000 | 0.000 | 17.30 | 0.00 | 0.00 | 17.300 | 1.100 | 18.4 | 204.6 | 6.00 | 3,991 |
| | | Bin count: | | | | | | | | | | | | | | 6 |
| | | | | | | | | | | | | | | Facility: East Fairview Section: H Total: | | 23,946 |
| | | | | | | | | | | | | | | To Even: | | 24,000 |

Overall Licensed Bin Capacity for:

Safflower Technologies International LLC

Bin count: 86

Licensed Capacity:
(includes pack)

443,204 Bu.

Licensed Capacity (to even):
(includes pack and section totals are rounded up to next highest 1000)




444,000 Bu.

Safflower Technologies International
 East Fairview, ND
 Section A

02/28/2017




| | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|----|----|----|----|----|----|
| | | | | | | 08 | 09 | 11 | | 13 | |
| | | | | | | 06 | 07 | | 14 | 15 | 16 |
| 112 | 110 | 108 | 106 | 104 | 102 | | | | | | |
| 111 | 109 | 107 | 105 | 103 | 101 | 04 | 22 | 18 | | | |
| | | | | | | 02 | 01 | XX | 21 | 19 | |
| | | | | | | | | XX | 20 | | |

| | | | | |
|-----|-----|------|------|-----|
| | | P201 | P202 | N/A |
| 202 | 204 | 206 | 208 | |
| 201 | 203 | 205 | 207 | |
| | | | | |



Safflower Technologies
Section B



02/28/2017



Safflower Technologies
Section B - south

02/28/2017

← Section B - North



Safflower Technologies
Section H
Hurley Bins

02/28/2017

