

Date:10/27/2014

The Kensal Farmers' Elevator Co.
 PO Box 68
 Kensal, ND
 County:

Page: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width								

Facility: Bordulac

Section: H

H	001	Square	bin floor		0.000	8.100	8.100	51.00	0.000	51.000	0.000	51.0	52.7	4.50	2,809
H	002	Square	bin floor		0.000	8.100	8.100	51.00	0.000	51.000	0.000	51.0	52.7	4.50	2,809
H	003	Square	bin floor		0.000	8.100	8.100	51.00	0.000	51.000	0.000	51.0	52.7	4.50	2,809
H	010	Square	bin floor		0.000	8.100	8.100	51.00	0.000	51.000	0.000	51.0	52.7	4.50	2,809
H	101	Peaked	top of sidewall		42.000	0.000	0.000	68.50	0.000	68.500	2.500	71.0	1113.7	10.0	86,980
H	102	Peaked	top of sidewall		42.000	0.000	0.000	68.50	0.000	68.500	2.500	71.0	1113.7	10.0	86,980
H	103	Peaked	top of sidewall		39.000	0.000	0.000	63.40	0.000	63.400	2.300	65.7	960.3	10.0	69,401
H	104	Peaked	top of sidewall		30.000	0.000	0.000	69.70	0.000	69.700	1.800	71.5	568.2	9.00	44,282

Facility: Bordulac Section: H Total: 298,879

To Even: 299,000

Section: I

I	001	Peaked	top of sidewall		14.000	0.000	0.000	16.00	2.500	18.500	0.800	19.3	123.7	5.50	2,518
I	002	Peaked	top of sidewall		14.000	0.000	0.000	16.00	2.500	18.500	0.800	19.3	123.7	5.50	2,518
I	003	Peaked	top of sidewall		14.000	0.000	0.000	16.00	2.500	18.500	0.800	19.3	123.7	5.50	2,518
I	004	Peaked	top of sidewall		14.000	0.000	0.000	16.00	2.500	18.500	0.800	19.3	123.7	5.50	2,518

Date: 10/27/2014

The Kensal Farmers' Elevator Co.
 PO Box 68
 Kensal, ND
 County:

Page: 2

: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Bordulac

Section: I

I	005	Peaked	top of sidewall		14.000	0.000	0.000	17.00	2.000	19.000	0.800	19.8	123.7	5.50	2,584
---	-----	--------	-----------------	--	--------	-------	-------	-------	-------	--------	-------	------	-------	------	-------

Facility: Bordulac Section: I Total: 12,656

To Even: 13,000

Date:10/27/2014

The Kensal Farmers' Elevator Co.

Page: 3

: 1

PO Box 68
Kensal, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width								

Facility: Kensal

Section: B

B	001 T	Square	floor over bins	0.000	12.60	7.600	11.00	0.000	11.000	0.000	11.0	77.0	5.50	894
B	001 B	Square	floor over bins top 11'	0.000	12.20	7.200	40.00	0.000	40.000	0.000	40.0	70.6	5.20	2,971
B	002	Square	floor over bins	0.000	7.600	3.700	50.00	0.000	50.000	0.000	50.0	22.6	2.00	1,153
B	003 T	Square	floor over bins	0.000	11.60	7.400	16.00	0.000	16.000	0.000	16.0	69.0	5.20	1,161
B	003 B	Square	floor over bins top 16'	0.000	11.00	10.90	53.00	0.000	53.000	0.000	53.0	96.4	6.00	5,416
B	004	Square	floor over bins	0.000	6.000	5.600	51.00	0.000	51.000	0.000	51.0	27.0	2.50	1,411
B	005 T	Square	floor over bins	0.000	13.60	11.40	11.00	0.000	11.000	0.000	11.0	124.6	6.50	1,460
B	005 B	Square	floor over bins top 11'	0.000	13.30	11.00	57.00	0.000	57.000	0.000	57.0	117.6	6.20	7,119
B	007	Square	floor over bins	0.000	6.000	5.600	51.00	0.000	51.000	0.000	51.0	27.0	2.50	1,411
B	008 T	Square	floor over bins	0.000	13.60	12.60	11.00	0.000	11.000	0.000	11.0	137.7	6.50	1,613
B	008 B	Square	floor over bins top 11'	0.000	13.30	12.20	40.00	0.000	40.000	0.000	40.0	130.4	6.50	5,555
B	009 T	Square	floor over bins	0.000	12.60	5.600	11.00	0.000	11.000	0.000	11.0	56.7	4.80	654
B	009 B	Square	floor over bins top 11'	0.000	12.20	5.400	40.00	0.000	40.000	0.000	40.0	53.0	4.50	2,215
B	010	Square	floor over bins	0.000	13.60	8.000	46.00	0.000	46.000	0.000	46.0	87.5	5.80	4,258
B	011 T	Square	floor over bins	0.000	13.60	2.600	46.00	0.000	46.000	0.000	46.0	28.4	2.50	1,339
B	011 B	Square	floor over bins top 46'	0.000	13.30	11.00	22.00	0.000	22.000	0.000	22.0	117.6	6.20	2,747
B	012 T	Square	floor over bins	0.000	11.60	11.40	11.00	0.000	11.000	0.000	11.0	106.3	6.20	1,241

Date: 10/27/2014

The Kensal Farmers' Elevator Co.
 PO Box 68
 Kensal, ND
 County:

Page: 4

: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width								

Facility: Kensal

Section: B

B	012 B	Square	floor over bins top 11'	0.000	11.00	10.90	59.00	0.000	59.000	0.000	59.0	96.4	6.00	6,029
B	013 T	Square	floor over bins	0.000	11.40	7.600	11.00	0.000	11.000	0.000	11.0	69.6	5.20	806
B	013 B	Square	floor over bins top 11'	0.000	11.00	7.200	40.00	0.000	40.000	0.000	40.0	63.7	5.00	2,675
B	016 T	Square	floor over bins	0.000	11.40	7.600	11.00	0.000	11.000	0.000	11.0	69.6	5.20	806
B	016 B	Square	floor over bins top 11'	0.000	11.00	7.200	40.00	0.000	40.000	0.000	40.0	63.7	5.00	2,675
B	017 T	Square	floor over bins	0.000	11.60	11.40	11.00	0.000	11.000	0.000	11.0	106.3	6.20	1,241
B	017 B	Square	floor over bins top 11'	0.000	11.00	10.90	59.00	0.000	59.000	0.000	59.0	96.4	6.00	6,029
B	018	Square	floor over bins	0.000	13.60	8.000	46.00	0.000	46.000	0.000	46.0	87.5	5.80	4,258
B	019 T	Square	floor over bins	0.000	13.60	2.600	46.00	0.000	46.000	0.000	46.0	28.4	2.50	1,339
B	019 M	Square	floor over bins toop 46'	0.000	13.30	11.00	16.00	0.000	16.000	0.000	16.0	117.6	6.20	1,999
B	019B	Square	floor over bins top & mddle	0.000	13.30	13.00	7.000	0.000	7.000	0.000	7.0	139.0	6.50	1,036
B	022 T	Square	floor over bins	0.000	13.60	12.60	11.00	0.000	11.000	0.000	11.0	137.7	6.50	1,613
B	022 M	Square	floor over bins top 11'	0.000	13.30	12.20	53.00	0.000	53.000	0.000	53.0	130.4	6.50	7,360
B	022B	Square	floor over bins - top & mddle	0.000	13.30	6.300	7.000	0.000	7.000	0.000	7.0	67.4	5.20	497
B	023 T	Square	floor over bins	0.000	12.60	11.60	11.00	0.000	11.000	0.000	11.0	117.5	6.20	1,373
B	023 B	Square	floor over bins top 11'	0.000	12.20	10.90	40.00	0.000	40.000	0.000	40.0	106.9	6.20	4,541
B	024 T	Square	floor over bins	0.000	13.60	11.40	11.00	0.000	11.000	0.000	11.0	124.6	6.50	1,460

Date:10/27/2014

The Kensal Farmers' Elevator Co.
 PO Box 68
 Kensal , ND
 County:

Page: 5

: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width								

Facility: Kensal

Section: B

B	024 M	Square	floor over bins top 11'	0.000	13.30	11.00	51.00	0.000	51.000	0.000	51.0	117.6	6.20	6,370
B	024B	Square	floor over bins top & mddle	0.000	13.30	13.00	7.000	0.000	7.000	0.000	7.0	139.0	6.50	1,036
B	025 T	Square	floor over bins	0.000	11.60	11.40	11.00	0.000	11.000	0.000	11.0	106.3	6.20	1,241
B	025 B	Square	floor over bins top 11'	0.000	11.00	10.90	59.00	0.000	59.000	0.000	59.0	96.4	6.00	6,029
B	026	Square	floor over bins	0.000	7.600	3.700	50.00	0.000	50.000	0.000	50.0	22.6	2.00	1,153
B	028 T	Square	floor over bins	0.000	12.60	7.600	11.00	0.000	11.000	0.000	11.0	77.0	5.50	894
B	028 B	Square	floor over bins top 11'	0.000	12.20	7.200	40.00	0.000	40.000	0.000	40.0	70.6	5.20	2,971
B	101	Round	top of sidewall	38.000	0.000	0.000	52.90	0.000	52.900	0.000	52.9	911.7	10.0	53,052
B	102	Peaked	top of sidewall	39.000	0.000	0.000	64.10	0.000	64.100	2.300	66.4	960.3	10.0	70,140
B	103	Peaked	top of sidewall	42.000	0.000	0.000	64.10	0.000	64.100	2.500	66.6	1113.7	10.0	81,589
B	104	Peaked	top of sidewall	42.000	0.000	0.000	64.80	0.000	64.800	2.500	67.3	1113.7	10.0	82,447
B	105	Peaked	top of sidewall	42.000	0.000	0.000	64.80	0.000	64.800	2.500	67.3	1113.7	10.0	82,447
B	106	Peaked	check sidewall depth 64.8	42.000	0.000	0.000	64.10	0.000	64.100	2.500	66.6	1113.7	10.0	81,589
B	107	Peaked	top of sidewall	42.000	0.000	0.000	64.10	0.000	64.100	2.500	66.6	1113.7	10.0	81,589
B	108	Peaked	top of sidewall	89.600	0.000	0.000	69.40	0.000	69.400	6.300	75.7	5068.6	10.0	422,062
B	109	Peaked	top of sidewall	78.000	0.000	0.000	66.00	0.000	66.000	5.500	71.5	3841.1	10.0	302,103
B	110	Peaked	top of sidewall	47.900	0.000	0.000	75.60	0.000	75.600	2.900	78.5	1448.6	10.0	125,087

Date: 10/27/2014

The Kensal Farmers' Elevator Co.
 PO Box 68
 Kensal, ND
 County:

Page: 6

: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width								

Facility: Kensal

Section: B

B	111	Peaked	top of sidewall		47.900	0.000	0.000	75.60	0.000	75.600	2.900	78.5	1448.6	10.0	125,087
B	112	Peaked	top of sidewall		18.000	0.000	0.000	53.30	2.500	55.800	1.100	56.9	204.6	6.00	12,341
B	113	Peaked	top of sidewall		42.000	0.000	0.000	69.70	0.000	69.700	2.500	72.2	1113.7	10.0	88,450
B	114	Peaked	top of sidewall		42.000	0.000	0.000	73.30	0.000	73.300	2.500	75.8	1113.7	10.0	92,860
B	115	Peaked	top of sidewall		42.000	0.000	0.000	70.80	0.000	70.800	2.500	73.3	1113.7	10.0	89,797
B	116	Peaked	top of sidewall		89.500	0.000	0.000	91.75	0.000	91.750	6.300	98.1	5057.3	10.0	545,733
B	117	Peaked	top of sidewall		89.500	0.000	0.000	91.75	0.000	91.750	6.300	98.1	5057.3	10.0	545,733
B	118	Peaked	top of sidewall		77.600	0.000	0.000	91.75	0.000	91.750	5.400	97.2	3801.8	10.0	406,489

Facility: Kensal Section: B Total: 3,396,644

To Even: 3,397,000

Overall Licensed Bin Capacity for:

The Kensal Farmers' Elevator Co.

Licensed Capacity:

(includes pack)

3,708,179 Bu.

Licensed Capacity (to even):

(includes pack and section totals are
rounded up to next highest 1000)

3,709,000 Bu.