

Richter, Susan K.

From: Richter, Susan K.
Sent: Tuesday, August 23, 2016 3:10 PM
To: 'coop@polarcomm.com'
Subject: New Bin
Attachments: doc02599620160823150229.pdf

Denny,

The attached pdf contains a photocopy of a Statement of Capacities and a Bin Capacity Chart which include the new bin, identified as 018 in Section B. The new bin has a capacity of 669,192 bushels. With the addition of bin 018, the total licensed capacity for Fordville Cooperative Marketing Assn. will increase from 1,198,000 bushels to 1,867,000 bushels and requires a \$525,000 bond.

Fordville Cooperative Marketing Assn. currently has a \$390,000 bond on file. Please contact Cheryl Welle at the North Dakota Grain Dealers Association and ask her to increase the bond from \$390,000 to \$525,000. Once the bond rider is received, we can license the new bin.

Thank you and if you have questions, please call.



Public Service Commission

Sue Richter

Licensing Division Director

600 E. Boulevard Ave., Dept 408

Bismarck, ND 58505-0480

701-328-4097

Exam Date:08/10/2016

Fordville Cooperative Marketing Assn.

Page: 1

Examiner: 1

Box 7
 Fordville , ND
 County:
 Phone: 701-229-3293
 CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
018	B	669,192
		Total: 669,192
PART B - SPACE TO BE DELETED UNDER LICENSE		
<NO BINS DELETED>		
		Total: 0
PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE		
	A	285,000
	B	1,582,000
		Total: 1,867,000
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT		
Fordville 225	A B	1,867,000
		Total: 1,867,000

Exam Date:08/10/2016

Fordville Cooperative Marketing Assn.

Page: 1

Examiner: 1

Box 7
Fordville, ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Fordville

Section: A

A	204	Peaked	top of sidewall at eave	35.800	0.000	0.000	56.00	0.00	0.00	56.000	2.100	58.1	809.2	10.0	51,717
A	205	Peaked	top of sidewall at eave	35.800	0.000	0.000	56.00	0.00	0.00	56.000	2.100	58.1	809.2	10.0	51,717
A	206	Peaked	top of sidewall at eave	35.800	0.000	0.000	56.00	0.00	0.00	56.000	2.100	58.1	809.2	10.0	51,717
A	207	Peaked	top of sidewall at eave	18.000	0.000	0.000	43.00	0.00	0.00	43.000	1.100	44.1	204.6	6.00	9,564
A	208	Peaked	top of sidewall at eave	18.000	0.000	0.000	43.00	0.00	0.00	43.000	1.100	44.1	204.6	6.00	9,564
A	209	Peaked	top of sidewall at eave	35.700	0.000	0.000	58.70	0.00	0.00	58.700	2.100	60.8	804.6	10.0	53,812
A	210	Peaked	top of sidewall at eave	35.700	0.000	0.000	58.70	0.00	0.00	58.700	2.100	60.8	804.6	10.0	53,812
A	211	Square		0.000	12.00	12.00	18.75	1.40	0.00	20.150	0.000	20.2	115.8	6.20	2,484

Bin count: 8

Facility: Fordville Section: A Total: **284,387**To Even: **285,000**

Section: B

B	001	Irregular	top of slab	55.500	0.000	0.000	104.0	0.00	0.00	104.00	0.000	104.0	55.5	4.80	6,049
B	002	Round	top of slab	25.000	0.000	0.000	112.5	0.00	0.00	112.50	0.000	112.5	394.6	8.00	47,944
B	003	Irregular	top of slab	107.70	0.000	0.000	101.5	0.00	0.00	101.50	0.000	101.5	107.7	6.20	11,610
B	005	Round	top of slab	25.000	0.000	0.000	109.5	0.00	0.00	109.50	0.000	109.5	394.6	8.00	46,666
B	006	Irregular	top of slab	50.500	0.000	0.000	105.0	0.00	0.00	105.00	0.000	105.0	50.5	4.50	5,542
B	007	Round	top of slab	16.500	0.000	0.000	36.00	0.00	0.00	36.000	0.000	36.0	171.9	5.80	6,547
B	008	Irregular	top of slab	50.500	0.000	0.000	105.0	0.00	0.00	105.00	0.000	105.0	50.5	4.50	5,542
B	009	Round	top of slab	25.000	0.000	0.000	109.5	0.00	0.00	109.50	0.000	109.5	394.6	8.00	46,666
B	010	Peaked	top of sidewall	47.500	0.000	0.000	84.30	0.00	0.00	84.300	2.900	87.2	1424.5	10.0	136,638
B	011	Irregular	top of slab	107.70	0.000	0.000	101.5	0.00	0.00	101.50	0.000	101.5	107.7	6.20	11,610

Exam Date:08/10/2016

Fordville Cooperative Marketing Assn.

Page: 2

Examiner: 1

Box 7
Fordville , ND
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Fordville

Section: B

B	012	Round	top of slab	25.000	0.000	0.000	112.5	0.00	0.00	112.50	0.000	112.5	394.6	8.00	47,944
B	013	Irregular	top of slab	58.300	0.000	0.000	104.0	0.00	0.00	104.00	0.000	104.0	58.3	4.80	6,354
B	014	Irregular	top of slab	28.900	0.000	0.000	92.00	0.00	0.00	92.000	0.000	92.0	28.9	2.50	2,725
B	015	Peaked	top of sidewall	47.500	0.000	0.000	84.30	0.00	0.00	84.300	2.900	87.2	1424.5	10.0	136,638
B	016	Round	top of slab	50.000	0.000	0.000	114.3	0.00	0.75	113.50	0.000	113.5	1578.4	10.0	197,063
B	017	Round	top of slab	50.000	0.000	0.000	114.3	0.00	0.75	113.50	0.000	113.5	1578.4	10.0	197,063
Added	B	018	Peaked	105.00	0.000	0.000	80.00	0.00	0.00	80.000	7.400	87.4	6960.6	10.0	669,192

Bin count: 17

Facility: Fordville Section: B Total: 1,581,793To Even: 1,582,000**Overall Licensed Bin Capacity for:**

Fordville Cooperative Marketing Assn.

Bin count: 25

Licensed Capacity:
(includes pack)1,866,180 Bu.**Licensed Capacity (to even):**
(includes pack and section totals are
rounded up to next highest 1000)1,867,000 Bu.