



Date <b>01/19/2017</b>	PSC Device Code <b>3V2</b>	No. of Sections <b>2</b>	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business <b>Remington Seeds, LLC</b>			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address <b>1421 West 12th St. Grafton ND 58237</b>			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
Device Location <b>Grafton PO Box 605 1421 12th St</b>			<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
City <b>Grafton</b>	State <b>ND</b>	Zip Code <b>58237</b>	<input checked="" type="checkbox"/> Scale Indoors	
County <b>Walsh</b>	Telephone Number <b>701-379-1000</b>		<input checked="" type="checkbox"/> Variance Permit Posted; Expiration Date:	
Device Contact/Manager <b>Kevin Wick</b>	Cell Number		<input checked="" type="checkbox"/> Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	
Email Address <b>kevin.wick@remingtonseeds.com</b>			<input checked="" type="checkbox"/> Software is NTEP Approved	
			<input checked="" type="checkbox"/> Built-In Standards; Date Certified:	
			<input checked="" type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
			<input checked="" type="checkbox"/> In response to PSC Quality Assurance Inspection	

**Scale Information - West #1 -011145**

Scale Manufacturer <b>Cardinal</b>	Indicator Manufacturer/Model <b>225 Navigator</b>	Indicator Serial No. <b>E30114-0083 / E17415-0365</b>	Weighing Elements <b>EL.</b>
Capacity/Divisions/Units <b>200,000 x 20 LB</b>	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class <b>IIIIL</b>	Printer Manufacturer/Model <b>Epson TM-U295</b>
Deck Size <b>20' x 11'</b>	Clearance (inches) <b>6"</b>	Approach - 12' Concrete Level <b>12'</b>	Printer Serial No. <b>J9KF141825 / J9KF112051</b>
SR or Discrimination Test Zero Load = Loaded =	Motion Detection Range = <b>60 lbs.</b>	Hard Surface Approach (Length/Slope/Condition) <b>Good, concrete</b>	
	AZSM (Auto Zero) Range = <b>60 lbs.</b>		

**Test Data**

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: <b>Corner Test</b>					Description: <b>Section Test</b>				
1	10,000 lbs.		0/+20	0	1	20,000 lbs.		+20	0
2	"		0	0	2	20,000 lbs.		+20	0
3	"		0/+20	0					
4	10,000 lbs.		0	0			BC=0@0		
		BC=0@0							

**Strain Load Test**

Section (Increasing or Decreasing)	Section 2 (Inc)	Both Scales	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary.
Full Truck Weight	<b>60,160</b>		
Test Weight	<b>20,000</b>		
Empty Truck Weight	<b>40,160</b>		
Errors	<b>0</b>		
Physical Seal <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N	<p><b>Tweaked out the section errors on both sections. They were both Plus 20 at 20,000 lbs. No corner adjustments were made. Strain tested using both decks. Variance in reference to shallow pit.</b></p>	
Seal Date: 01/19/2017	Audit Trail Information:		
Seal Type: Lead			
Meets tolerances in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance			
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			

Permit Holder Signature 	1514 Permit Number
Operator Signature	01/19/2017 Date



**PRAIRIE SCALE SYSTEMS, INC.**  
P.O. Box 69 Horace, ND 58047-0069 701-281-9591

**Invoice: MC-101380**  
**Scale ID: 011146**

Date <b>01/19/2017</b>	PSC Device Code <b>3V3</b>	No. of Sections <b>3</b>	Complete each item with Y (Yes), N (No), or NA (Not Applicable)
Name of Business <b>Remington Seeds, LLC</b>			<input type="checkbox"/> New Installation (w/ RFI Check) <input type="checkbox"/> Performed Calibration
Mailing Address <b>1421 West 12th St. Grafton ND 58237</b>			<input type="checkbox"/> Modified Equipment <input type="checkbox"/> Use as a Reference Scale
Device Location <b>Grafton PO Box 605 1421 12th St</b>			<input type="checkbox"/> Replaced Existing Equipment <input type="checkbox"/> Non-Commercial
City <b>Grafton</b>	State <b>ND</b>	Zip Code <b>58237</b>	<input checked="" type="checkbox"/> Scale Indoors
County <b>Walsh</b>	Telephone Number <b>701-379-1000</b>		<input checked="" type="checkbox"/> Variance Permit Posted; Expiration Date:
Device Contact/Manager <b>Kevin Wick</b>	Cell Number		<input checked="" type="checkbox"/> Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24
Email Address <b>kevin.wick@remingtonseeds.com</b>			<input checked="" type="checkbox"/> Software is NTEP Approved
			<input type="checkbox"/> Built-In Standards; Date Certified:
			<input checked="" type="checkbox"/> Multiple Decks/Single Indicator <input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear <input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met <input type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good <input checked="" type="checkbox"/> Two-Way Audio Working
			<input checked="" type="checkbox"/> In response to PSC Quality Assurance Inspection

**Scale Information - West #2 - 011146**

Scale Manufacturer <b>Cardinal</b>	Indicator Manufacturer/Model <b>225 Navigator</b>	Indicator Serial No. <b>E30114-0083 / E17415-0365</b>	Weighing Elements <b>EL</b>
Capacity/Divisions/Units <b>200,000 x 20 LB</b>	Legible Label <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Class <b>IIIIL</b>	Printer Manufacturer/Model <b>Epson TM-U295</b>
Printer Serial No. <b>J9KF141825 / J9KF112051</b>	Deck Size <b>40' x 11'</b>	Clearance (inches) <b>6"</b>	Approach - 12' Concrete Level <b>12'</b>
Hard Surface Approach (Length/Slope/Condition)	SR or Discrimination Test Zero Load = Loaded =	Motion Detection Range = <b>60 lbs.</b>	AZSM (Auto Zero) Range = <b>60 lbs.</b>

**Test Data**

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: <b>Corner Test</b>					Description: <b>Section Test</b>				
1	10,000 lbs.		+20	0	1	20,000 lbs.		+40	0
2	"		-80	0	2	"		-140	0
3	"		+20	0	3	20,000 lbs.		+20	0
4	"		0	0					
5	"		-60	0			BC=0@0		
6	10,000 lbs.		+20	0					
		BC=0@0							

**Strain Load Test**

Section (Increasing or Decreasing)	Section 2 (Inc)	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary.
Full Truck Weight	60,160	<p>We tested the scale as found and had the same readings as the state test of 1/18/17. We removed the deck access cover for the junction box. We had a 500 lb. balance change once the cover was removed. We could see where the deck cover had been putting pressure on the junction box cover. Our errors on the section were 20 lbs. after the relief on the box. We tweaked out the remaining errors and sealed the indicators. The variance is in reference to the shallow pit. The junction boxes and cables were moved so there was clearance.</p>
Test Weight	20,000	
Empty Truck Weight	40,160	
Errors	0	
Physical Seal <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
Seal Date: 01/19/2017	Audit Trail Information:	
Seal Type: Lead		
Meets tolerances in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance		
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied		
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.		
	1514	
Permit Holder Signature	Permit Number	
	01/19/2017	
Operator Signature	Date	