

Exam Date:09/02/2015

Anchor Ingredients Co. LLC
5181 38th St. South, Suite B
Fargo , ND
County:
Phone:
CCC Number:

Page: 1

Examiner: 1

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
<NO BINS ADDED>		
		Total: 0
PART B - SPACE TO BE DELETED UNDER LICENSE		
201	A	50,683
		Total: 50,683
PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE		
	A	88,000
	B	227,000
		Total: 315,000
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT		
Hillsboro 4380	A B	315,000
		Total: 315,000

Exam Date:09/02/2015

Anchor Ingredients Co. LLC
5181 38th St. South, Suite B
Fargo , ND
County:

Page: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Hillsboro

Section: A

A	001A	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	002B	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	003C	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	004Q	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	005R	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	006S	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	007T	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	008U	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	009V	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	010W	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	011X	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	012Y	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	013Z	Peaked	16.000	0.000	0.000	25.00	2.30	0.00	27.300	1.000	28.3	161.6	5.80	4,838
A	014N	Peaked	19.000	0.000	0.000	15.00	2.70	0.00	17.700	1.100	18.8	227.9	6.20	4,551
A	015O	Peaked	19.000	0.000	0.000	15.00	2.50	0.00	17.500	1.100	18.6	227.9	6.20	4,502
A	016P	Peaked	19.000	0.000	0.000	15.00	2.50	0.00	17.500	1.100	18.6	227.9	6.20	4,502
A	101	Square	0.000	5.400	5.400	32.00	1.00	0.00	33.000	0.000	33.0	23.4	2.00	787
A	102	Square	0.000	4.900	4.900	31.00	1.00	0.00	32.000	0.000	32.0	19.3	2.00	630
A	103	Square	0.000	5.500	5.500	31.00	1.00	0.00	32.000	0.000	32.0	24.3	2.50	797
A	104	Square	0.000	5.750	5.750	33.00	1.00	0.00	34.000	0.000	34.0	26.6	2.50	927
A	105	Square	0.000	5.750	5.750	33.00	1.00	0.00	34.000	0.000	34.0	26.6	2.50	927

Exam Date:09/02/2015

Anchor Ingredients Co. LLC
5181 38th St. South, Suite B
Fargo , ND
County:

Page: 2

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Hillsboro

Section: A

A	106	Square	0.000	5.500	5.500	31.00	1.00	0.00	32.000	0.000	32.0	24.3	2.50	797
A	107	Square	0.000	5.490	5.490	31.00	1.00	0.00	32.000	0.000	32.0	24.2	2.50	793
A	108	Square	0.000	5.400	5.400	32.00	1.00	0.00	33.000	0.000	33.0	23.4	2.00	787
A	109	Square	0.000	5.400	5.400	32.00	1.00	0.00	33.000	0.000	33.0	23.4	2.00	787
A	110	Square	0.000	5.240	5.240	32.00	1.00	0.00	33.000	0.000	33.0	22.1	2.00	744
A	111	Square	0.000	5.500	5.500	31.00	1.00	0.00	32.000	0.000	32.0	24.3	2.50	797
A	112	Square	0.000	5.750	5.750	31.00	1.00	0.00	32.000	0.000	32.0	26.6	2.50	872
A	113	Square	0.000	5.750	5.750	31.00	1.00	0.00	32.000	0.000	32.0	26.6	2.50	872
A	114	Square	0.000	5.400	2.900	29.00	1.00	0.00	30.000	0.000	30.0	12.6	2.00	386
A	115	Square	0.000	5.500	2.900	29.00	1.00	0.00	30.000	0.000	30.0	12.8	2.00	392

Bin count: 31

Facility: Hillsboro Section: A Total: **87,744**To Even: **88,000**

Section: B

B	001	Peaked	24.000	0.000	0.000	18.30	3.40	0.00	21.700	1.400	23.1	363.7	7.80	9,056
B	002	Peaked	35.800	0.000	0.000	22.00	0.00	0.00	22.000	2.100	24.1	809.2	10.0	21,452
B	003	Peaked	35.800	0.000	0.000	22.00	0.00	0.00	22.000	2.100	24.1	809.2	10.0	21,452
B	004	Peaked	35.800	0.000	0.000	22.00	0.00	0.00	22.000	2.100	24.1	809.2	10.0	21,452
B	005	Peaked	35.800	0.000	0.000	22.00	0.00	0.00	22.000	2.100	24.1	809.2	10.0	21,452
B	006	Peaked	35.800	0.000	0.000	22.00	0.00	0.00	22.000	2.100	24.1	809.2	10.0	21,452

Exam Date:09/02/2015

Anchor Ingredients Co. LLC
5181 38th St. South, Suite B
Fargo , ND
County:

Page: 3

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Hillsboro

Section: B

B	007	Peaked	35.800	0.000	0.000	22.00	0.00	0.00	22.000	2.100	24.1	809.2	10.0	21,452
B	008	Peaked	24.000	0.000	0.000	18.30	3.40	0.00	21.700	1.400	23.1	363.7	7.80	9,056
B	101	Square	0.000	12.00	14.00	14.00	1.20	0.00	15.200	0.000	15.2	135.0	6.50	2,185
B	102	Square	0.000	12.00	14.00	5.000	1.20	0.00	6.200	0.000	6.2	135.0	6.50	891
B	103	Square	0.000	12.00	14.00	5.000	1.20	0.00	6.200	0.000	6.2	135.0	6.50	891
B	104	Square	0.000	12.00	14.00	11.00	1.20	0.00	12.200	0.000	12.2	135.0	6.50	1,754
B	201	Square	0.000	8.000	8.000	5.000	1.60	0.00	6.600	0.000	6.6	51.4	4.50	354
B	202	Square	0.000	11.00	11.00	6.000	2.00	0.00	8.000	0.000	8.0	97.3	6.00	825
B	A	Peaked	16.000	0.000	0.000	35.00	2.50	0.00	37.500	1.000	38.5	161.6	5.80	6,583
B	B	Peaked	16.000	0.000	0.000	35.00	2.50	0.00	37.500	1.000	38.5	161.6	5.80	6,583
B	C	Peaked	16.000	0.000	0.000	35.00	2.50	0.00	37.500	1.000	38.5	161.6	5.80	6,583
B	D	Peaked	16.000	0.000	0.000	35.00	2.50	0.00	37.500	1.000	38.5	161.6	5.80	6,583
B	E	Peaked	16.000	0.000	0.000	35.00	2.50	0.00	37.500	1.000	38.5	161.6	5.80	6,583
B	F	Peaked	16.000	0.000	0.000	35.00	2.50	0.00	37.500	1.000	38.5	161.6	5.80	6,583
B	G	Peaked	16.000	0.000	0.000	35.00	2.50	0.00	37.500	1.000	38.5	161.6	5.80	6,583
B	H	Peaked	16.000	0.000	0.000	35.00	2.50	0.00	37.500	1.000	38.5	161.6	5.80	6,583
B	I	Peaked	16.000	0.000	0.000	35.00	2.50	0.00	37.500	1.000	38.5	161.6	5.80	6,583
B	J	Peaked	16.000	0.000	0.000	35.00	2.50	0.00	37.500	1.000	38.5	161.6	5.80	6,583
B	K	Peaked	16.000	0.000	0.000	35.00	2.50	0.00	37.500	1.000	38.5	161.6	5.80	6,583

Exam Date:09/02/2015

Anchor Ingredients Co. LLC
 5181 38th St. South, Suite B
 Fargo , ND
 County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Dbst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Bin count: 25

Facility: Hillsboro Section: B Total: 226,137

To Even: 227,000

Overall Licensed Bin Capacity for:

Anchor Ingredients Co. LLC

Bin count: 56


Licensed Capacity:
 (includes pack)

313,881 Bu.

Licensed Capacity (to even):
 (includes pack and section totals are
 rounded up to next highest 1000)

315,000 Bu.

Anchor Ingredients
Hillsboro, ND
Section A



North

Anchor Ingredients
Hillsboro, ND
Section A
Overhead and Loadout bins


North

104	105	112	113		
103	106	111	ML X X X X X X X X	LO-1	LO-2
102	107	110		LO-4	LO-3
101	108	109	114	Driveway	
			115		




J

K

Anchor Ingredients
Hillsboro, ND – West
Section B



Driveway



Warehouse

200

