

Bauske, Shelly A.

From: Keri Hankins <khankins@senecaco.com>
Sent: Wednesday, September 23, 2015 8:18 AM
To: Bauske, Shelly A.
Subject: Re: 100 Gallon Prover Calibration Certificate

Hi Shelly!

We have our 100 gallon prover scheduled for calibration in November. This is the soonest the lab could get us in. Will you be able to renew our licenses or do you have to wait for this report?

Thank you,

Keri Hankins
Seneca Companies
Administrative Assistant
P: 816-761-1270
F: 816-761-8351

From: Bauske, Shelly A. <sbauske@nd.gov>
Sent: Tuesday, September 22, 2015 9:47 AM
To: Keri Hankins
Subject: RE: 100 Gallon Prover Calibration Certificate

Good Morning Keri

North Dakota requires annual recertification of standards.

Thank you for checking!

From: Keri Hankins [<mailto:khankins@senecaco.com>]
Sent: Tuesday, September 22, 2015 9:43 AM
To: Bauske, Shelly A.
Subject: Re: 100 Gallon Prover Calibration Certificate

Shelly:

After speaking with the Illinois lab, they stated their calibrations are good for 2 years. Do you still need a new calibration report yearly? I know some states do and some states don't, so I just wanted to check!

Thank you,

Keri Hankins

3 **WM-15-654** Filed: 9/23/2015 Pages: 2
E-mail re status of 100 gallon prover

Seneca Companies
Administrative Assistant
P: 816-761-1270
F: 816-761-8351

From: Bauske, Shelly A. <sbauske@nd.gov>
Sent: Wednesday, September 16, 2015 9:33 AM
To: Keri Hankins
Subject: 100 Gallon Prover Calibration Certificate

Good Morning Keri

I received your Application for Registration as a Registered Service Company. I noticed the metrology for your 100 gallon prover expires December 9, 2015. Do you have an appointment scheduled for calibration of your 100 gallon prover?

Thank you.

Shelly Bauske
Public Service Commission
600 E Boulevard Ave Dept 408
Bismarck ND 58505-0480
701-328-4070
701-328-2410 (fax)
sbauske@nd.gov

This transmission, email and any files transmitted with it, may be: (1) subject to the Attorney-Client Privilege, (2) an attorney work product, or (3) strictly confidential under federal or state law. If you are not the intended recipient of this message, you may not use, disclose, print, copy or disseminate this information. If you have received this transmission in error, notify the sender (only) and delete the message. This message may also be subject to disclosure under the North Dakota Open Records Laws.