



**APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY**

Public Service Commission  
SFN 51277 (2/2014)



**TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED**

<b>Name of Company</b> NORTHERN PETROLEUM & REPAIR	<b>Email Address</b> NORTHERN PETROLEUM REPAIR @ GMAIL . COM	<b>Application Date</b> 8-10-15	
<b>Mailing Address</b> 1406 19TH ST. S.	<b>City</b> MOORHEAD	<b>State</b> MN	<b>Zip Code</b> 56560
<b>Telephone Number</b> 218-443-8573	<b>Cell Phone Number</b> 218-443-8573	<b>Fax Number</b>	

Select below all device types your company will certify:

Scales (include maximum capacity, if applicable)	Liquid (include maximum flow rate, if applicable)
<input type="checkbox"/> 1. Rail <input type="checkbox"/> 2. Truck <input type="checkbox"/> 3. Livestock <input type="checkbox"/> 4. Hopper: Max. Capacity: _____ <input type="checkbox"/> 5. Belt <input type="checkbox"/> 6. Over 30 lbs.: Max. Capacity: _____ <input type="checkbox"/> 7. 30 lbs. or less <input type="checkbox"/> 8. Class II (indicate on your calibration report which weight kit is Class II certified) <input type="checkbox"/> 9. Other: Please List:	<input checked="" type="checkbox"/> 1. Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> 2. High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> 3. Vehicle Tank: Max. Flow Rate: _____ <input type="checkbox"/> 4. Stationary Bulk (fuel or oil): Max. Flow Rate: _____ <input type="checkbox"/> 5. LPG <input type="checkbox"/> 6. Stationary LPG <input type="checkbox"/> 7. Fertilizer: Max. Flow Rate: _____ <input type="checkbox"/> 8. Chemical <input type="checkbox"/> 9. Anhydrous <input type="checkbox"/> 10. Loading Rack <input type="checkbox"/> 11. Other: Please List:

List below all persons employed by your company as a North Dakota Registered Service Person and the device types they are registered to certify (attach a separate sheet to list additional employees):

Permit No.	Employee	Device Types Registered to Certify (list using device type numbers from above)
e.g. 1001	e.g. John Doe	e.g. Scales - 2, 3, 6, 8; e.g. Liquid - 1, 2, 6

1 WM-15-682 Filed: 8/13/2015 Pages: 9  
Application for permit  
Northern Petroleum & Repair



List below all field standards (attach current calibration reports):

5GAL. BROOKINS # 202752	
5GAL. SERAPHIN # 202751	

Additional Application Items (initial where appropriate):


Standardized Test Report	<input checked="" type="checkbox"/> Copy enclosed
	<input type="checkbox"/> No change in report filed previously
Tested and Approved Sticker	<input checked="" type="checkbox"/> Copy enclosed
	<input type="checkbox"/> No change in sticker filed previously
Photocopy of Crimped Lead Wire Seal	<input checked="" type="checkbox"/> Copy enclosed
	<input type="checkbox"/> No change in crimped lead wire seal filed previously

Public Company Listing:

Include my company information on your registered service company list for public contact.

Yes       No

I am TREV PETERSON, and have authority to represent this company.  
By signing this application, I declare that I have examined this form and accompanying documentation, and to the best of my knowledge and belief, the facts stated and documentation provided is true, correct, and complete.


  
 \_\_\_\_\_  
 Signature

Send Completed Application and Related Documents To:

Public Service Commission  
600 E Boulevard Ave Dept 408  
Bismarck ND 58505-0480  
Telephone: (701) 328-2400  
Fax: (701) 328-2410

North Dakota

nd.gov Official Portal for North Dakota State Government



# SECRETARY OF STATE NORTH DAKOTA



[Home](#) | [Business Records Search](#)

## NORTHERN PETROLEUM & REPAIR

### Trade Name

<b>System ID:</b> 39769500	<b>Phone:</b> (218) 443-8573
<b>Status:</b> Active	
<b>Original File Date:</b> 09/04/2015	<b>Last Renewal Date:</b>

### Nature of Business

REPAIR OF PETROLEUM EQUIPMENT

### Owners

**TREV PETERSON**  
 1406 19TH ST S  
 PO BOX 1234  
 MOORHEAD, MN 56561-1234

[Return to Search Results](#)

[Contact Us](#)

[Disclaimer](#)

[Privacy Policy](#)

We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.



Receipt Date: April 27, 2015  
Test Date: April 27, 2015  
Report Date: April 27, 2015

State Test No.: 334189  
Serial No.: NONE  
Barcode: 202752

## Calibration Report

NORTHERN PETROLEUM & REPAIR  
1406 19TH ST S  
MOORHEAD, MN 56560  
Contact: TREV PETERSON  
Phone: 218-443-8573  
PO Number: NONE  
SOP: 32  
Technician ID: 11

Item(s) Submitted: 5 Gallon Measure  
Manufacturer: Brookins  
Material: Mild Steel  
Equipment Number: None  
Condition: Good  
Temperature: 19.9 °C  
Pressure: 743.1 mmHg  
Relative Humidity: 29. %  
Standard H<sub>2</sub>O Temp.: 19.6 °C  
Artifact H<sub>2</sub>O Temp.: 19.6 °C

Nominal Volume (gal)		Error (in <sup>3</sup> )	Volume at Zero		Coefficient of Expansion (1/°F)
			Line (gal)	Uncertainty (in <sup>3</sup> )	
5	As Found	-2.05	4.9911	0.62	0.0000186
	As Left	-0.05	4.9998	0.62	

Neck Calibration: No neck calibration was done at this time.

This measure or prover has been calibrated as a "to contain after wet down" vessel with a pour time of 30 seconds, a drain time of 10 seconds after cessation of full flow and at a reference temperature of 60 °F.

The measure or prover listed above has been compared by volumetric transfer methods to the standards of the State of Minnesota using water as the calibration medium. The standards are traceable to the SI through NIST. Statistical process control charts indicate standards are currently in control. All gauges were sealed in place.

The reported uncertainty conforms to NIST Technical Note 1297. The confidence interval is 95 %.

Results apply to item identified in this report only.

Pete Whebbe

*Pete J. Whebbe*  
Metrologist

Reviewed by:  
Mark Nicollet

*Mark Nicollet*  
Quality Manager



Receipt Date: April 27, 2015  
Test Date: April 27, 2015  
Report Date: April 27, 2015

State Test No.: 334188  
Serial No.: 01-50437  
Barcode: 202751

## Calibration Report

NORTHERN PETROLEUM & REPAIR  
1406 19TH ST S  
MOORHEAD, MN 56560  
Contact: TREV PETERSON  
Phone: 218-443-8573  
PO Number: NONE  
SOP: 32  
Technician ID: 11

Item(s) Submitted: 5 Gallon Measure  
Manufacturer: Seraphin  
Material: Mild Steel  
Equipment Number: None  
Condition: Good  
Temperature: 19.9 °C  
Pressure: 743.1 mmHg  
Relative Humidity: 29. %  
Standard H<sub>2</sub>O Temp.: 19.7 °C  
Artifact H<sub>2</sub>O Temp.: 19.6 °C

Nominal Volume (gal)		Error (in <sup>3</sup> )	Volume at Zero Line (gal)	Uncertainty (in <sup>3</sup> )	Coefficient of Expansion (°F)
5	As Found	0.98	5.0043	0.62	0.0000186
	As Left	0.05	5.0002	0.62	

Neck Calibration: No neck calibration was done at this time.

This measure or prover has been calibrated as a "to contain after wet down" vessel with a pour time of 30 seconds, a drain time of 10 seconds after cessation of full flow and at a reference temperature of 60 °F.

The measure or prover listed above has been compared by volumetric transfer methods to the standards of the State of Minnesota using water as the calibration medium. The standards are traceable to the SI through NIST. Statistical process control charts indicate standards are currently in control. All gauges were sealed in place.

The reported uncertainty conforms to NIST Technical Note 1297. The confidence interval is 95 %.

Results apply to item identified in this report only.

Pete Whebbe

Metrologist

Reviewed by:

Mark Nicollet

Quality Manager

# United States Department of Commerce National Institute of Standards and Technology

Certificate of Metrological Traceability For:

## Minnesota

This laboratory has demonstrated evidence of an unbroken chain of metrological traceability of its standards to the international system of units (SI), documented measurement uncertainties, uses documented measurement procedures, successfully completed training and proficiency tests, documented calibration intervals, submitted a quality management system, and demonstrated suitable measurement assurance for the Scope listed on this certificate.

The Office of Weights and Measures Program assesses laboratories to NIST Handbook 143 - Program Handbook for State Weights and Measures Laboratories and ISO/IEC 17025:2005.

### Scope

#### Mass Echelon II

50 kg to 1 mg  
1000 lb to 0.001 lb  
4 oz to 0.03125 oz

#### Mass Echelon III

50 kg to 1 mg  
5000 lb to 0.001 lb  
4 oz to 0.03125 oz

#### Weight Carts

10 000 lb to 2000 lb

#### Wheel Load Weighers

20 000 lb to 2000 lb

#### Railroad Test Cars

110 000 lb to 80 000 lb

#### Volume Gravimetric, I

20 L to 1 mL  
100 gal to 0.25 qt

#### Volume Transfer, II

1500 gal to 5 gal  
100 gal to 25 gal LPG



2015

A handwritten signature in blue ink, reading "Carol T. Hockert".

Carol T. Hockert, Chief  
NIST Office of Weights and Measures

Effective Dates: 2015-01-01 to 2015-12-31





