

## Bauske, Shelly A.

---

**From:** Grangaard, Wayne  
**Sent:** Monday, November 28, 2016 10:05 AM  
**To:** Bauske, Shelly A.  
**Subject:** RE: Northwood Equity Elevator

Hi Shelly,

On 11/14/16 I inspected the site of Northwood Equity's fertilizer blender (9A-3), and all physical conditions to be the same as previously found in October 2015. I recommend the temporary variance issued be updated to permanent.

Wayne

---

**From:** Bauske, Shelly A.  
**Sent:** Thursday, November 10, 2016 10:36 AM  
**To:** Grangaard, Wayne  
**Subject:** RE: Northwood Equity Elevator

Hi Wayne

Yes, just a site inspection without testing the device, since the variance is for a clearance issue. Please email me the results of your site inspection and recommendation.

I attached a copy of the memo you sent prior to the original variance being issued.

Thank you!

---

**From:** Grangaard, Wayne  
**Sent:** Thursday, November 10, 2016 8:55 AM  
**To:** Bauske, Shelly A.  
**Subject:** RE: Northwood Equity Elevator

Site inspection? Test? (thinking... no test, no sticker)

---

**From:** Bauske, Shelly A.  
**Sent:** Monday, October 31, 2016 3:44 PM  
**To:** Grangaard, Wayne  
**Subject:** Northwood Equity Elevator

Hi Wayne

Welcome Back!

Please stop by Northwood Equity Elevator and perform a site inspection, including photos, to help determine if a permanent variance permit should be issued. Please email a memo with the results of your inspection.

8 **WM-15-706** Filed: 11/28/2016 Pages: 2  
**Inspection summary**

Public Service Commission

Attached are a memo and the temporary variance permit.

Thank you!

---

This transmission, email and any files transmitted with it, may be: (1) subject to the Attorney-Client Privilege, (2) an attorney work product, or (3) strictly confidential under federal or state law. If you are not the intended recipient of this message, you may not use, disclose, print, copy or disseminate this information. If you have received this transmission in error, notify the sender (only) and delete the message. This message may also be subject to disclosure under the North Dakota Open Records Laws.