



APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY
Public Service Commission
SFN 51277 (4/2013)



TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED

Name of Company <i>Agassiz Seed & Supply</i>	Email Address <i>AI@agassizseed.com</i>	Application Date <i>12-30-15</i>	
Mailing Address <i>445 7th St NW</i>	City <i>West Fargo</i>	State <i>ND</i>	Zip Code <i>58078</i>
Telephone Number <i>701-282-8118</i>	Cell Phone Number <i>701-261-8578</i>	Fax Number <i>701-282-9119</i>	

Select below all device types your company will certify:

Scales (include maximum capacity, if applicable)	Liquid (include maximum flow rate, if applicable)
<input type="checkbox"/> 1. Rail <input type="checkbox"/> 2. Truck <input type="checkbox"/> 3. Livestock <input type="checkbox"/> 4. Hopper: Max. Capacity: _____ <input type="checkbox"/> 5. Belt <input type="checkbox"/> 6. Over 30 lbs.: Max. Capacity: _____ <input checked="" type="checkbox"/> 7. 30 lbs. or less <input type="checkbox"/> 8. Class II (indicate on your calibration report which weight kit is Class II certified) <input type="checkbox"/> 9. Other: Please List:	<input type="checkbox"/> 1. Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> 2. High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> 3. Vehicle Tank: Max. Flow Rate: _____ <input type="checkbox"/> 4. Stationary Bulk (fuel or oil): Max. Flow Rate: _____ <input type="checkbox"/> 5. LPG <input type="checkbox"/> 6. Stationary LPG <input type="checkbox"/> 7. Fertilizer: Max. Flow Rate: _____ <input type="checkbox"/> 8. Chemical <input type="checkbox"/> 9. Anhydrous <input type="checkbox"/> 10. Loading Rack <input type="checkbox"/> 11. Other: Please List:

List below all persons employed by your company as a North Dakota Registered Service Person and the device types they are registered to certify (attach a separate sheet to list additional employees):

Permit No.	Employee	Device Types Registered to Certify (list using device type numbers from above)
<i>e.g. 1001</i>	<i>e.g. John Doe</i>	<i>e.g. Scales - 2, 3, 6, 8; e.g. Liquid - 1, 2, 6</i>
<i>1531</i>	<i>Allen J Holleman</i>	<i>Scales - 7</i>

Continued on Page 2



List below all field standards (attach current calibration reports):

Additional Application Items (initial where appropriate):

Standardized Test Report	<input type="checkbox"/> Copy enclosed <input checked="" type="checkbox"/> No change in report filed previously
Tested and Approved Sticker	<input type="checkbox"/> Copy enclosed <input checked="" type="checkbox"/> No change in sticker filed previously
Photocopy of Crimped Lead Wire Seal	<input type="checkbox"/> Copy enclosed <input checked="" type="checkbox"/> No change in crimped lead wire seal filed previously

Public Company Listing:

Include my company information on your registered service company list for public contact.
 Yes No

I am Kim D. Alherty, and have authority to represent this company.
By signing this application, I declare that I have examined this form and accompanying documentation, and to the best of my knowledge and belief, the facts stated and documentation provided is true, correct, and complete.

Kim D. Alherty
Signature

Send Completed Application and Related Documents To:

Public Service Commission
600 E Boulevard Ave Dept 408
Bismarck ND 58505-0480
Telephone: (701) 328-2400
Fax: (701) 328-2410



APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY

Public Service Commission
SFN 51277 (8/04)



TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED

Name of Company <i>Agassiz Seed & Supply</i>	Email Address <i>Al@Agassizseed.com</i>	Application Date <i>12-30-15</i>	
Mailing Address <i>445 7th St NW</i>	City <i>West Fargo, ND</i>	State <i>ND</i>	Zip Code <i>58078</i>
Telephone Number <i>701-282-8118</i>	Cell Phone Number <i>701-261-8578</i>	Fax Number <i>701-282-9119</i>	

List below all persons employed by your company to break seals and place devices into service:

Permit No.	Employee	Permit No.	Employee
<i>1531</i>	<i>Allen J Hollman</i>		

Identify below all test weights, prover tanks, etc., that will be used in the repair, inspection, and installation of weighing and measuring devices used in commercial trade:

<i>2 Kg</i>	<i>100g</i>	<i>20g</i>	<i>5g</i>	<i>1-g</i>	<i>100mg</i>
<i>1 Kg</i>	<i>50g</i>	<i>20g</i>	<i>2g</i>	<i>1g</i>	<i>50mg</i>
<i>500 g</i>	<i>50g</i>	<i>10g</i>	<i>2g</i>	<i>500 mg</i>	<i>20mg</i>
<i>200g</i>	<i>20g</i>	<i>10g</i>	<i>2g</i>	<i>200 mg</i>	<i>20mg</i>
<i>200g</i>	<i>20g</i>	<i>5g</i>	<i>2g</i>	<i>200mg</i>	<i>10mg</i>

I certify that all the necessary and adequate test weights or prover tanks for the repair and installation of commercial weighing, measuring, or liquid dispensing devices are listed above. I have included up-to-date calibration reports for all equipment calibrated outside of North Dakota.

Allen J Hollman
Signature of Company Contact Person

Send Completed Application and Calibration Reports (if applicable) To:

Public Service Commission
Testing and Safety Division
600 E Boulevard Ave Dept 408
Bismarck ND 58505-0480
Telephone: (701) 328-2400
Fax: (701) 328-2410

North Dakota

nd.gov Official Portal for North Dakota State Government



SECRETARY OF STATE NORTH DAKOTA



[Home](#) | [Business Records Search](#)

AGASSIZ SEED & SUPPLY

Trade Name

System ID: 13056400	Phone: (701) 282-8118
Status: Active	
Original File Date: 12/08/1997	Last Renewal Date: 12/08/2012

Nature of Business

THE SALE OF SEEDS, ELEVATOR AND AGRICULTURAL SUPPLIES AND OTHER PRODUCTS.

Owners

AGASSIZ SEEDS, INC.
 445 7TH ST NW
 WEST FARGO, ND 58078-1150

[Return to Search Results](#)

[Contact Us](#)

[Disclaimer](#)


[Privacy Policy](#)

We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.

North Dakota

nd.gov Official Portal for
North Dakota State Government

SECRETARY OF STATE NORTH DAKOTA


[Home](#) | [Business Records Search](#)

AGASSIZ SEEDS, INC.

Corporation Details

System ID: 2060600 **Phone:** (701) 282-8118
Type: BUSINESS CORPORATION
Status: Active & Good Standing
Original File Date: 03/03/1987 **Effective Date:** 03/03/1987
State of Origin: North Dakota

Nature of Business

SELLING GRAIN & RELATED FARM & ELEVATOR PRODUCTS

Principal Office

445 7TH ST NW WEST FARGO, ND 58078-1150

Registered Agent

KIM ALBERTY
 445 7TH ST NW
 WEST FARGO, ND 58078-1150
 Established Date: Sep 04, 1996

Authorized Shares

Class	Number	Par Value
	500.000000	\$100.000000

Generate an Annual Report To File

To Generate a Annual Report form to be filed with the Secretary of State, select the appropriate year of the report you intend to file. This report does not contain details of a report previously filed with the Secretary of State. The annual report years reflected are an indication of the various report forms available in this site and is not an indication that an entity needs to file reports for all years. Missing years indicate that the forms for the missing year have not yet been deployed to the website, or have already been removed, and can be obtained by contacting the Secretary of State.

[2015](#) (generates a forms-fillable pdf in a new pop-up window)


[Return to Search Results](#)

[Contact Us](#)
[Disclaimer](#) | [Privacy Policy](#)

We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.



Receipt Date: December 22, 2015
Test Date: December 23, 2015
Report Date: December 23, 2015

State Test No.: 335257
Set Serial No.: A1 & Sub A1 + 058F
Barcode: 201561

Calibration Report

AGASSIZ SEED & SUPPLY INC.
445 7TH ST NW
WEST FARGO, ND 58078
Contact: Allen Holleman
Phone: 701-282-8118
PO Number: None
SOP: 12
Technician ID: 19

Item(s) Submitted: Metric Weight Kit - F
Manufacturer: Rice Lake Weighing
ASTM E617 Type: I & II
Equipment ID#: None
Condition: Good
Temperature: 20.6 °C
Pressure: 720.8 mmHg
Relative Humidity: 47.9 %

Nominal Value	Serial No.	Correction (mg)		NIST HB105-1 Class		Uncertainty (mg) (k = 2)
		As Found	As Left	As Found	As Left	
2000 g		93	93	F	F	12
1000 g		28.7	28.7	F	F	7.1
500 g		20.2	20.2	F	F	4.0
200 g		17.1	17.1	F	F	1.2
200 g		17.1	17.1	F	F	1.2
100 g	Sub Kit A1	7.92	7.92	F	F	0.60
50 g		4.21	4.21	F	F	0.36
20 g		1.71	1.71	F	F	0.30
20 g		1.45	1.45	F	F	0.30
10 g		0.67	0.67	F	F	0.24
5 g		0.50	0.50	F	F	0.16
2 g		0.38	0.38	F	F	0.10
2 g		0.08	0.08	F	F	0.10
1 g		0.270	0.270	F	F	0.074
50 g	058F	4.40	4.40	F	F	0.36
20 g		1.59	1.59	F	F	0.30
20 g		1.72	1.72	F	F	0.30
10 g		0.97	0.97	F	F	0.24
5 g		0.81	0.81	F	F	0.16
2 g		0.18	0.18	F	F	0.10
2 g		0.39	0.39	F	F	0.10
1 g		0.500	0.500	F	F	0.074
0.5 g		0.350	0.350	F	F	0.046
0.2 g		0.210	0.210	F	F	0.032
0.2 g		0.180	0.180	F	F	0.032
0.1 g		0.000	0.000	F	F	0.024



Continued,

Receipt Date: December 22, 2015
Test Date: December 23, 2015
Report Date: December 23, 2015

State Test No.: 335257
Set Serial No.: A1 & Sub A1 + 058F
Barcode: 201561

Calibration Report

AGASSIZ SEED & SUPPLY INC.
445 7TH ST NW
WEST FARGO, ND 58078
Contact: Allen Holleman
Phone: 701-282-8118
PO Number: None
SOP: 12
Technician ID: 19

Item(s) Submitted: Metric Weight Kit - F
Manufacturer: Rice Lake Weighing
ASTM E617 Type: I & II
Equipment ID#: None
Condition: Good
Temperature: 20.6°C
Pressure: 720.8 mmHg
Relative Humidity: 47.9 %

Nominal Value	Serial No.	Correction (mg)		NIST HB105-1 Class		Uncertainty (mg) (k = 2)
		As Found	As Left	As Found	As Left	
0.05 g	058F	0.060	0.060	F	F	0.020
0.02 g		0.050	0.050	F	F	0.016
0.02 g		0.060	0.060	F	F	0.016
0.01 g		0.050	0.050	F	F	0.016

When used as a set these weights meet NIST HB105-1 Class F Tolerance.

The resulting tolerance class of the weight is determined by combining the correction of the weight and the uncertainty of the measurement. The corrections given above correlate to a conventional mass scale versus 8.0 g/cm³ density and an air density of 1.2 mg/cm³. The items listed above have been compared to the Standards of the State of Minnesota which are currently in control. These standards are traceable to the SI through NIST. Calibration processes were monitored and found to be in control. All of the tolerances and specifications were evaluated according to NIST Handbook 105-1 (1990). Uncertainty calculations contain the components in NIST SOP 8 and conform to the ISO/IEC Guide to the Expression of Uncertainty in Measurement (2008). Results apply to items identified in this report only.

Erik Alfvín

Metrologist

Reviewed by:

Mark Nicollet

Quality Manager

United States Department of Commerce

National Institute of Standards and Technology

Certificate of Metrological Traceability For:

Minnesota



This laboratory has demonstrated evidence of an unbroken chain of metrological traceability of its standards to the international system of units (SI), documented measurement uncertainties, uses documented measurement procedures, successfully completed training and proficiency tests, documented calibration intervals, submitted a quality management system, and demonstrated suitable measurement assurance for the Scope listed on this certificate.

The Office of Weights and Measures Program assesses laboratories to NIST Handbook 143 - Program Handbook for State Weights and Measures Laboratories and ISO/IEC 17025:2005.

2015

Scope

Mass Echelon II
50 kg to 1 mg
1000 lb to 0.001 lb
4 oz to 0.03125 oz

Mass Echelon III
50 kg to 1 mg
5000 lb to 0.001 lb
4 oz to 0.03125 oz

Weight Carts
10 000 lb to 2000 lb

Wheel Load Weighers
20 000 lb to 2000 lb

Railroad Test Cars
110 000 lb to 80 000 lb

Volume Gravimetric, I
20 L to 1 mL
100 gal to 0.25 qt

Volume Transfer, II
1500 gal to 5 gal
100 gal to 25 gal LPG

A handwritten signature in blue ink, appearing to read "Carol T. Hockett".

Carol T. Hockett, Chief
NIST Office of Weights and Measures

Effective Dates: 2015-01-01 to 2015-12-31