

January 12, 2016

Executive Secretary
 North Dakota Public Service Commission
 State Capitol Building
 Bismarck, ND 58505-0480

Re: Gas Meter Test Results
 Calendar Year 2014

Great Plains Natural Gas Co. (Great Plains), a Division of MDU Resources Group, Inc., herewith submits the results of its gas meter testing program in compliance with North Dakota Administrative Code Section 69-09-01-16 and Great Plains Meter Testing Procedures Rate 101. Great Plains is submitting results for the period January 1, 2014 through December 31, 2014.

In accordance with the tariff referenced above, residential meters are tested once every twelve years and large meters every 4 years. As noted below, Great Plains tested 57 residential meters and two large meters in 2014.

Great Plains Natural Gas Co. North Dakota 2014 Test Results Summary			
Residential Class		Large Meters	
% Error	# of Meters	% Error	# of Meters
<-4%	1	<-4%	0
<-3%	0	<-3%	0
<-2%	1	<-2%	0
-2% to 2%	52	-2% to 2%	0
>2%	2	>2%	2
>3%	1	>3%	0
>4%	0	>4%	0
Total	57	Total	2

A listing of each test record is provided in Attachment A.

All damaged or non-registering meters incapable of measuring gas accurately due to damaged indexes, mechanical malfunctions, or break(s) in the meter body are either retired or given a complete overhaul and re-tested before being placed back in service.

Please acknowledge receipt by stamping or initialing the duplicate copy of this letter attached hereto and returning the same in the enclosed self-addressed, stamped envelope.

Sincerely,



Tamie A. Aberle
Directory of Regulatory Affairs

Attachment

Great Plains Natural Gas Co.
Gas Utility - North Dakota
January 1, 2014 through December 31, 2014 Test Year

Meter	Open %	Check %	Meter Type	Date	Category	Average	% Error	Count
442409	84	100.9	R-750	9/18/2014	Residential	92.5	<-4%	1
428323	97.8	97.1	R 415	2/17/2011	Residential	97.5	<-2%	2
720000	98.1	99.2	R 250	12/3/2014	Residential	98.7	-2% to 2%	3
442897	97.9	99.9	R-750	9/18/2014	Residential	98.9	-2% to 2%	4
444699	98.8	99.6	AC 250	12/1/2014	Residential	99.2	-2% to 2%	5
443864	98.7	100.1	R 250	7/16/2015	Residential	99.4	-2% to 2%	6
442828	99.3	99.7	R-750	11/25/2014	Residential	99.5	-2% to 2%	7
442924	99.6	99.8	AC 250	2/9/2015	Residential	99.7	-2% to 2%	8
434368	99.7	99.9	R-750	6/18/2015	Residential	99.8	-2% to 2%	9
438695	99.1	100.7	R 250	7/2/2015	Residential	99.9	-2% to 2%	10
442840	99.2	100.6	AL-800	1/28/2015	Residential	99.9	-2% to 2%	11
443645	100	99.8	AC 250	12/2/2014	Residential	99.9	-2% to 2%	12
717862	99.6	100.2	R 250	9/22/2014	Residential	99.9	-2% to 2%	13
717969	99.8	100.1	R 250	9/22/2014	Residential	100.0	-2% to 2%	14
432944	99.9	100.1	R 250	7/16/2015	Residential	100.0	-2% to 2%	15
426966	99.8	100.3	R 250	2/27/2015	Residential	100.1	-2% to 2%	16
442991	99.8	100.4	R 250	9/18/2014	Residential	100.1	-2% to 2%	17
835211	100	100.3	AC 250	9/17/2014	Residential	100.2	-2% to 2%	18
711987	100.6	99.9	R 250	7/16/2015	Residential	100.3	-2% to 2%	19
835178	100.4	100.3	AC 250	7/2/2015	Residential	100.4	-2% to 2%	20
423498	100.2	100.6	AC 250	2/5/2015	Residential	100.4	-2% to 2%	21
741752	100.1	100.7	R 250	2/27/2015	Residential	100.4	-2% to 2%	22
835138	100.4	100.4	AC 250	12/1/2014	Residential	100.4	-2% to 2%	23
844702	100.3	100.5	AC 250	12/2/2014	Residential	100.4	-2% to 2%	24
444515	100.1	100.8	R 250	9/18/2014	Residential	100.5	-2% to 2%	25
437964	100.8	100.2	AC 250	12/1/2014	Residential	100.5	-2% to 2%	26
835305	100.5	100.6	AC 250	7/6/2015	Residential	100.6	-2% to 2%	27
835327	100.5	100.6	AC 250	7/2/2015	Residential	100.6	-2% to 2%	28
835250	100.4	100.9	AC 250	7/6/2015	Residential	100.7	-2% to 2%	29
901279	100.2	101.1	AC 250	12/1/2014	Residential	100.7	-2% to 2%	30
835240	100.4	101	AC 250	7/2/2015	Residential	100.7	-2% to 2%	31
444611	99.7	101.8	R-750	6/18/2015	Residential	100.8	-2% to 2%	32
835262	100.6	100.9	AC 250	7/6/2015	Residential	100.8	-2% to 2%	33
835265	101.2	100.3	AC 250	7/2/2015	Residential	100.8	-2% to 2%	34
836619	100.3	101.2	AL 425	7/7/2015	Residential	100.8	-2% to 2%	35
442545	100.5	101.1	R 250	2/27/2015	Residential	100.8	-2% to 2%	36
444526	100.5	101.1	R-750	6/18/2015	Residential	100.8	-2% to 2%	37
835203	100.3	101.5	AC 250	7/6/2015	Residential	100.9	-2% to 2%	38
835242	100.9	100.9	AC 250	7/6/2015	Residential	100.9	-2% to 2%	39

Meter	Open %	Check %	Meter Type	Date	Category	Average	% Error	Count
835252	100.9	100.9	AC 250	7/2/2015	Residential	100.9	-2% to 2%	40
835304	100.6	101.2	AC 250	7/6/2015	Residential	100.9	-2% to 2%	41
844680	100.7	101.1	AC 250	12/3/2014	Residential	100.9	-2% to 2%	42
851041	101.2	100.7	AC 250	12/3/2014	Residential	101.0	-2% to 2%	43
901388	100.7	101.2	AC 250	12/2/2014	Residential	101.0	-2% to 2%	44
901247	101.1	100.9	AC 250	12/1/2014	Residential	101.0	-2% to 2%	45
844788	100.7	101.4	AC 250	12/1/2014	Residential	101.1	-2% to 2%	46
443320	101.3	100.9	R 250	7/2/2015	Residential	101.1	-2% to 2%	47
836264	100.5	101.7	AC 250	7/6/2015	Residential	101.1	-2% to 2%	48
835215	100.9	101.5	AC 250	7/6/2015	Residential	101.2	-2% to 2%	49
835266	101.3	101.3	AC 250	7/6/2015	Residential	101.3	-2% to 2%	50
835202	101.2	101.9	AC 250	7/6/2015	Residential	101.6	-2% to 2%	51
859319	101.4	101.7	AC 250	12/3/2014	Residential	101.6	-2% to 2%	52
897254	101.2	101.9	AC 250	9/17/2014	Residential	101.6	-2% to 2%	53
835270	101.5	101.9	AC 250	7/2/2015	Residential	101.7	-2% to 2%	54
442843	102.1	102.2	R5000	9/15/2015	Commercial	102.2	>2%	55
736275	101.8	102.7	R 250	8/27/2012	Residential	102.3	>2%	56
859246	102.5	102.4	AC 250	2/9/2015	Residential	102.5	>2%	57
444395	103.5	101.9	R5000	9/15/2015	Commercial	102.7	>2%	58
444516	102.9	103.2	R 415	7/2/2015	Residential	103.1	>3%	59