



Public Service Commission State of North Dakota

COMMISSIONERS

Brian Kroshus
Julie Fedorchak
Randy Christmann

January 3, 2020

600 East Boulevard, Dept. 408
Bismarck, North Dakota 58505-0480
Web: www.psc.nd.gov
E-mail: ndpsc@nd.gov
Phone: 701-328-2400
ND Toll Free: 1-877-245-6685
Fax: 701-328-2410
TDD: 800-366-6888 or 711

Casey A. Furey
Crowley Fleck PLLP
100 West Broadway, Suite 250
Bismarck, ND 58502-2798

NOTICE OF NONCOMPLIANCE

RE: Case No. PU-16-42
Brady Wind II, LLC - Brady II Wind Energy Center
Aircraft Detection Lighting System

On January 2, 2020, Brady Wind II, LLC provided a letter updating the North Dakota Public Service Commission Staff (Staff) on the status of implementation of the light-mitigating technology system at the Brady II Wind Energy Center. Staff concluded that, while the light-mitigating technology system is near to completion, it was not functioning in its full capacity at that time. Therefore, Brady Wind, LLC is not in compliance with North Dakota law.

On January 2, 2020 the Commission held a work session on the matter and the Commissioners directed Staff to provide the following Notice of Noncompliance:

North Dakota Century Code ("N.D.C.C") 49-22-16.4(2) and North Dakota Administrative Code (N.D.A.C.) 69-06-11-02(1) state that, by December 31, 2019, every wind energy conversion facility for which the Public Service Commission issued a certificate of site compatibility after June 5, 2016, must be equipped with a functioning light mitigating technology. N.D.C.C. 49-22-16.4 and N.D.A.C. 69-06-11 do not allow for an extension of this deadline. N.D.A.C. 69-06-11-02(5) also provides that written notice to the commission is required upon implementation of light-mitigating technology.

N.D.C.C. 49-22-21(3)(b-c) sets forth the following penalty provisions for non-compliance:

3. Any person who willfully engages in any of the following conduct is subject to a civil penalty of not to exceed ten thousand dollars for each such violation for each day the violations persist, except that the maximum penalty may not exceed two hundred thousand dollars for any related series of violations:


...

- b. Constructs, operates, or maintains an electric energy conversion facility or an electric transmission facility other than in compliance with the certificate or permit and any terms, conditions, or modifications contained therein.
- c. Violates any provision of this chapter or any rule adopted by the commission pursuant to this chapter.

In addition to the civil penalty, the Commission may suspend or revoke the Certificate of Site Compatibility issued for the Brady II Wind Energy Center for operation in violation of N.D.C.C., N.D.A.C, or provisions of the Commission's Order issuing the Certificate.

Please feel free to contact me with any questions. `

Best regards,



Patrick Fahn

Director, Public Utilities Division