

Bauske, Shelly A.

From: Bauske, Shelly A.
Sent: Monday, July 25, 2016 1:39 PM
To: 'dirk@stamart.com'
Subject: Application Documents
Attachments: 001-010.pdf; 002-010.pdf; 003-010.pdf; 004-020.pdf

Hi Dirk

Per our conversation, attached are the documents you requested.

If you need anything else, please let me know.

Thank you.

Shelly Bauske
Public Service Commission
600 E Boulevard Ave Dept 408
Bismarck ND 58505-0480
701-328-4070
701-328-2410 (fax)
sbauske@nd.gov



APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY

Public Service Commission
SFN 51277 (2/2014)

TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED

Name of Company SERVICE OIL, INC	Email Address DIRK@STAMART.COM	Application Date 1-29-15	
Mailing Address 1718 EAST MAIN AVE	City WEST FARGO	State ND	Zip Code 58078
Telephone Number 701-277-1050	Cell Phone Number 701-238-0157	Fax Number 701-277-1223	

Select below all device types your company will certify:

Scales (include maximum capacity, if applicable)	Liquid (include maximum flow rate, if applicable)
<input type="checkbox"/> 1. Rail <input type="checkbox"/> 2. Truck <input type="checkbox"/> 3. Livestock <input type="checkbox"/> 4. Hopper: Max. Capacity: _____ <input type="checkbox"/> 5. Belt <input type="checkbox"/> 6. Over 30 lbs.: Max. Capacity: _____ <input type="checkbox"/> 7. 30 lbs. or less <input type="checkbox"/> 8. Class II (indicate on your calibration report which weight kit is Class II certified) <input type="checkbox"/> 9. Other: Please List:	<input checked="" type="checkbox"/> 1. Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> 2. High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> 3. Vehicle Tank: Max. Flow Rate: _____ <input checked="" type="checkbox"/> 4. Stationary Bulk (fuel or oil): Max. Flow Rate: 200 <input type="checkbox"/> 5. LPG <input type="checkbox"/> 6. Stationary LPG <input type="checkbox"/> 7. Fertilizer: Max. Flow Rate: _____ <input type="checkbox"/> 8. Chemical <input type="checkbox"/> 9. Anhydrous <input type="checkbox"/> 10. Loading Rack <input type="checkbox"/> 11. Other: Please List:

List below all persons employed by your company as a North Dakota Registered Service Person and the device types they are registered to certify (attach a separate sheet to list additional employees):

Permit No.	Employee	Device Types Registered to Certify (list using device type numbers from above)
e.g. 1001	e.g. John Doe	e.g. Scales - 2, 3, 6, 8; e.g. Liquid - 1, 2, 6
1510	STEVEN DIRK LENTHE	5 GALLON AND 50 GALLON P.

Continued on Page 2

Application for Registration as a Registered Service Company
Page 2

List below all field standards (attach current calibration reports):

5 GALLON PROVER	SERAPHIN SN # 03-18752-04
50 GALLON PROVER	" SN# 05-41532-03

Additional Application Items (initial where appropriate):

Standardized Test Report	<u>SD</u> Copy enclosed _____ No change in report filed previously
Tested and Approved Sticker	<u>SD</u> Copy enclosed _____ No change in sticker filed previously
Photocopy of Crimped Lead Wire Seal	<u>SD</u> Copy enclosed _____ No change in crimped lead wire seal filed previously

Public Company Listing:

Include my company information on your registered service company list for public contact.
 Yes No

I am STEVEN DIRK LENTHE and have authority to represent this company.
By signing this application, I declare that I have examined this form and accompanying documentation, and to the best of my knowledge and belief, the facts stated and documentation provided is true, correct, and complete.

Steven D Lenthe
Signature

Send Completed Application and Related Documents To:

Public Service Commission
600 E Boulevard Ave Dept 408
Bismarck ND 58505-0480
Telephone: (701) 328-2400
Fax: (701) 328-2410



14305 SOUTHCROSS DRIVE #150
BURNSVILLE, MN 55306-7008
MN.GOV/COMMERCE/
651.539.1555 FAX 651.539.1553
AN EQUAL OPPORTUNITY EMPLOYER

Receipt Date: August 19, 2014
Test Date: September 4, 2014
Report Date: September 4, 2014

State Test No.: 332991
Serial No.: 03-18752-04
Bar Code: 201316

Calibration Report

R&R PETROLEUM EQUIPMENT SALES
5115 COUNTY ROAD 81 N
FARGO, ND 58102-7401
Contact: JIM SCHAEFER
Phone: 701-293-1707
PO Number: NONE
SOP: 32
Technician ID: 07

Item(s) Submitted: 5 Gallon Prover
Manufacturer: Seraphin
Material: SS
Equipment Number: None
Condition: Good
Temperature: 26.6°C
Pressure: 728.3 mmHg
Relative Humidity: 60. %

Nominal Volume		Error (in ³)	Volume Contained At Zero Line (gallons)	Uncertainty (in ³)	Coefficient of Expansion (°F)
5 gal	As Found	-0.01	5.0000	0.62	0.0000265
	As Left	-0.01	5.0000	0.62	

Neck Calibration: No neck calibration was done at this time.

This measure or prover has been calibrated as a "to contain after wet down" vessel with a drain time of 30 seconds after cessation of full flow and at a reference temperature of 60°F.

The measure or prover listed above has been compared by volumetric transfer methods to the standards of the State of Minnesota. The standards are traceable to the SI through NIST. Statistical process control charts indicate standards are currently in control. All gauges were sealed in place.

The reported uncertainty conforms to NIST Technical Note 1297. The confidence interval is 95%.

Results apply to item identified in this report only.

Mark Nicollet

Quality Manager

Reviewed by:
Kari Anderson

Metrologist



14305 SOUTHCROSS DRIVE #150
BURNSVILLE, MN 55306-7008
MN.GOV/COMMERCE/
651.539.1555 FAX 651.539.1553
AN EQUAL OPPORTUNITY EMPLOYER

Receipt Date: August 19, 2014
Test Date: September 3, 2014
Report Date: September 3, 2014

State Test No.: 332990
Serial No.: 05-41532-03
Bar Code: 202361

Calibration Report

R&R PETROLEUM EQUIPMENT SALES
5115 COUNTY ROAD 81 N
FARGO, ND 58102-7401
Contact: JIM SCHAEFER
Phone: 701-293-1707
PO Number: NONE
SOP: 33
Technician ID: 07

Item(s) Submitted: 50 Gallon Prover
Manufacturer: Seraphin
Material: SS
Description: Dry Bottom
Condition: Good
Temperature: 27.1°C
Pressure: 729.1 mmHg
Relative Humidity: 48. %

Nominal Volume		Volume (gallons)	Error (in ³)	Uncertainty (in ³)	Coefficient of Expansion(°F)
50 gal	As Found	50.012	2.8	4.4	0.0000265
	As Left	50.012	2.8	4.4	

Neck Calibration: No neck calibration was done at this time.

This prover has been calibrated as a "to contain after wet down" vessel with a drain time of 30 seconds after cessation of full flow and at a reference temperature of 60°F.

The prover listed above has been compared by volumetric transfer methods to the standards of the State of Minnesota. The standards are traceable to the SI through NIST. Statistical process control charts indicate standards are currently in control. All gauges were sealed in place.

The reported uncertainty conforms to NIST Technical Note 1297. The confidence interval is 95%.

Results apply to item identified in this report only.

Mark Nicollet

Quality Manager


Reviewed by:

Kari Anderson

Metrologist

SERVICE OIL, INC
1718 EAST MAIN AVENUE
WEST FARGO, ND 58078
701-277-1050

TESTED AND APPROVED



DO NOT REMOVE THIS TAG



SD 4

**MINNESOTA DEPARTMENT OF COMMERCE
WEIGHTS & MEASURES DIVISION**

Certificate of Authority to Place in Service

is granted to

DIRK LENTHE

Permit #0434

who meets the requirements for authority to place into commercial service in Minnesota the weighing and measuring devices listed below.

Authorization period is

September 03, 2014

through

September 03, 2015

Classifications

MN GENERAL TEST

RETAIL PUMPS



Heidi Jones
Heidi Jones



RENEWAL OF AUTHORITY - TESTING AND SAFETY
PUBLIC SERVICE COMMISSION
SFN 53139 (11/01)

TYPE OR PRINT ANY CORRECTIONS ON THIS FORM OR BY ATTACHMENT.
AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED.

Name of Applicant	Telephone Number	Permit #	
DIRK LENTHE	701-238-0157	1510	
Personal Address	City	State	Zip Code
PO BOX 655	WEST FARGO	ND	58078

Name of Employer	Telephone Number	Fax	
SERVICE OIL, INC.	701-277-1050	701-277-1723	
Employer Address	City	State	Zip Code
11718 E. MAIN AVE	WEST FARGO	ND	58078

I hereby apply for authority to break seals and place in service weights and measures equipment for use in commercial trade in the State of North Dakota, in accordance with Public Service Commission laws, rules and regulations.

I certify that I, or my company, have the necessary and adequate field standards for the repair and installation of commercial weighing, measuring, or liquid dispensing devices.

1-29-15
Application Date


Signature of Applicant

Send Completed Application To:

Public Service Commission
Testing and Safety Division
600 E Boulevard Ave Dept 408
Bismarck ND 58505-0480

Telephone: (701) 328-2400

Fax: (701) 328-2410

DIRK LENTHE
PO BOX 655
WEST FARGO ND 58078



14305 SOUTHCROSS DRIVE #150
BURNSVILLE, MN 55306-7008
MN.GOV/COMMERCE/
651.539.1555 FAX 952.435.4040
AN EQUAL OPPORTUNITY EMPLOYER

Receipt Date: October 23, 2015
Test Date: October 23, 2015
Report Date: October 23, 2015

State Test No.: 334974
Serial No.: 03-18752-04
Barcode: 201316

Calibration Report

SERVICE OIL
1718 MAIN AVE E
WEST FARGO, ND 58078-2204
Contact: Dirk Lenthe
Phone: 701-277-1050
PO Number: None
SOP: 32
Technician ID: 19

Item(s) Submitted: 5 Gallon Prover
Manufacturer: Seraphin
Material: Stainless Steel
Equipment Number: None
Condition: Good
Temperature: 20.7 °C
Pressure: 737.2 mmHg
Relative Humidity: 41. %
Standard H₂O Temp.: 19.5 °C
Artifact H₂O Temp.: 19.5 °C

Nominal Volume (gal)		Error (in ³)	Volume at Zero Line (gal)	Uncertainty (in ³)	Coefficient of Expansion (°F)
5	As Found	0.34	5.0015	0.62	0.0000265
	As Left	-0.01	4.9999	0.62	

Neck Calibration: No neck calibration was done at this time.

This measure or prover has been calibrated as a "to contain after wet down" vessel with a drain time of 30 seconds after cessation of full flow and at a reference temperature of 60 °F.

The measure or prover listed above has been compared by volumetric transfer methods to the standards of the State of Minnesota using water as the calibration medium. The standards are traceable to the SI through NIST. Statistical process control charts indicate standards are currently in control. All gauges were sealed in place.

The reported uncertainty conforms to NIST Technical Note 1297. The confidence interval is 95 %.

Results apply to item identified in this report only.

Erik Alfvin

Metrologist

Reviewed by:
Mark Nicollet

Quality Manager



14305 SOUTHCROSS DRIVE #150
BURNSVILLE, MN 55306-7008
MN.GOV/COMMERCE/
651.539.1555 FAX 952.435.4040
AN EQUAL OPPORTUNITY EMPLOYER

Receipt Date: October 23, 2015
Test Date: October 23, 2015
Report Date: October 23, 2015

State Test No.: 334975
Serial No.: 05-01851
Barcode: 202105

Calibration Report

SERVICE OIL
1718 MAIN AVE E
WEST FARGO, ND 58078-2204
Contact: Dirk Lenthe
Phone: 701-277-1050
PO Number: None
SOP: 32
Technician ID: 19

Item(s) Submitted: 5 Gallon Measure
Manufacturer: Seraphin
Material: Stainless Steel
Equipment Number: None
Condition: Excellent
Temperature: 20.7 °C
Pressure: 737.2 mmHg
Relative Humidity: 41. %
Standard H₂O Temp.: 19.4 °C
Artifact H₂O Temp.: 19.5 °C

Nominal Volume (gal)		Error (in ³)	Volume at Zero Line (gal)	Uncertainty (in ³)	Coefficient of Expansion (°F)
5	As Found	0.23	5.0010	0.62	0.0000265
	As Left	0.00	5.0000	0.62	

Neck Calibration: No neck calibration was done at this time.

This measure or prover has been calibrated as a "to contain after wet down" vessel with a pour time of 30 seconds, a drain time of 10 seconds after cessation of full flow and at a reference temperature of 60 °F.

The measure or prover listed above has been compared by volumetric transfer methods to the standards of the State of Minnesota using water as the calibration medium. The standards are traceable to the SI through NIST. Statistical process control charts indicate standards are currently in control. All gauges were sealed in place.

The reported uncertainty conforms to NIST Technical Note 1297. The confidence interval is 95 %.

Results apply to item identified in this report only.

Erik Alfvin

Metrologist

Reviewed by:

Mark Nicollet

Quality Manager

**MINNESOTA DEPARTMENT OF COMMERCE
WEIGHTS & MEASURES DIVISION**

Certificate of Authority to Place in Service

is granted to

DIRK LENTHE

Permit #0434

who meets the requirements for authority to place into commercial service in Minnesota the weighing
and measuring devices listed below:

Authorization period is

October 15, 2015

through

October 15, 2016

Classifications

MN GENERAL TEST

RETAIL PUMPS




**MINNESOTA
DEPARTMENT OF
COMMERCE**

Heidi Jones

Heidi Jones

North Dakota

nd.gov Official Portal for North Dakota State Government



SECRETARY OF STATE NORTH DAKOTA



[Home](#) | [Business Records Search](#)

SERVICE OIL, INC.

Corporation Details

System ID: 2006700 **Phone:** (701) 277-1050
Type: BUSINESS CORPORATION
Status: Active & Good Standing
Original File Date: 02/13/1978 **Effective Date:** 02/13/1978
State of Origin: North Dakota

Nature of Business

CONVENIENCE STORES, RETAIL GAS/DIESEL

Principal Office

1718 E MAIN AVE WEST FARGO, ND 58078-2204

Registered Agent

STEVEN D LENTHE
1718 MAIN AVE E
WEST FARGO, ND 58078-2204

Authorized Shares

Class	Number	Par Value
	3000.000000	\$10.000000

Generate an Annual Report To File

To Generate a Annual Report form to be filed with the Secretary of State, select the appropriate year of the report you intend to file. This report does not contain details of a report previously filed with the Secretary of State. The annual report years reflected are an indication of the various report forms available in this site and is not an indication that an entity needs to file reports for all years. Missing years indicate that the forms for the missing year have not yet been deployed to the website, or have already been removed, and can be obtained by contacting the Secretary of State.

[2015](#) (generates a forms-fillable pdf in a new pop-up window)

[Return to Search Results](#)

[Contact Us](#)

[Disclaimer](#) | [Privacy Policy](#)

We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota



Public Service Commission
State of North Dakota

COMMISSIONERS

Julie Fedorchak
Randy Christmann
Brian P. Kalk

Executive Secretary
Darrell Nitschke

600 East Boulevard, Dept. 408
Bismarck, North Dakota 58505-0480
Web: www.psc.nd.gov
E-mail: ndpsc@nd.gov
Phone: 701-328-2400
ND Toll Free: 1-877-245-6685
Fax: 701-328-2410
TDD: 800-366-6888 or 711

March 8, 2016

Mr. Dirk Lenthe
Service Oil Inc
1718 E Main Ave
West Fargo ND 58078


Dear Mr. Lenthe:

Service Oil Inc.'s Application for Registration as a Registered Service Company to test and approve gas pumps has been reviewed. However, based on the Secretary of State's documented nature of the business, which is convenience stores and retail gas/diesel, the application is **denied**. The nature of the business lacks the independence needed to perform the functions of a Registered Service Company in North Dakota.

Your Application for Authority (registered service person permit) is also **denied** because you are not working for a registered service company.

If you would like the Commission to review your application and my decision to deny it, please file a written request for Commission review within 20 days of the date of this letter. If you would like to meet with the Commission to discuss this matter in person, please include that in your request.

Sincerely,



Joshua Gallion, Program Manager
Weights and Measures Division