



Public Service Commission
State of North Dakota

COMMISSIONERS

Julie Fedorchak
Randy Christmann
Sheri Haugen-Hoffart

600 East Boulevard Avenue Dept. 408
Bismarck, ND 58505-0480
Web: www.psc.nd.gov
Phone: 701-328-2400
ND Toll Free; 1-877-245-6685
Fax: 701-328-2410
TDD: 800-366-6888 or 711

March 3, 2022

Casey Furey
Crowley Fleck Attorneys
PO Box 2798
Bismarck, ND 58502-2798

NOTICE OF NONCOMPLIANCE

Case No. PU-16-140

Plains Terminals North Dakota LLC – 24-Inch Crude Pipeline Project – McKenzie County

And

Case No. PU-20-405

**Plains Terminals ND /Eighty Eight Terminals ND LLC
Name Change – Corridor #191 & Route #203**

The Commission's August 17, 2016, Order on Recommended Findings of Fact, Conclusions of Law and Order in Case No. PU-16-140 issued Certificate of Corridor Compatibility No. 191 and Route Permit No. 203 to Plains Terminals North Dakota LLC (Plains) designating a location for the construction, operation, and maintenance of the Project.

On October 7, 2020, the Commission reissued Certificate of Corridor Compatibility No. 191 and Route Permit No. 203 to Eighty Eight Terminals ND LLC due to a company name change.

As-built design specifications and GIS

The Certification to Order Provisions paragraph 33 (Certification) attached to and made part of the Order required that the Company provide the Commission with both an

Notice of Noncompliance
PU-16-140

82 **PU-16-140** Filed: 3/3/2022 Pages: 2
Notice of Noncompliance

electronic (pdf) and a paper copy of the corridor approved by the Commission and the facility design specifications for the construction of the transmission facility showing the location of the transmission facility as built, and provide this information within 3 months of completion of the construction. The Certification required that the Company also provide an electronic version of the corridor approved by the Commission and the facility design specifications for the construction of the transmission facility showing the location of the transmission facility as built that can be imported into ESRI GIS mapping software within 3 months of completion of the construction. It appears the Company is in noncompliance of the Commission's Order by not filing with the Commission these mapping requirements.

Staff requests these mapping documents and data be filed with the Public Service Commission by March 17, 2022, to avoid further action due to noncompliance.

Please feel free to contact me with any questions.

Best regards,

A handwritten signature in cursive script that reads "Patrick Fahn".

Patrick Fahn
Director, Public Utilities Division