



TEMPORARY AUTHORITY PERMIT
 NORTH DAKOTA PUBLIC SERVICE COMMISSION
 PUBLIC UTILITIES
 SFN 50560 (6-96)

Date May 24th, 2016	Time 8:00	<input type="checkbox"/> a.m. <input type="checkbox"/> p.m.	Name of Utility Montana-Dakota Utilities	Telephone Number 701-572-1620
Name of Person Calling Ken Callahan			Name of Coop Serving Mountrail Williams	
Name of Customer Williams County		Location Sec 22-SE Twp 159N R 95W		
Address McGregor Dam			County Williams	
City McGregor			State ND	Zip Code 58755
Name of Nearest City McGregor			Distance to the City 3400' outside of MDU service boundary	
When will service be extended? Jun. 13th, 2016		Type of Service <input type="checkbox"/> Residence <input type="checkbox"/> Storage <input type="checkbox"/> Grain Bin <input checked="" type="checkbox"/> Other <u>1 Phase</u>		
Extension Length to Most Economical Point of Service Utility: 5280' Coop: 1+ Miles		Extension <input type="checkbox"/> Overhead <input checked="" type="checkbox"/> Underground		
Has customer signed request for service? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Will cooperative protest application? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Name of Person Contacted (PSC Use)		Date of Contact (PSC Use)	Time (PSC Use) <input type="checkbox"/> a.m. <input type="checkbox"/> p.m.	
Estimated Cost of Extension \$39,971		Estimated Revenue \$1000/Yr.		
Under what rate filed with the Public Service Commission will customer be served? Small General Electric Service Rate 20				
Will extension cross over coop lines? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Will extension cross over railroad tracks? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Temporary Authority Authorized By <input type="checkbox"/> Telephone <input type="checkbox"/> Letter		Date Authorized		
Authorized By (Name of Commissioner)				

Extension must be made from most economical point of service.

Comments:
 Customer requested MDU to serve them, Chris Brostuen from MWEC has agreed MDU should serve this customer.