

Exam Date:10/18/2016

Finley Farmers Grain &amp; Elevator Company

Page: 1

Examiner: 1

PO Box 477

Finley , ND

County:

Phone: 701-524-1500

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
001 T	D	970,310
002 B	D	306,246
002 T	D	970,310
001	D-C	3,078
002	D-C	3,078
003	D-C	3,078
004	D-C	3,078
005	D-C	2,864
006	D-C	2,864
007	D-C	2,864
008	D-C	1,853
009	D-C	1,853
010	D-C	1,853
011	D-C	1,853
012	D-C	1,853
013	D-C	1,853
001	B-C	54,882
001 B	D	306,246
ground	D	824,923
	<b>Total:</b>	<b>3,464,939</b>

**PART B - SPACE TO BE DELETED UNDER LICENSE**

014	D-C	2,975
015	D-C	2,975
016	D-C	2,975
017	D-C	2,975
018	D-C	1,853
019	D-C	1,853
020	D-C	1,853
	<b>Total:</b>	<b>17,459</b>

**PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

A	1,632,000
B	1,189,000
B-C	1,003,000
C	178,000
C-C	182,000
D	3,379,000
D-C	33,000

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg). Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Cooperstown

### Section: B-C

Added	B-C	001	Peaked	top of sidewall	48.000	0.000	0.000	30.85	0.00	0.00	30.850	3.400	34.3	1454.6	10.0	54,882
	B-C	002	Peaked	top of sidewall	48.000	0.000	0.000	32.10	0.00	0.00	32.100	3.400	35.5	1454.6	10.0	56,802
	B-C	003	Peaked	top of sidewall	48.000	0.000	0.000	30.85	0.00	0.00	30.850	3.400	34.3	1454.6	10.0	54,882
	B-C	004	Peaked	top of sidewall	48.000	0.000	0.000	32.10	0.00	0.00	32.100	3.400	35.5	1454.6	10.0	56,802
	B-C	005	Peaked	top of sidewall	48.000	0.000	0.000	30.85	0.00	0.00	30.850	3.400	34.3	1454.6	10.0	54,882
	B-C	006	Peaked	top of sidewall	48.000	0.000	0.000	32.10	0.00	0.00	32.100	3.400	35.5	1454.6	10.0	56,802
	B-C	007	Peaked	top of sidewall	48.000	0.000	0.000	30.85	0.00	0.00	30.850	3.400	34.3	1454.6	10.0	54,882
	B-C	008	Peaked	top of sidewall	48.000	0.000	0.000	32.10	0.00	0.00	32.100	3.400	35.5	1454.6	10.0	56,802
	B-C	009	Peaked	top of sidewall	53.700	0.000	0.000	35.50	0.00	0.00	35.500	3.800	39.3	1820.6	10.0	78,705
	B-C	010	Peaked	top of sidewall	59.850	0.000	0.000	35.40	0.00	0.00	35.400	4.200	39.6	2261.5	10.0	98,511
	B-C	011	Peaked	top of sidewall	41.900	0.000	0.000	42.75	0.00	0.00	42.750	2.500	45.3	1108.4	10.0	55,232
	B-C	012	Peaked	top of sidewall	77.600	0.000	0.000	72.00	0.00	0.00	72.000	5.400	77.4	3801.8	10.0	323,685

Bin count: 12

Facility: Cooperstown Section: B-C Total: **1,002,869**

To Even: **1,003,000**

### Section: C-C

C-C	001 T	Square	work floor	0.000	11.00	6.900	55.00	0.00	0.00	55.000	0.000	55.0	61.0	4.80	3,516
C-C	001 B	Square	work floor- top 55'	0.000	14.50	11.00	17.00	0.00	0.00	17.000	0.000	17.0	128.2	6.50	2,321
C-C	002 T	Square	work floor	0.000	11.00	6.900	55.00	0.00	0.00	55.000	0.000	55.0	61.0	4.80	3,516
C-C	002 B	Square	work floor - top 55'	0.000	14.50	11.00	17.00	0.00	0.00	17.000	0.000	17.0	128.2	6.50	2,321

Client ID: 145

## NDPSC Bin Capacity Chart

11/17/2016 02:58:13 PM

Exam Date:10/18/2016

Finley Farmers Grain &amp; Elevator Company

Page: 2

Examiner: 1

PO Box 477

Finley, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Cooperstown****Section: C-C**

C-C	003 T	Square	work floor		0.000	11.00	6.900	55.00	0.00	0.00	55.000	0.000	55.0	61.0	4.80	3,516
C-C	003 B	Square	work floor - top 55'		0.000	14.50	11.00	17.00	0.00	0.00	17.000	0.000	17.0	128.2	6.50	2,321
C-C	004 T	Square	work floor		0.000	11.00	6.900	55.00	0.00	0.00	55.000	0.000	55.0	61.0	4.80	3,516
C-C	004 B	Square	work floor - tolp 55'		0.000	14.50	11.00	17.00	0.00	0.00	17.000	0.000	17.0	128.2	6.50	2,321
C-C	007 T	Irregular	work floor - 11 x 6.8 less 2.8		54.500	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	54.5	4.50	855
C-C	007 B	Square	work floor - top 15'		0.000	11.00	6.800	39.00	0.00	0.00	39.000	0.000	39.0	60.1	4.80	2,457
C-C	008	Square	work floor		0.000	11.00	7.300	54.00	0.00	0.00	54.000	0.000	54.0	64.5	5.00	3,657
C-C	009	Square	work floor		0.000	12.20	6.900	54.00	0.00	0.00	54.000	0.000	54.0	67.7	5.20	3,846
C-C	010	Square	work floor		0.000	6.700	4.200	29.00	0.00	0.00	29.000	0.000	29.0	22.6	2.00	668
C-C	011	Square	work floor		0.000	12.20	6.900	54.00	0.00	0.00	54.000	0.000	54.0	67.7	5.20	3,846
C-C	012	Square	work floor		0.000	8.200	7.300	54.00	0.00	0.00	54.000	0.000	54.0	48.1	4.20	2,706
C-C	013 T	Square	work floor		0.000	8.400	6.800	15.00	0.00	0.00	15.000	0.000	15.0	45.9	4.00	717
C-C	013 B	Square	work floor - top 15'		0.000	11.00	6.800	39.00	0.00	0.00	39.000	0.000	39.0	60.1	4.80	2,457
C-C	014	Square	work floor		0.000	11.00	7.300	54.00	0.00	0.00	54.000	0.000	54.0	64.5	5.00	3,657
C-C	015	Square	work floor		0.000	11.00	7.300	54.00	0.00	0.00	54.000	0.000	54.0	64.5	5.00	3,657
C-C	016	Square	work floor		0.000	7.300	3.800	54.00	0.00	0.00	54.000	0.000	54.0	22.3	2.00	1,228
C-C	017	Square	work floor		0.000	11.00	7.300	54.00	0.00	0.00	54.000	0.000	54.0	64.5	5.00	3,657
C-C	018	Square	work floor		0.000	12.20	7.300	54.00	0.00	0.00	54.000	0.000	54.0	71.6	5.20	4,067
C-C	019 T	Irregular	work floor - 12.2 x 6.8 less		59.900	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	59.9	4.80	942
C-C	019 B	Square	work floor - top 15'		0.000	12.20	6.800	39.00	0.00	0.00	39.000	0.000	39.0	66.7	5.00	2,731

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Cooperstown

### Section: C-C

	C-C	020	Square	work floor	0.000	11.00	3.400	53.00	0.00	0.00	53.000	0.000	53.0	30.1	2.50	1,635
	C-C	021 T	Square	work floor	0.000	6.800	6.000	15.00	0.00	0.00	15.000	0.000	15.0	32.8	2.50	504
	C-C	021 B	Square	work floor - top 15'	0.000	9.800	6.800	39.00	0.00	0.00	39.000	0.000	39.0	53.6	4.50	2,184
	C-C	022 T	Square	work floor	0.000	4.200	4.000	29.00	0.00	0.00	29.000	0.000	29.0	13.5	2.00	400
	C-C	022 B	Square	work floor - top 29'	0.000	11.00	4.200	24.00	0.00	0.00	24.000	0.000	24.0	37.1	3.00	917
	C-C	118	Peaked	eave	16.000	0.000	0.000	20.00	0.00	0.00	20.000	1.000	21.0	161.6	5.80	3,591
	C-C	401	Quonset	u-trough to floor 20'	0.000	201.3	47.20	13.60	0.00	0.00	13.600	0.000	13.6	7190.9	10.0	107,577

Bin count:	31	<b>Facility: Cooperstown Section: C-C Total:</b>	<b>181,304</b>
		To Even:	<b>182,000</b>

### Section: D-C

Added	D-C	001	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
Added	D-C	002	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
Added	D-C	003	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
Added	D-C	004	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
Added	D-C	005	Peaked	top of sidewall	15.500	0.000	0.000	15.00	2.00	0.00	17.000	0.900	17.9	151.7	5.50	2,864
Added	D-C	006	Peaked	top of sidewall	15.500	0.000	0.000	15.00	2.00	0.00	17.000	0.900	17.9	151.7	5.50	2,864
Added	D-C	007	Peaked	top of sidewall	15.500	0.000	0.000	15.00	2.00	0.00	17.000	0.900	17.9	151.7	5.50	2,864
Added	D-C	008	Peaked	top of sidewall	13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853
Added	D-C	009	Peaked	top of sidewall	13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853

Client ID: 145	<b>NDPSC Bin Capacity Chart</b>	11/17/2016 02:58:13 PM
Exam Date:10/18/2016	Finley Farmers Grain & Elevator Company	Page: 4
Examiner: 1	PO Box 477 Finley , ND County:	

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Cooperstown

### Section: D-C

Added	D-C	010	Peaked	top of sidewall	13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853
Added	D-C	011	Peaked	top of sidewall	13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853
Added	D-C	012	Peaked	top of sidewall	13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853
Added	D-C	013	Peaked	top of sidewall	13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853

**Bin count: 13**

**Facility: Cooperstown Section: D-C Total: 32,022**

To Even: 33,000

Exam Date:10/18/2016

Finley Farmers Grain &amp; Elevator Company

Page: 5

Examiner: 1

PO Box 477

Finley , ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Finley

### Section: A

A	002	Square	slab over bins		0.000	6.500	5.500	65.00	0.00	0.00	65.000	0.000	65.0	28.7	2.50	1,913
A	003	Square	slab over bins		0.000	6.500	5.500	65.00	0.00	0.00	65.000	0.000	65.0	28.7	2.50	1,913
A	004 T	Square	slab over bins		0.000	13.50	4.000	65.00	0.00	0.00	65.000	0.000	65.0	43.4	3.50	2,920
A	004 B	Square	slab over bins - top 65'		0.000	13.50	10.00	25.00	0.00	0.00	25.000	0.000	25.0	108.5	6.20	2,881
A	005	Square	slab over bins		0.000	5.200	4.000	65.00	0.00	0.00	65.000	0.000	65.0	16.7	2.00	1,108
A	006	Square	slab over bins		0.000	6.500	6.000	65.00	0.00	0.00	65.000	0.000	65.0	31.4	2.50	2,092
A	007	Square	slab over bins		0.000	8.500	6.500	65.00	0.00	0.00	65.000	0.000	65.0	44.4	3.50	2,987
A	008	Square	slab over bins		0.000	13.50	4.500	65.00	0.00	0.00	65.000	0.000	65.0	48.8	4.20	3,305
A	009	Square	slab over bins		0.000	13.50	10.00	65.00	0.00	0.00	65.000	0.000	65.0	108.5	6.20	7,490
A	010	Square	slab over bins		0.000	6.500	6.000	65.00	0.00	0.00	65.000	0.000	65.0	31.4	2.50	2,092
A	011	Square	slab over bins		0.000	8.500	6.500	65.00	0.00	0.00	65.000	0.000	65.0	44.4	3.50	2,987
A	013	Irregular	slab over bins 6x10 less 3x7		31.300	0.000	0.000	65.00	0.00	0.00	65.000	0.000	65.0	31.3	2.50	2,086
A	015	Irregular	floor over bin		64.300	0.000	0.000	17.00	0.00	0.00	17.000	0.000	17.0	64.3	5.00	1,148
A	016	Square	slab over bins		0.000	8.000	6.500	65.00	0.00	0.00	65.000	0.000	65.0	41.8	3.50	2,812
A	018	Square	slab over bins		0.000	13.50	10.00	65.00	0.00	0.00	65.000	0.000	65.0	108.5	6.20	7,490
A	019	Square	slab over bins		0.000	6.500	2.000	65.00	0.00	0.00	65.000	0.000	65.0	10.5	2.00	697
A	020	Square	slab over bins		0.000	6.500	6.200	48.00	0.00	0.00	48.000	0.000	48.0	32.4	2.50	1,594
A	022	Square	slab over bins		0.000	13.50	4.500	65.00	0.00	0.00	65.000	0.000	65.0	48.8	4.20	3,305
A	023	Square	slab over bins		0.000	8.500	6.500	65.00	0.00	0.00	65.000	0.000	65.0	44.4	3.50	2,987
A	024	Square	slab over bins		0.000	10.00	4.000	65.00	0.00	0.00	65.000	0.000	65.0	32.2	2.50	2,145

Exam Date:10/18/2016

Finley Farmers Grain &amp; Elevator Company

Page: 6

Examiner: 1

PO Box 477

Finley, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Finley

### Section: A

A	025	Square	slab over bins		0.000	6.500	5.500	65.00	0.00	0.00	65.000	0.000	65.0	28.7	2.50	1,913
A	026 T	Square	slab over bins		0.000	13.50	4.000	65.00	0.00	0.00	65.000	0.000	65.0	43.4	3.50	2,920
A	026 B	Square	slab over bins - top 65'		0.000	13.50	10.00	25.00	0.00	0.00	25.000	0.000	25.0	108.5	6.20	2,881
A	027	Square	slab over bins		0.000	6.500	5.500	65.00	0.00	0.00	65.000	0.000	65.0	28.7	2.50	1,913
A	028	Square	slab over bins		0.000	8.000	6.500	65.00	0.00	0.00	65.000	0.000	65.0	41.8	3.50	2,812
A	101	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	102	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	103	Irregular	slab over bins		48.500	0.000	0.000	93.00	0.00	0.00	93.000	0.000	93.0	48.5	4.20	4,700
A	104	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	105	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	106	Irregular	slab over bins		48.500	0.000	0.000	93.00	0.00	0.00	93.000	0.000	93.0	48.5	4.20	4,700
A	107	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	108	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	201	Peaked	top sidewall at eave		36.000	0.000	0.000	81.40	0.00	0.00	81.400	2.200	83.6	818.2	10.0	75,242
A	202	Peaked	top sidewall at eave		36.000	0.000	0.000	81.40	0.00	0.00	81.400	2.200	83.6	818.2	10.0	75,242
A	203	Peaked	top sidewall at eave		48.000	0.000	0.000	81.40	0.00	0.00	81.400	3.400	84.8	1454.6	10.0	135,685
A	204	Peaked	eave of bin		74.200	0.000	0.000	99.30	0.00	0.00	99.300	5.200	104.5	3476.0	10.0	399,566
A	205	Peaked	eave of bin		104.70	0.000	0.000	85.00	0.00	0.00	85.000	7.300	92.3	6920.9	10.0	702,679
A	wet bin	Peaked	eave of bin		34.000	0.000	0.000	49.00	0.00	0.00	49.000	2.000	51.0	729.8	9.80	40,868

### NDPSC Bin Capacity Chart

Exam Date:10/18/2016

Finley Farmers Grain & Elevator Company  
 PO Box 477  
 Finley, ND  
 County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
<b>Bin count:</b>		<b>39</b>											<b>Facility: Finley Section: A Total:</b>	<b>1,631,999</b>	
														<b>To Even:</b>	<b>1,632,000</b>

## Section: B

B	001	Irregular	slab over bins		27.000	0.000	0.000	73.00	0.00	0.00	73.000	0.000	73.0	27.0	2.50	2,020
B	002	Round	slab over bins		16.000	0.000	0.000	92.00	0.00	0.00	92.000	0.000	92.0	161.6	5.80	15,729
B	004	Round	slab over bins		16.000	0.000	0.000	91.00	0.00	0.00	91.000	0.000	91.0	161.6	5.80	15,559
B	005	Irregular	slab over bins		76.000	0.000	0.000	90.00	0.00	0.00	90.000	0.000	90.0	76.0	5.50	7,216
B	006	Irregular	slab over bins		73.000	0.000	0.000	89.00	0.00	0.00	89.000	0.000	89.0	73.0	5.20	6,835
B	007	Irregular	slab over bins		41.000	0.000	0.000	90.00	0.00	0.00	90.000	0.000	90.0	41.0	3.00	3,801
B	008	Peaked	top sidewall at eave		41.900	0.000	0.000	64.80	0.00	0.00	64.800	2.500	67.3	1108.4	10.0	82,055
B	009	Round	slab over bins		16.000	0.000	0.000	91.00	0.00	0.00	91.000	0.000	91.0	161.6	5.80	15,559
B	010	Round	slab over bins		16.000	0.000	0.000	91.00	0.00	0.00	91.000	0.000	91.0	161.6	5.80	15,559
B	011 T	Irregular	slab over bins		22.000	0.000	0.000	18.00	0.00	0.00	18.000	0.000	18.0	22.0	2.00	404
B	011 B	Irregular	slab over bins -top 18'		54.000	0.000	0.000	52.00	0.00	0.00	52.000	0.000	52.0	54.0	4.50	2,934
B	012	Irregular	slab over bins		52.000	0.000	0.000	72.00	0.00	0.00	72.000	0.000	72.0	52.0	4.50	3,912
B	015	Irregular	slab over bins		52.000	0.000	0.000	72.00	0.00	0.00	72.000	0.000	72.0	52.0	4.50	3,912
B	016	Round	slab over bins		16.000	0.000	0.000	91.00	0.00	0.00	91.000	0.000	91.0	161.6	5.80	15,559
B	017 T	Irregular	slab over bins		36.000	0.000	0.000	17.00	0.00	0.00	17.000	0.000	17.0	36.0	3.00	630
B	017 B	Irregular	slab over bins - top 17'		52.000	0.000	0.000	55.00	0.00	0.00	55.000	0.000	55.0	52.0	4.50	2,989
B	020	Irregular	slab over bins -		35.000	0.000	0.000	73.00	0.00	0.00	73.000	0.000	73.0	35.0	3.00	2,632
B	022	Irregular	slab over bins -		73.000	0.000	0.000	91.00	0.00	0.00	91.000	0.000	91.0	73.0	5.20	6,988
B	023	Round	slab over bins -		16.000	0.000	0.000	92.50	0.00	0.00	92.500	0.000	92.5	161.6	5.80	15,815
B	024	Irregular	slab over bins - 6' hppr		14.000	0.000	0.000	71.00	3.00	0.00	74.000	0.000	74.0	14.0	2.00	1,057

Client ID: 145

**NDPSC Bin Capacity Chart**

11/17/2016 02:58:13 PM

Exam Date:10/18/2016

Finley Farmers Grain &amp; Elevator Company

Page: 8

Examiner: 1

PO Box 477

Finley, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Finley****Section: B**

B	025	Irregular	slab over bins - 6' hppr	35.000	0.000	0.000	70.00	3.00	0.00	73.000	0.000	73.0	35.0	3.00	2,632
B	026	Irregular	slab over bins -	24.000	0.000	0.000	73.00	0.00	0.00	73.000	0.000	73.0	24.0	2.00	1,787
B	201	Round	top of slab	38.000	0.000	0.000	124.5	0.00	0.00	124.50	0.000	124.5	911.7	10.0	124,858
B	202	Round	top of slab	38.000	0.000	0.000	124.5	0.00	0.00	124.50	0.000	124.5	911.7	10.0	124,858
B	203	Irregular	top of slab	32.300	0.000	0.000	59.00	0.00	0.00	59.000	0.000	59.0	32.3	2.50	1,954
B	204	Round	top of slab	60.000	0.000	0.000	124.5	0.00	0.00	124.50	0.000	124.5	2272.9	10.0	311,274
B	205	Peaked	eave of bin	74.200	0.000	0.000	99.30	0.00	0.00	99.300	5.200	104.5	3476.0	10.0	399,566

Bin count: 27

Facility: Finley Section: B Total: **1,188,094**To Even: **1,189,000****Section: C**

C	001	Square	bin floor - 8' hppr	0.000	7.400	7.300	31.00	4.00	0.00	35.000	0.000	35.0	43.4	3.50	1,572
C	002	Square	bin floor - 8' hppr	0.000	7.400	7.400	31.00	4.00	0.00	35.000	0.000	35.0	44.0	3.50	1,594
C	003	Square	bin floor - 8' hppr	0.000	7.400	7.400	31.00	4.00	0.00	35.000	0.000	35.0	44.0	3.50	1,594
C	004	Square	bin floor - 8' hppr	0.000	7.400	7.300	31.00	4.00	0.00	35.000	0.000	35.0	43.4	3.50	1,572
C	005	Square	bin floor -6' hppr	0.000	7.400	7.300	38.00	3.00	0.00	41.000	0.000	41.0	43.4	3.50	1,841
C	006	Square	bin floor -6' hppr	0.000	7.400	7.400	38.00	3.00	0.00	41.000	0.000	41.0	44.0	3.50	1,867
C	007	Square	bin floor -6' hppr	0.000	7.400	7.400	38.00	3.00	0.00	41.000	0.000	41.0	44.0	3.50	1,867
C	008	Square	bin floor -6' hppr	0.000	7.400	7.300	38.00	3.00	0.00	41.000	0.000	41.0	43.4	3.50	1,841
C	009	Square	bin floor - 4' hopper	0.000	7.300	4.000	40.00	2.00	0.00	42.000	0.000	42.0	23.5	2.00	1,007

Exam Date:10/18/2016

Finley Farmers Grain &amp; Elevator Company

Page: 9

Examiner: 1

PO Box 477

Finley , ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Finley

### Section: C

C	010	Square	bin floor - 4' hopper	0.000	7.300	4.000	40.00	2.00	0.00	42.000	0.000	42.0	23.5	2.00	1,007
C	011	Square	bin floor - 4' hopper	0.000	7.300	4.100	40.00	2.00	0.00	42.000	0.000	42.0	24.1	2.50	1,037
C	012	Square	bin floor - 4' hopper	0.000	7.300	4.100	40.00	2.00	0.00	42.000	0.000	42.0	24.1	2.50	1,037
C	013	Square	bin floor - 4' hopper	0.000	7.300	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.4	2.50	1,438
C	014	Square	bin floor - 4' hopper	0.000	7.400	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.9	2.50	1,460
C	015	Square	bin floor - 4' hopper	0.000	7.400	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.9	2.50	1,460
C	016	Square	bin floor - 4' hopper	0.000	7.300	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.4	2.50	1,438
C	017	Square	bin floor - 4' hopper	0.000	7.300	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.4	2.50	1,438
C	018	Square	bin floor - 4' hopper	0.000	7.400	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.9	2.50	1,460
C	019	Square	bin floor - 4' hopper	0.000	7.400	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.9	2.50	1,460
C	020	Square	bin floor - 4' hopper	0.000	7.300	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.4	2.50	1,438
C	021	Square	bin floor - 4' hopper	0.000	7.300	5.800	40.00	2.00	0.00	42.000	0.000	42.0	34.0	2.50	1,464
C	022	Square	bin floor - 4' hopper	0.000	7.400	5.800	40.00	2.00	0.00	42.000	0.000	42.0	34.5	3.00	1,492
C	023	Square	bin floor - 4' hopper	0.000	7.400	5.800	40.00	2.00	0.00	42.000	0.000	42.0	34.5	3.00	1,492
C	024	Square	bin floor - 4' hopper	0.000	7.300	5.800	40.00	2.00	0.00	42.000	0.000	42.0	34.0	2.50	1,464
C	101	Peaked	top sidewall at eave	21.000	0.000	0.000	51.00	0.00	0.00	51.000	1.300	52.3	278.4	6.80	15,550
C	102	Peaked	top sidewall at eave	21.000	0.000	0.000	51.00	0.00	0.00	51.000	1.300	52.3	278.4	6.80	15,550
C	103	Peaked	top sidewall at eave	21.000	0.000	0.000	51.00	0.00	0.00	51.000	1.300	52.3	278.4	6.80	15,550
C	104	Peaked	top sidewall at eave	21.000	0.000	0.000	51.00	0.00	0.00	51.000	1.300	52.3	278.4	6.80	15,550
C	105	Peaked	top sidewall at eave	21.000	0.000	0.000	51.00	0.00	0.00	51.000	1.300	52.3	278.4	6.80	15,550

Client ID: 145

## NDPSC Bin Capacity Chart

11/17/2016 02:58:13 PM

Exam Date: 10/18/2016

Finley Farmers Grain & Elevator Company  
PO Box 477  
Finley, ND  
County:

Page: 10

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Finley

### Section: C

C	109	Peaked	top sidewall at eave	27.000	0.000	0.000	63.10	0.00	0.00	63.100	1.600	64.7	460.3	8.50	32,312
C	110	Peaked	top sidewall at eave	27.000	0.000	0.000	63.10	0.00	0.00	63.100	1.600	64.7	460.3	8.50	32,312
<b>Bin count: 31</b>				<b>Facility: Finley Section: C Total: <u>177,714</u></b>											
														<b>To Even: <u>178,000</u></b>	

### Section: D

Added	D	001 B	Temporary top sidewall at eave	0.000	548.0	158.0	4.000	0.00	0.00	4.000	0.000	4.0	69601.3	10.0	306,246
Added	D	001 T	Temporary top sidewall at eave	28.400	550.0	160.0	0.100	0.00	0.00	0.100	13.20	13.3	66323.3	10.0	970,310
Added	D	002 B	Temporary top sidewall at eave	0.000	548.0	158.0	4.000	0.00	0.00	4.000	0.000	4.0	69601.3	10.0	306,246
Added	D	002 T	Temporary top sidewall at eave	28.400	550.0	160.0	0.100	0.00	0.00	0.100	13.20	13.3	66323.3	10.0	970,310
Added	D	ground	Temporary top sidewall at eave	30.000	559.3	120.0	0.010	0.00	0.00	0.010	13.90	13.9	53951.8	10.0	824,923
<b>Bin count: 5</b>				<b>Facility: Finley Section: D Total: <u>3,378,035</u></b>											
														<b>To Even: <u>3,379,000</u></b>	

**Overall Licensed Bin Capacity for:**

**Finley Farmers Grain & Elevator Company**

**Bin count: 158**

**Licensed Capacity:**  
(includes pack)




**7,592,037 Bu.**

**Licensed Capacity (to even):**  
(includes pack and section totals are rounded up to next highest 1000)

**7,596,000 Bu.**


Finley Farmers Grain & Elev  
Cooperstown location  
Section B-C  
Located south side of Hwy 200

←  
Wood house & Office  
¼ mile North





Finley Farmers Grain & Elev  
Cooperstown location  
Section C-C

Section C flat #401& Section  
D on page 3




Section B located ¼ mile  
South on south side of Hwy  
#200






Section D hopper tanks






Section C #401  
Flat quonset 201.3'L x 47.2'W  
Bttm center of U-trough to  
floor 20'

Finley Farmers Grain  
& Elevator Co.  
Section A



Finley Farmers Grain  
& Elevator Co.  
Section B



Finley Farmers Grain  
& Elevator Co.  
Section C

21	22	23	24
20	19	18	17
13	14	15	16
12	XX	XX	11
09	XX	XX	10
08	07	06	05
01	02	03	04
Driveway & Scale			

