

Exam Date:01/08/2018

Finley Farmers Grain & Elevator Company

Page: 1

Examiner: 1

PO Box 477

Finley, ND

County:

Phone: 701-524-1500

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
<NO BINS ADDED>		
		Total: 0
PART B - SPACE TO BE DELETED UNDER LICENSE		
001 T	D	970,310
002 B	D	306,246
002 T	D	970,310
001 B	D	306,246
		Total: 2,553,112
PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE		
	A	1,632,000
	B	1,189,000
	B-C	1,003,000
	C	178,000
	C-C	182,000
	D-C	33,000
	E	1,215,000
		Total: 5,432,000
PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT		
Cooperstown 462	B-C C-C D-C	1,218,000
Finley 289	A B C E	4,214,000
		Total: 5,432,000

Client ID: 145

NDPSC Bin Capacity Chart

06/06/2018 02:40:20 PM

Exam Date:01/08/2018

Examiner: 1

Finley Farmers Grain & Elevator Company
 PO Box 477
 Finley, ND
 County:

Page: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Cooperstown

Section: B-C

B-C	001	Peaked	top of sidewall		48.000	0.000	0.000	30.85	0.00	0.00	30.850	3.400	34.3	1454.6	10.0	54,882
B-C	002	Peaked	top of sidewall		48.000	0.000	0.000	32.10	0.00	0.00	32.100	3.400	35.5	1454.6	10.0	56,802
B-C	003	Peaked	top of sidewall		48.000	0.000	0.000	30.85	0.00	0.00	30.850	3.400	34.3	1454.6	10.0	54,882
B-C	004	Peaked	top of sidewall		48.000	0.000	0.000	32.10	0.00	0.00	32.100	3.400	35.5	1454.6	10.0	56,802
B-C	005	Peaked	top of sidewall		48.000	0.000	0.000	30.85	0.00	0.00	30.850	3.400	34.3	1454.6	10.0	54,882
B-C	006	Peaked	top of sidewall		48.000	0.000	0.000	32.10	0.00	0.00	32.100	3.400	35.5	1454.6	10.0	56,802
B-C	007	Peaked	top of sidewall		48.000	0.000	0.000	30.85	0.00	0.00	30.850	3.400	34.3	1454.6	10.0	54,882
B-C	008	Peaked	top of sidewall		48.000	0.000	0.000	32.10	0.00	0.00	32.100	3.400	35.5	1454.6	10.0	56,802
B-C	009	Peaked	top of sidewall		53.700	0.000	0.000	35.50	0.00	0.00	35.500	3.800	39.3	1820.6	10.0	78,705
B-C	010	Peaked	top of sidewall		59.850	0.000	0.000	35.40	0.00	0.00	35.400	4.200	39.6	2261.5	10.0	98,511
B-C	011	Peaked	top of sidewall		41.900	0.000	0.000	42.75	0.00	0.00	42.750	2.500	45.3	1108.4	10.0	55,232
B-C	012	Peaked	top of sidewall		77.600	0.000	0.000	72.00	0.00	0.00	72.000	5.400	77.4	3801.8	10.0	323,685
Bin count:		12														

Facility: Cooperstown Section: B-C Total: 1,002,869

To Even: 1,003,000

Section: C-C

C-C	001 T	Square	work floor		0.000	11.00	6.900	55.00	0.00	0.00	55.000	0.000	55.0	61.0	4.80	3,516
C-C	001 B	Square	work floor- top 55'		0.000	14.50	11.00	17.00	0.00	0.00	17.000	0.000	17.0	128.2	6.50	2,321
C-C	002 T	Square	work floor		0.000	11.00	6.900	55.00	0.00	0.00	55.000	0.000	55.0	61.0	4.80	3,516
C-C	002 B	Square	work floor - top 55'		0.000	14.50	11.00	17.00	0.00	0.00	17.000	0.000	17.0	128.2	6.50	2,321

Exam Date:01/08/2018

Finley Farmers Grain & Elevator Company

Page: 2

Examiner: 1

PO Box 477

Finley , ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Cooperstown

Section: C-C

C-C	003 T	Square	work floor		0.000	11.00	6.900	55.00	0.00	0.00	55.000	0.000	55.0	61.0	4.80	3,516
C-C	003 B	Square	work floor - top 55'		0.000	14.50	11.00	17.00	0.00	0.00	17.000	0.000	17.0	128.2	6.50	2,321
C-C	004 T	Square	work floor		0.000	11.00	6.900	55.00	0.00	0.00	55.000	0.000	55.0	61.0	4.80	3,516
C-C	004 B	Square	work floor - top 55'		0.000	14.50	11.00	17.00	0.00	0.00	17.000	0.000	17.0	128.2	6.50	2,321
C-C	007 T	Irregular	work floor - 11 x 6.8 less 2.8		54.500	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	54.5	4.50	855
C-C	007 B	Square	work floor - top 15'		0.000	11.00	6.800	39.00	0.00	0.00	39.000	0.000	39.0	60.1	4.80	2,457
C-C	008	Square	work floor		0.000	11.00	7.300	54.00	0.00	0.00	54.000	0.000	54.0	64.5	5.00	3,657
C-C	009	Square	work floor		0.000	12.20	6.900	54.00	0.00	0.00	54.000	0.000	54.0	67.7	5.20	3,846
C-C	010	Square	work floor		0.000	6.700	4.200	29.00	0.00	0.00	29.000	0.000	29.0	22.6	2.00	668
C-C	011	Square	work floor		0.000	12.20	6.900	54.00	0.00	0.00	54.000	0.000	54.0	67.7	5.20	3,846
C-C	012	Square	work floor		0.000	8.200	7.300	54.00	0.00	0.00	54.000	0.000	54.0	48.1	4.20	2,706
C-C	013 T	Square	work floor		0.000	8.400	6.800	15.00	0.00	0.00	15.000	0.000	15.0	45.9	4.00	717
C-C	013 B	Square	work floor - top 15'		0.000	11.00	6.800	39.00	0.00	0.00	39.000	0.000	39.0	60.1	4.80	2,457
C-C	014	Square	work floor		0.000	11.00	7.300	54.00	0.00	0.00	54.000	0.000	54.0	64.5	5.00	3,657
C-C	015	Square	work floor		0.000	11.00	7.300	54.00	0.00	0.00	54.000	0.000	54.0	64.5	5.00	3,657
C-C	016	Square	work floor		0.000	7.300	3.800	54.00	0.00	0.00	54.000	0.000	54.0	22.3	2.00	1,228
C-C	017	Square	work floor		0.000	11.00	7.300	54.00	0.00	0.00	54.000	0.000	54.0	64.5	5.00	3,657
C-C	018	Square	work floor		0.000	12.20	7.300	54.00	0.00	0.00	54.000	0.000	54.0	71.6	5.20	4,067
C-C	019 T	Irregular	work floor - 12.2 x 6.8 less		59.900	0.000	0.000	15.00	0.00	0.00	15.000	0.000	15.0	59.9	4.80	942
C-C	019 B	Square	work floor - top 15'		0.000	12.20	6.800	39.00	0.00	0.00	39.000	0.000	39.0	66.7	5.00	2,731
C-C	020	Square	work floor		0.000	11.00	3.400	53.00	0.00	0.00	53.000	0.000	53.0	30.1	2.50	1,635

Client ID: 145

NDPSC Bin Capacity Chart

06/06/2018 02:40:20 PM

Exam Date:01/08/2018

Examiner: 1

Finley Farmers Grain & Elevator Company
 PO Box 477
 Finley, ND
 County:

Page: 3

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Cooperstown

Section: C-C

C-C	021 T	Square	work floor	0.000	6.800	6.000	15.00	0.00	0.00	15.000	0.000	15.0	32.8	2.50	504
C-C	021 B	Square	work floor - top 15'	0.000	9.800	6.800	39.00	0.00	0.00	39.000	0.000	39.0	53.6	4.50	2,184
C-C	022 T	Square	work floor	0.000	4.200	4.000	29.00	0.00	0.00	29.000	0.000	29.0	13.5	2.00	400
C-C	022 B	Square	work floor - top 29'	0.000	11.00	4.200	24.00	0.00	0.00	24.000	0.000	24.0	37.1	3.00	917
C-C	118	Peaked	eave	16.000	0.000	0.000	20.00	0.00	0.00	20.000	1.000	21.0	161.6	5.80	3,591
C-C	401	Quonset	u-trough to floor 20'	0.000	201.3	47.20	13.60	0.00	0.00	13.600	0.000	13.6	7190.9	10.0	107,577

Bin count: 31

Facility: Cooperstown Section: C-C Total: 181,304

To Even: 182,000

Section: D-C

D-C	001	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
D-C	002	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
D-C	003	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
D-C	004	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
D-C	005	Peaked	top of sidewall	15.500	0.000	0.000	15.00	2.00	0.00	17.000	0.900	17.9	151.7	5.50	2,864
D-C	006	Peaked	top of sidewall	15.500	0.000	0.000	15.00	2.00	0.00	17.000	0.900	17.9	151.7	5.50	2,864
D-C	007	Peaked	top of sidewall	15.500	0.000	0.000	15.00	2.00	0.00	17.000	0.900	17.9	151.7	5.50	2,864
D-C	008	Peaked	top of sidewall	13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853
D-C	009	Peaked	top of sidewall	13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853
D-C	010	Peaked	top of sidewall	13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853

Client ID: 145

NDPSC Bin Capacity Chart

06/06/2018 02:40:20 PM

Exam Date:01/08/2018

Examiner: 1

Finley Farmers Grain & Elevator Company
 PO Box 477
 Finley , ND
 County:

Page: 4

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Cooperstown

Section: D-C

D-C	011	Peaked	top of sidewall		13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853
D-C	012	Peaked	top of sidewall		13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853
D-C	013	Peaked	top of sidewall		13.500	0.000	0.000	12.50	2.00	0.00	14.500	0.800	15.3	115.1	5.20	1,853

Bin count: 13

Facility: Cooperstown Section: D-C Total: 32,022

To Even: 33,000

Exam Date:01/08/2018

Finley Farmers Grain & Elevator Company
 PO Box 477
 Finley , ND
 County:

Page: 5

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
					Length	Width										
	<u>Facility: Finley</u>															
	<u>Section: A</u>															
	A	002	Square	slab over bins	0.000	6.500	5.500	65.00	0.00	0.00	65.000	0.000	65.0	28.7	2.50	1,913
	A	003	Square	slab over bins	0.000	6.500	5.500	65.00	0.00	0.00	65.000	0.000	65.0	28.7	2.50	1,913
	A	004 T	Square	slab over bins	0.000	13.50	4.000	65.00	0.00	0.00	65.000	0.000	65.0	43.4	3.50	2,920
	A	004 B	Square	slab over bins - top 65'	0.000	13.50	10.00	25.00	0.00	0.00	25.000	0.000	25.0	108.5	6.20	2,881
	A	005	Square	slab over bins	0.000	5.200	4.000	65.00	0.00	0.00	65.000	0.000	65.0	16.7	2.00	1,108
	A	006	Square	slab over bins	0.000	6.500	6.000	65.00	0.00	0.00	65.000	0.000	65.0	31.4	2.50	2,092
	A	007	Square	slab over bins	0.000	8.500	6.500	65.00	0.00	0.00	65.000	0.000	65.0	44.4	3.50	2,987
	A	008	Square	slab over bins	0.000	13.50	4.500	65.00	0.00	0.00	65.000	0.000	65.0	48.8	4.20	3,305
	A	009	Square	slab over bins	0.000	13.50	10.00	65.00	0.00	0.00	65.000	0.000	65.0	108.5	6.20	7,490
	A	010	Square	slab over bins	0.000	6.500	6.000	65.00	0.00	0.00	65.000	0.000	65.0	31.4	2.50	2,092
	A	011	Square	slab over bins	0.000	8.500	6.500	65.00	0.00	0.00	65.000	0.000	65.0	44.4	3.50	2,987
	A	013	Irregular	slab over bins 6x10 less 3x7	31.300	0.000	0.000	65.00	0.00	0.00	65.000	0.000	65.0	31.3	2.50	2,086
	A	015	Irregular	floor over bin	64.300	0.000	0.000	17.00	0.00	0.00	17.000	0.000	17.0	64.3	5.00	1,148
	A	016	Square	slab over bins	0.000	8.000	6.500	65.00	0.00	0.00	65.000	0.000	65.0	41.8	3.50	2,812
	A	018	Square	slab over bins	0.000	13.50	10.00	65.00	0.00	0.00	65.000	0.000	65.0	108.5	6.20	7,490
	A	019	Square	slab over bins	0.000	6.500	2.000	65.00	0.00	0.00	65.000	0.000	65.0	10.5	2.00	697
	A	020	Square	slab over bins	0.000	6.500	6.200	48.00	0.00	0.00	48.000	0.000	48.0	32.4	2.50	1,594
	A	022	Square	slab over bins	0.000	13.50	4.500	65.00	0.00	0.00	65.000	0.000	65.0	48.8	4.20	3,305
	A	023	Square	slab over bins	0.000	8.500	6.500	65.00	0.00	0.00	65.000	0.000	65.0	44.4	3.50	2,987
	A	024	Square	slab over bins	0.000	10.00	4.000	65.00	0.00	0.00	65.000	0.000	65.0	32.2	2.50	2,145
	A	025	Square	slab over bins	0.000	6.500	5.500	65.00	0.00	0.00	65.000	0.000	65.0	28.7	2.50	1,913

Exam Date:01/08/2018

Finley Farmers Grain & Elevator Company
 PO Box 477
 Finley, ND
 County:

Page: 6

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Finley

Section: A

A	026 T	Square	slab over bins		0.000	13.50	4.000	65.00	0.00	0.00	65.000	0.000	65.0	43.4	3.50	2,920
A	026 B	Square	slab over bins - top 65'		0.000	13.50	10.00	25.00	0.00	0.00	25.000	0.000	25.0	108.5	6.20	2,881
A	027	Square	slab over bins		0.000	6.500	5.500	65.00	0.00	0.00	65.000	0.000	65.0	28.7	2.50	1,913
A	028	Square	slab over bins		0.000	8.000	6.500	65.00	0.00	0.00	65.000	0.000	65.0	41.8	3.50	2,812
A	101	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	102	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	103	Irregular	slab over bins		48.500	0.000	0.000	93.00	0.00	0.00	93.000	0.000	93.0	48.5	4.20	4,700
A	104	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	105	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	106	Irregular	slab over bins		48.500	0.000	0.000	93.00	0.00	0.00	93.000	0.000	93.0	48.5	4.20	4,700
A	107	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	108	Round	slab over bins		18.000	0.000	0.000	96.00	0.00	0.00	96.000	0.000	96.0	204.6	6.00	20,821
A	201	Peaked	top sidewall at eave		36.000	0.000	0.000	81.40	0.00	0.00	81.400	2.200	83.6	818.2	10.0	75,242
A	202	Peaked	top sidewall at eave		36.000	0.000	0.000	81.40	0.00	0.00	81.400	2.200	83.6	818.2	10.0	75,242
A	203	Peaked	top sidewall at eave		48.000	0.000	0.000	81.40	0.00	0.00	81.400	3.400	84.8	1454.6	10.0	135,685
A	204	Peaked	eave of bin		74.200	0.000	0.000	99.30	0.00	0.00	99.300	5.200	104.5	3476.0	10.0	399,566
A	205	Peaked	eave of bin		104.70	0.000	0.000	85.00	0.00	0.00	85.000	7.300	92.3	6920.9	10.0	702,679
A	wet bin	Peaked	eave of bin		34.000	0.000	0.000	49.00	0.00	0.00	49.000	2.000	51.0	729.8	9.80	40,868

Bin count: 39

Facility: Finley Section: A Total: 1,631,999

To Even: 1,632,000

Client ID: 145

NDPSC Bin Capacity Chart

06/06/2018 02:40:20 PM

Exam Date:01/08/2018

Examiner: 1

Finley Farmers Grain & Elevator Company
 PO Box 477
 Finley, ND
 County:

Page: 7

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Finley**Section: B**

B	001	Irregular	slab over bins		27.000	0.000	0.000	73.00	0.00	0.00	73.000	0.000	73.0	27.0	2.50	2,020
B	002	Round	slab over bins		16.000	0.000	0.000	92.00	0.00	0.00	92.000	0.000	92.0	161.6	5.80	15,729
B	004	Round	slab over bins		16.000	0.000	0.000	91.00	0.00	0.00	91.000	0.000	91.0	161.6	5.80	15,559
B	005	Irregular	slab over bins		76.000	0.000	0.000	90.00	0.00	0.00	90.000	0.000	90.0	76.0	5.50	7,216
B	006	Irregular	slab over bins		73.000	0.000	0.000	89.00	0.00	0.00	89.000	0.000	89.0	73.0	5.20	6,835
B	007	Irregular	slab over bins		41.000	0.000	0.000	90.00	0.00	0.00	90.000	0.000	90.0	41.0	3.00	3,801
B	008	Peaked	top sidewall at eave		41.900	0.000	0.000	64.80	0.00	0.00	64.800	2.500	67.3	1108.4	10.0	82,055
B	009	Round	slab over bins		16.000	0.000	0.000	91.00	0.00	0.00	91.000	0.000	91.0	161.6	5.80	15,559
B	010	Round	slab over bins		16.000	0.000	0.000	91.00	0.00	0.00	91.000	0.000	91.0	161.6	5.80	15,559
B	011 T	Irregular	slab over bins		22.000	0.000	0.000	18.00	0.00	0.00	18.000	0.000	18.0	22.0	2.00	404
B	011 B	Irregular	slab over bins -top 18'		54.000	0.000	0.000	52.00	0.00	0.00	52.000	0.000	52.0	54.0	4.50	2,934
B	012	Irregular	slab over bins		52.000	0.000	0.000	72.00	0.00	0.00	72.000	0.000	72.0	52.0	4.50	3,912
B	015	Irregular	slab over bins		52.000	0.000	0.000	72.00	0.00	0.00	72.000	0.000	72.0	52.0	4.50	3,912
B	016	Round	slab over bins		16.000	0.000	0.000	91.00	0.00	0.00	91.000	0.000	91.0	161.6	5.80	15,559
B	017 T	Irregular	slab over bins		36.000	0.000	0.000	17.00	0.00	0.00	17.000	0.000	17.0	36.0	3.00	630
B	017 B	Irregular	slab over bins - top 17'		52.000	0.000	0.000	55.00	0.00	0.00	55.000	0.000	55.0	52.0	4.50	2,989
B	020	Irregular	slab over bins -		35.000	0.000	0.000	73.00	0.00	0.00	73.000	0.000	73.0	35.0	3.00	2,632
B	022	Irregular	slab over bins -		73.000	0.000	0.000	91.00	0.00	0.00	91.000	0.000	91.0	73.0	5.20	6,988
B	023	Round	slab over bins -		16.000	0.000	0.000	92.50	0.00	0.00	92.500	0.000	92.5	161.6	5.80	15,815
B	024	Irregular	slab over bins - 6' hppr		14.000	0.000	0.000	71.00	3.00	0.00	74.000	0.000	74.0	14.0	2.00	1,057
B	025	Irregular	slab over bins - 6' hppr		35.000	0.000	0.000	70.00	3.00	0.00	73.000	0.000	73.0	35.0	3.00	2,632

Exam Date:01/08/2018

Examiner: 1

Finley Farmers Grain & Elevator Company
 PO Box 477
 Finley, ND
 County:

Page: 8

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Finley

Section: B

B	026	Irregular	slab over bins -		24.000	0.000	0.000	73.00	0.00	0.00	73.000	0.000	73.0	24.0	2.00	1,787
B	201	Round	top of slab		38.000	0.000	0.000	124.5	0.00	0.00	124.50	0.000	124.5	911.7	10.0	124,858
B	202	Round	top of slab		38.000	0.000	0.000	124.5	0.00	0.00	124.50	0.000	124.5	911.7	10.0	124,858
B	203	Irregular	top of slab		32.300	0.000	0.000	59.00	0.00	0.00	59.000	0.000	59.0	32.3	2.50	1,954
B	204	Round	top of slab		60.000	0.000	0.000	124.5	0.00	0.00	124.50	0.000	124.5	2272.9	10.0	311,274
B	205	Peaked	eave of bin		74.200	0.000	0.000	99.30	0.00	0.00	99.300	5.200	104.5	3476.0	10.0	399,566

Bin count: 27

Facility: Finley Section: B Total: 1,188,094

To Even: 1,189,000

Section: C

C	001	Square	bin floor - 8' hpr		0.000	7.400	7.300	31.00	4.00	0.00	35.000	0.000	35.0	43.4	3.50	1,572
C	002	Square	bin floor - 8' hpr		0.000	7.400	7.400	31.00	4.00	0.00	35.000	0.000	35.0	44.0	3.50	1,594
C	003	Square	bin floor - 8' hpr		0.000	7.400	7.400	31.00	4.00	0.00	35.000	0.000	35.0	44.0	3.50	1,594
C	004	Square	bin floor - 8' hpr		0.000	7.400	7.300	31.00	4.00	0.00	35.000	0.000	35.0	43.4	3.50	1,572
C	005	Square	bin floor -6' hpr		0.000	7.400	7.300	38.00	3.00	0.00	41.000	0.000	41.0	43.4	3.50	1,841
C	006	Square	bin floor -6' hpr		0.000	7.400	7.400	38.00	3.00	0.00	41.000	0.000	41.0	44.0	3.50	1,867
C	007	Square	bin floor -6' hpr		0.000	7.400	7.400	38.00	3.00	0.00	41.000	0.000	41.0	44.0	3.50	1,867
C	008	Square	bin floor -6' hpr		0.000	7.400	7.300	38.00	3.00	0.00	41.000	0.000	41.0	43.4	3.50	1,841
C	009	Square	bin floor - 4' hopper		0.000	7.300	4.000	40.00	2.00	0.00	42.000	0.000	42.0	23.5	2.00	1,007
C	010	Square	bin floor - 4' hopper		0.000	7.300	4.000	40.00	2.00	0.00	42.000	0.000	42.0	23.5	2.00	1,007

Client ID: 145

NDPSC Bin Capacity Chart

06/06/2018 02:40:20 PM

Exam Date:01/08/2018

Finley Farmers Grain & Elevator Company
 PO Box 477
 Finley , ND
 County:

Page: 9

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Finley**Section: C**

C	011	Square	bin floor - 4' hopper	0.000	7.300	4.100	40.00	2.00	0.00	42.000	0.000	42.0	24.1	2.50	1,037
C	012	Square	bin floor - 4' hopper	0.000	7.300	4.100	40.00	2.00	0.00	42.000	0.000	42.0	24.1	2.50	1,037
C	013	Square	bin floor - 4' hopper	0.000	7.300	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.4	2.50	1,438
C	014	Square	bin floor - 4' hopper	0.000	7.400	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.9	2.50	1,460
C	015	Square	bin floor - 4' hopper	0.000	7.400	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.9	2.50	1,460
C	016	Square	bin floor - 4' hopper	0.000	7.300	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.4	2.50	1,438
C	017	Square	bin floor - 4' hopper	0.000	7.300	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.4	2.50	1,438
C	018	Square	bin floor - 4' hopper	0.000	7.400	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.9	2.50	1,460
C	019	Square	bin floor - 4' hopper	0.000	7.400	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.9	2.50	1,460
C	020	Square	bin floor - 4' hopper	0.000	7.300	5.700	40.00	2.00	0.00	42.000	0.000	42.0	33.4	2.50	1,438
C	021	Square	bin floor - 4' hopper	0.000	7.300	5.800	40.00	2.00	0.00	42.000	0.000	42.0	34.0	2.50	1,464
C	022	Square	bin floor - 4' hopper	0.000	7.400	5.800	40.00	2.00	0.00	42.000	0.000	42.0	34.5	3.00	1,492
C	023	Square	bin floor - 4' hopper	0.000	7.400	5.800	40.00	2.00	0.00	42.000	0.000	42.0	34.5	3.00	1,492
C	024	Square	bin floor - 4' hopper	0.000	7.300	5.800	40.00	2.00	0.00	42.000	0.000	42.0	34.0	2.50	1,464
C	101	Peaked	top sidewall at eave	21.000	0.000	0.000	51.00	0.00	0.00	51.000	1.300	52.3	278.4	6.80	15,550
C	102	Peaked	top sidewall at eave	21.000	0.000	0.000	51.00	0.00	0.00	51.000	1.300	52.3	278.4	6.80	15,550
C	103	Peaked	top sidewall at eave	21.000	0.000	0.000	51.00	0.00	0.00	51.000	1.300	52.3	278.4	6.80	15,550
C	104	Peaked	top sidewall at eave	21.000	0.000	0.000	51.00	0.00	0.00	51.000	1.300	52.3	278.4	6.80	15,550
C	105	Peaked	top sidewall at eave	21.000	0.000	0.000	51.00	0.00	0.00	51.000	1.300	52.3	278.4	6.80	15,550
C	109	Peaked	top sidewall at eave	27.000	0.000	0.000	63.10	0.00	0.00	63.100	1.600	64.7	460.3	8.50	32,312
C	110	Peaked	top sidewall at eave	27.000	0.000	0.000	63.10	0.00	0.00	63.100	1.600	64.7	460.3	8.50	32,312

Client ID: 145

NDPSC Bin Capacity Chart

06/06/2018 02:40:20 PM

Exam Date:01/08/2018

Finley Farmers Grain & Elevator Company

Page: 10

Examiner: 1

PO Box 477

Finley , ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
Bin count:		31														Facility: Finley Section: C Total:	177,714
																To Even:	178,000

Section: E

E	001	Irregular	bottom of roof	255.63	17.83	17.83	36.25	3.00	0.00	39.250	0.000	39.3	255.6	7.00	10,749		
E	002	Irregular	bottom of roof	110.93	11.75	11.75	90.00	5.00	0.00	95.000	0.000	95.0	110.9	6.20	11,191		
E	003	Irregular	bottom of roof	90.590	10.62	10.62	87.00	2.50	0.00	89.500	0.000	89.5	90.5	5.80	8,578		
E	004	Irregular	bottom of roof	90.590	10.62	10.62	87.00	2.50	0.00	89.500	0.000	89.5	90.5	5.80	8,578		
E	005	Irregular	bottom of roof	90.590	10.62	10.62	87.00	2.50	0.00	89.500	0.000	89.5	90.5	5.80	8,578		
E	006	Irregular	bottom of roof	90.590	10.62	10.62	87.00	2.50	0.00	89.500	0.000	89.5	90.5	5.80	8,578		
E	007	Irregular	bottom of roof	102.09	11.27	11.27	132.0	1.80	0.00	133.80	0.000	133.8	102.0	6.00	14,480		
E	008	Round	bottom of roof	38.000	0.000	0.000	140.0	0.00	2.00	138.00	0.000	138.0	911.7	10.0	138,397		
E	009	Round	bottom of roof	38.000	0.000	0.000	140.0	0.00	2.00	138.00	0.000	138.0	911.7	10.0	138,397		
E	010	Irregular	bottom of roof	229.58	16.90	16.90	132.0	2.40	0.00	134.40	0.000	134.4	229.5	7.00	33,016		
E	011	Round	bottom of roof	38.000	0.000	0.000	140.0	0.00	2.00	138.00	0.000	138.0	911.7	10.0	138,397		
E	012	Round	bottom of roof	38.000	0.000	0.000	140.0	0.00	2.00	138.00	0.000	138.0	911.7	10.0	138,397		
E	013	Irregular	bottom of roof	54.420	8.228	8.228	132.0	1.80	0.00	133.80	0.000	133.8	54.4	4.50	7,609		
E	014	Round	bottom of roof	76.000	0.000	0.000	140.0	0.00	3.00	137.00	0.000	137.0	3646.7	10.0	549,558		
Bin count:		14														Facility: Finley Section: E Total:	1,214,503
																To Even:	1,215,000

Overall Licensed Bin Capacity for:

Finley Farmers Grain & Elevator Company

Bin count: 167


Licensed Capacity:
(includes pack)

5,428,505 Bu.

Licensed Capacity (to even):
(includes pack and section totals are
rounded up to next highest 1000)




5,432,000 Bu.

Finley Farmers Grain
& Elevator Co.
Section A





18		15		13		09	
20	19	22	16		10	08	11
23					06		
26			24	XX	05	04	
25	27			XX		ML	02

Driveway & Scale













Finley Farmers Grain
& Elevator Co.
Section B




Finley Farmers Grain
& Elevator Co.
Section C



21	22	23	24
20	19	18	17
13	14	15	16
12	XX	XX	11
09	XX	XX	10
08	07	06	05
01	02	03	04
Driveway & Scale			



Finley Farmers Elevator
Finley, ND
Section D
Half mile east of town on
Hwy 200





Hwy 200



160' wide and 550' long
Measured from the top
Bunker wall




Finley Farmers Elevator
Finley, ND
Section E
New Concrete Elevator

Current as of
12/04/17




← Office


Finley Farmers Grain & Elev
Cooperstown location
Section C-C and D-C



Section D hopper tanks




Section C #401
Flat quonset 201.3'L x 47.2'W
Bttm center of U-trough to
floor 20'



Finley Farmers Grain & Elev
Cooperstown location
Section C-C

Section C flat #401& Section
D on page 3



Section B located ¼ mile
South on south side of Hwy
#200



Finley Farmers Grain & Elev
Cooperstown location
Section B-C
Located south side of Hwy 200

▲
Wood house & Office
¼ mile North

