

Exam Date:08/22/2016

Central Valley Bean Cooperative  
 PO Box 162  
 Buxton , ND  
 County:  
 Phone: 701-847-2622  
 CCC Number:

Page: 1

Examiner: 2

Location/Container Numbers/Comments	Section	Capacity
-------------------------------------	---------	----------

**PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE**

<NO BINS ADDED>

**Total: 0**

**PART B - SPACE TO BE DELETED UNDER LICENSE**

<NO BINS DELETED>

**Total: 0**

**PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

A	86,000
B	816,000
D	676,000
E	127,000
F	278,000
FR	15,000
J	247,000
K	104,000
M	19,000
N	17,000
P	123,000
REH	20,000
REL	108,000
RES	8,000
REW	36,000
<b>Total: 2,680,000</b>	

**PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT**

Buxton 126	A B D E F J K REH REL RES REW	2,506,000
Devils Lake 1211	M	19,000
Fairdale 1215	FR	15,000
Lankin 1213	N	17,000
Pisek 1214	P	123,000
<b>Total:</b>		<b>2,680,000</b>

## NDPSC Bin Capacity Chart

Exam Date:08/22/2016

Central Valley Bean Cooperative  
PO Box 162  
Buxton, ND  
County:

Page: 1

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Buxton****Section: A**

A	001	Square	top of bin at side wall	0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	002	Square	top of bin at side wall	0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	003	Square	top of bin at side wall	0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	004	Square	top of bin at side wall	0.000	10.00	6.500	38.00	2.00	0.00	40.000	0.000	40.0	52.3	4.50	2,186
A	005	Square	top of bin at side wall	0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	006	Square	top of bin at side wall	0.000	10.00	10.00	38.00	2.00	0.00	40.000	0.000	40.0	80.4	5.50	3,393
A	007	Square	top of bin at side wall	0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50	2,434
A	008	Square	top of bin at side wall	0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50	2,434
A	009	Square	top of bin at side wall	0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50	2,434
A	010	Square	top of bin at side wall	0.000	10.00	10.00	25.00	3.70	0.00	28.700	0.000	28.7	80.4	5.50	2,434
A	111	Flat	bag storage	0.000	214.0	60.00	5.000	0.00	0.00	5.000	0.000	5.0	10321.5	10.0	56,769

Bin count: 11

Facility: Buxton Section: A Total: **85,656**To Even: **86,000****Section: B**

B	201	Peaked	eave at sidewall	33.000	0.000	0.000	47.70	0.00	0.00	47.700	2.000	49.7	687.5	9.50	37,415
B	202	Peaked	eave at sidewall	36.000	0.000	0.000	47.70	0.00	0.00	47.700	2.200	49.9	818.2	10.0	44,911
B	203	Peaked	eave at sidewall	36.000	0.000	0.000	47.70	0.00	0.00	47.700	2.200	49.9	818.2	10.0	44,911
B	204	Peaked	eave at sidewall	36.000	0.000	0.000	47.70	0.00	0.00	47.700	2.200	49.9	818.2	10.0	44,911
B	205	Peaked	eave at sidewall	53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0	108,513
B	206	Peaked	eave at sidewall	53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0	108,513
B	207	Peaked	eave at sidewall	53.300	0.000	0.000	51.30	0.00	0.00	51.300	3.700	55.0	1793.6	10.0	108,513

Exam Date:08/22/2016

Central Valley Bean Cooperative  
PO Box 162  
Buxton, ND  
County:

Page: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Buxton

### Section: B

B	208	Peaked	eave at sidewall		53.300	0.000	0.000	50.00	0.00	0.00	50.000	3.700	53.7	1793.6	10.0	105,948
B	209	Peaked	eave at sidewall		53.300	0.000	0.000	50.00	0.00	0.00	50.000	3.700	53.7	1793.6	10.0	105,948
B	210	Peaked	eave at sidewall		53.300	0.000	0.000	50.00	0.00	0.00	50.000	3.700	53.7	1793.6	10.0	105,948

Bin count: 10

Facility: Buxton Section: B Total: **815,531**To Even: **816,000**

### Section: D

D	001	Peaked	eave at sidewall		59.800	0.000	0.000	50.20	0.00	0.00	50.200	4.200	54.4	2257.7	10.0	135,101
D	002	Peaked	eave at sidewall		59.800	0.000	0.000	50.20	0.00	0.00	50.200	4.200	54.4	2257.7	10.0	135,101
D	003	Peaked	eave at sidewall		59.800	0.000	0.000	50.20	0.00	0.00	50.200	4.200	54.4	2257.7	10.0	135,101
D	004	Peaked	eave at sidewall		59.800	0.000	0.000	50.20	0.00	0.00	50.200	4.200	54.4	2257.7	10.0	135,101
D	005	Peaked	eave at sidewall		59.800	0.000	0.000	50.20	0.00	0.00	50.200	4.200	54.4	2257.7	10.0	135,101

Bin count: 5

Facility: Buxton Section: D Total: **675,505**To Even: **676,000**

### Section: E

E	501	Flat			0.000	120.0	60.00	18.00	0.00	0.00	18.000	0.000	18.0	5787.8	10.0	114,598
E	502	Peaked	top of sidewall new navy		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
E	503	Peaked	top of sidewall new navy		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
E	504	Peaked	top of sidewall new navy		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

## NDPSC Bin Capacity Chart

Exam Date:08/22/2016

Central Valley Bean Cooperative

Page: 3

Examiner: 2

PO Box 162

Buxton, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg). Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
<b>Bin count:</b>		<b>4</b>													<b>Facility: Buxton Section: E Total:</b>	<b>126,397</b>
														<b>To Even:</b>	<b>127,000</b>	

**Section: F**

F	601	R-no	Quonset	sidewall brace to floor	10.3	0.000	120.0	60.00	12.00	0.00	0.00	12.000	0.000	12.0	5629.5	10.0	74,309
F	602	R-sou	Quonset	sidewall brace to floor	10.3	0.000	120.0	60.00	12.00	0.00	0.00	12.000	0.000	12.0	5629.5	10.0	74,309
F	604		Flat	kuster west warehouse		0.000	95.00	46.00	12.00	0.00	0.00	12.000	0.000	12.0	3512.9	10.0	46,371
F	609-1		Flat	Reynolds Galegher North		0.000	94.50	33.00	10.00	0.00	0.00	10.000	0.000	10.0	2506.8	10.0	27,575
F	609-2		Flat	Reynolds Galegher north		0.000	94.50	33.00	10.00	0.00	0.00	10.000	0.000	10.0	2506.8	10.0	27,575
F	609-3		Flat	Reynolds Galegher north		0.000	94.50	33.00	10.00	0.00	0.00	10.000	0.000	10.0	2506.8	10.0	27,575
<b>Bin count:</b>		<b>6</b>													<b>Facility: Buxton Section: F Total:</b>	<b>277,714</b>	
														<b>To Even:</b>	<b>278,000</b>		

**Section: J**

J	005		Flat	Moen potato wrhse		0.000	115.0	19.00	11.00	0.00	0.00	11.000	0.000	11.0	1756.4	10.0	21,252
J	006		Flat	Moen potato wrhse		0.000	115.0	19.00	11.00	0.00	0.00	11.000	0.000	11.0	1756.4	10.0	21,252
J	007		Flat	Moen potato wrhse		0.000	115.0	19.00	11.00	0.00	0.00	11.000	0.000	11.0	1756.4	10.0	21,252
J	008		Flat	Moen potato wrhse		0.000	115.0	19.00	11.00	0.00	0.00	11.000	0.000	11.0	1756.4	10.0	21,252
J	802		Quonset	Lazur quonset-west		0.000	148.0	58.00	14.00	0.00	0.00	14.000	0.000	14.0	6622.0	10.0	101,979
J	803		Quonset	Lazur quonset-east foam		0.000	141.0	41.00	12.40	0.00	0.00	12.400	0.000	12.4	4345.6	10.0	59,275
<b>Bin count:</b>		<b>6</b>													<b>Facility: Buxton Section: J Total:</b>	<b>246,262</b>	
														<b>To Even:</b>	<b>247,000</b>		

Client ID: 257

## NDPSC Bin Capacity Chart

11/18/2016 04:50:39 PM

Exam Date:08/22/2016

Central Valley Bean Cooperative  
PO Box 162  
Buxton, ND  
County:

Page: 4

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg). Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Buxton****Section: K**

K	903	Quonset	clem moger east	0.000	118.7	48.50	10.50	0.00	0.00	10.500	0.000	10.5	4478.8	10.0	51,730
K	904	Quonset	clem moger west	0.000	118.7	48.50	10.50	0.00	0.00	10.500	0.000	10.5	4478.8	10.0	51,730
<b>Bin count:</b>		<b>2</b>													
													<b>Facility: Buxton Section: K Total:</b>	<b>103,460</b>	
													<b>To Even:</b>	<b>104,000</b>	

**Section: REH**

REH	005	Peaked	Hatton receiving-4 hoppers	16.000	35.27	35.27	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787
REH	006	Peaked	Hatton receiving-4 hoppers	16.000	35.27	35.27	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787
REH	007	Peaked	Hatton receiving-4 hoppers	16.000	35.27	35.27	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787
REH	008	Peaked	Hatton receiving-4 hoppers	16.000	35.27	35.27	25.00	2.00	0.00	27.000	1.000	28.0	161.6	5.80	4,787
<b>Bin count:</b>		<b>4</b>													
													<b>Facility: Buxton Section: REH Total:</b>	<b>19,148</b>	
													<b>To Even:</b>	<b>20,000</b>	

**Section: REL**

REL	005	Peaked	Alliance Vly Lrmre- top of	30.000	0.000	0.000	22.30	0.00	0.00	22.300	1.800	24.1	568.2	9.00	14,926
REL	B-001	Peaked	Alliance Vly Lrmre- top of	24.000	0.000	0.000	24.00	3.70	0.00	27.700	1.400	29.1	363.7	7.80	11,410
REL	B-002	Peaked	Alliance Vly Lrmre- top of	24.000	0.000	0.000	24.00	3.70	0.00	27.700	1.400	29.1	363.7	7.80	11,410
REL	B-014	Peaked	Alliance Vly Lrmre- top of	48.000	0.000	0.000	40.30	0.00	0.00	40.300	3.400	43.7	1454.6	10.0	69,923
<b>Bin count:</b>		<b>4</b>													
													<b>Facility: Buxton Section: REL Total:</b>	<b>107,669</b>	
													<b>To Even:</b>	<b>108,000</b>	

Client ID: 257

## NDPSC Bin Capacity Chart

11/18/2016 04:50:39 PM

Exam Date:08/22/2016

Central Valley Bean Cooperative

Page: 5

Examiner: 2

PO Box 162

Buxton, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Facility: Buxton****Section: RES**

RES	102	Peaked	Alliance Villy Shrn- top of	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
RES	103	Peaked	Alliance Villy Shrn- top of	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

Bin count: 2

Facility: Buxton Section: RES Total: **7,866**To Even: **8,000****Section: REW**

REW	105	Flat	Washburn receiving flat	0.000	40.00	100.0	9.900	0.00	0.00	9.900	0.000	9.9	3215.4	10.0	35,015
-----	-----	------	-------------------------	-------	-------	-------	-------	------	------	-------	-------	-----	--------	------	--------

Bin count: 1

Facility: Buxton Section: REW Total: **35,015**To Even: **36,000**

Client ID: 257

### NDPSC Bin Capacity Chart

11/18/2016 04:50:39 PM

Exam Date:08/22/2016

Central Valley Bean Cooperative  
PO Box 162  
Buxton , ND  
County:

Page: 6

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Devils Lake

### Section: M

M	103		Irregular	Devils Lake Receiving-4	1000.0	35.27	35.27	16.40	0.00	0.00	16.400	0.000	16.4	1000.0	10.0	18,040
---	-----	--	-----------	-------------------------	--------	-------	-------	-------	------	------	--------	-------	------	--------	------	--------

Bin count: 1

Facility: Devils Lake Section: M Total: 18,040

To Even: 19,000

Client ID: 257

## NDPSC Bin Capacity Chart

11/18/2016 04:50:39 PM

Exam Date:08/22/2016

Central Valley Bean Cooperative  
PO Box 162  
Buxton , ND  
County:

Page: 7

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Fairdale

### Section: FR

FR	208	Peaked	Fairdale hopper- top of	16.000	0.000	0.000	26.00	2.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958
FR	209	Peaked	Fairdale hopper- top of	16.000	0.000	0.000	26.00	2.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958
FR	210	Peaked	Fairdale hopper- top of	16.000	0.000	0.000	26.00	2.00	0.00	28.000	1.000	29.0	161.6	5.80	4,958

**Bin count: 3**

**Facility: Fairdale Section: FR Total: 14,874**

**To Even: 15,000**

Client ID: 257

### NDPSC Bin Capacity Chart

11/18/2016 04:50:39 PM

Exam Date:08/22/2016

Central Valley Bean Cooperative  
PO Box 162  
Buxton , ND  
County:

Page: 8

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg). Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Lankin

### Section: N

N	100		Irregular	Lankin receiving-4 tanks	1000.0	35.27	35.27	14.60	0.00	0.00	14.600	0.000	14.6	1000.0	10.0	16,060
<b>Bin count:</b>		<b>1</b>											<b>Facility: Lankin Section: N Total:</b>	<b>16,060</b>		
														<b>To Even:</b>	<b>17,000</b>	

Client ID: 257

## NDPSC Bin Capacity Chart

11/18/2016 04:50:39 PM

Exam Date: 08/22/2016

Central Valley Bean Cooperative  
PO Box 162  
Buxton, ND  
County:

Page: 9

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Pisek

### Section: P

P	100	Irregular	pisek receiving tanks-4	1500.0	43.20	43.20	11.00	0.00	0.00	11.000	0.000	11.0	1500.0	10.0	18,150
P	101	Quonset	Pisek quonset	0.000	199.0	60.30	10.00	0.00	0.00	10.000	0.000	10.0	9466.1	10.0	104,127

Bin count: 2

**Facility: Pisek Section: P Total: 122,277**

To Even: **123,000**

**Overall Licensed Bin Capacity for:**

**Central Valley Bean Cooperative**

Bin count: 62

**Licensed Capacity:**  
(includes pack)

**2,671,474 Bu.**

**Licensed Capacity (to even):**  
(includes pack and section totals are  
rounded up to next highest 1000)

**2,680,000 Bu.**