

Exam Date:05/18/2017

Page: 1

Examiner: 1

County:  
Phone:  
CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
<NO BINS ADDED>		
		Total: 0

## PART B - SPACE TO BE DELETED UNDER LICENSE

101	Z	10,267
002	Z	24,031
003	Z	24,031
005	Z	24,031
105	Z	9,290
106	Z	9,290
010	Z	32,920
		Total: 133,860

## PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	336,000
B	120,000
Bb	258,000
C	429,000
S	127,000
W	87,000
	Total: 1,357,000

## PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Hamilton 1326	B	120,000
Petersburg 1278	A Bb C	1,023,000
Sharon 1281	S	127,000
Webster 1301	W	87,000
		Total: 1,357,000

Exam Date:05/18/2017

American Bean LLC  
P.O. Box 82  
Petersburg , ND  
County:

Page: 1

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Hamilton

### Section: B

B	001	Peaked	top of sidewall		23.900	0.000	0.000	16.00	0.00	0.00	16.000	1.400	17.4	360.6	7.80	6,763
B	002	Peaked	top of sidewall		23.900	0.000	0.000	16.00	0.00	0.00	16.000	1.400	17.4	360.6	7.80	6,763
B	003	Peaked	top of sidewall		23.900	0.000	0.000	16.00	0.00	0.00	16.000	1.400	17.4	360.6	7.80	6,763
B	004	Peaked	top of sidewall		23.900	0.000	0.000	16.00	0.00	0.00	16.000	1.400	17.4	360.6	7.80	6,763
B	005	Peaked	top of sidewall		23.900	0.000	0.000	17.50	0.00	0.00	17.500	1.400	18.9	360.6	7.80	7,347
B	006	Peaked	top of sidewall		23.900	0.000	0.000	17.50	0.00	0.00	17.500	1.400	18.9	360.6	7.80	7,347
B	007	Peaked	top of sidewall		23.900	0.000	0.000	17.50	0.00	0.00	17.500	1.400	18.9	360.6	7.80	7,347
B	008	Peaked	top of sidewall		23.900	0.000	0.000	16.00	0.00	0.00	16.000	1.400	17.4	360.6	7.80	6,763
B	009	Peaked	top of sidewall		23.900	0.000	0.000	16.00	0.00	0.00	16.000	1.400	17.4	360.6	7.80	6,763
B	010	Peaked	top of sidewall		23.900	0.000	0.000	16.00	0.00	0.00	16.000	1.400	17.4	360.6	7.80	6,763
B	011	Peaked	top of sidewall		23.900	0.000	0.000	16.00	0.00	0.00	16.000	1.400	17.4	360.6	7.80	6,763
B	012	Peaked	top of sidewall		23.900	0.000	0.000	16.00	0.00	0.00	16.000	1.400	17.4	360.6	7.80	6,763
B	013	Peaked	top of sidewall		23.900	0.000	0.000	14.75	0.00	0.00	14.750	1.400	16.2	360.6	7.80	6,298
B	014	Peaked	top of sidewall		23.900	0.000	0.000	16.00	0.00	0.00	16.000	1.400	17.4	360.6	7.80	6,763
B	016	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	017	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	018	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	019	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	020	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
B	021	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933

Client ID: 4106

### NDPSC Bin Capacity Chart

08/17/2018 10:34:09 AM

Exam Date:05/18/2017

American Bean LLC  
P.O. Box 82  
Petersburg , ND  
County:

Page: 2

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)   Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack	
		<b>Bin count:</b>	<b>20</b>												<b>Facility: Hamilton Section: B Total:</b>	<b>119,567</b>
													<b>To Even:</b>	<b>120,000</b>		

Exam Date:05/18/2017

American Bean LLC  
P.O. Box 82  
Petersburg , ND  
County:

Page: 3

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Petersburg

### Section: A

A	001	Square	work floor		0.000	6.900	6.500	53.50	0.00	0.00	53.500	0.000	53.5	36.1	3.00	1,989
A	002	Square	work floor		0.000	6.900	6.400	53.50	0.00	0.00	53.500	0.000	53.5	35.5	3.00	1,956
A	003	Square	work floor		0.000	6.900	4.000	53.50	0.00	0.00	53.500	0.000	53.5	22.2	2.00	1,212
A	004 T	Square	work floor		0.000	6.900	4.100	8.000	0.00	0.00	8.000	0.000	8.0	22.7	2.00	186
A	004 B	Square	work floor - top 8'		0.000	10.90	4.100	43.50	0.00	0.00	43.500	0.000	43.5	35.9	3.00	1,609
A	005	Square	work floor		0.000	6.900	6.600	53.50	0.00	0.00	53.500	0.000	53.5	36.6	3.00	2,017
A	006	Square	work floor		0.000	6.900	6.700	53.50	0.00	0.00	53.500	0.000	53.5	37.2	3.00	2,050
A	007 T	Square	work floor		0.000	13.10	3.600	53.00	0.00	0.00	53.000	0.000	53.0	37.9	3.00	2,069
A	007 B	Square	work floor - top 53'		0.000	12.70	10.70	21.80	0.00	0.00	21.800	0.000	21.8	109.2	6.20	2,529
A	008 T	Square	scale well floor		0.000	4.100	3.700	12.50	0.00	0.00	12.500	0.000	12.5	12.2	2.00	156
A	008 B	Square	scale well floor - top 12.5'		0.000	10.30	3.700	35.50	0.00	0.00	35.500	0.000	35.5	30.6	2.50	1,113
A	009 T	Square	work floor		0.000	13.10	3.600	53.00	0.00	0.00	53.000	0.000	53.0	37.9	3.00	2,069
A	009 B	Square	work floor - top 53'		0.000	12.70	10.70	21.80	0.00	0.00	21.800	0.000	21.8	109.2	6.20	2,529
A	010	Square	work floor		0.000	6.800	6.500	53.00	0.00	0.00	53.000	0.000	53.0	35.5	3.00	1,938
A	011	Square	work floor		0.000	6.800	6.400	56.00	0.00	0.00	56.000	0.000	56.0	35.0	3.00	2,019
A	012	Square	scale well floor		0.000	7.200	6.800	47.50	0.00	0.00	47.500	0.000	47.5	39.4	3.00	1,928
A	013	Square	scale well floor		0.000	7.200	6.800	47.50	0.00	0.00	47.500	0.000	47.5	39.4	3.00	1,928
A	014	Square	work floor		0.000	6.800	6.600	56.00	0.00	0.00	56.000	0.000	56.0	36.1	3.00	2,083
A	015	Square	work floor		0.000	6.800	6.700	56.00	0.00	0.00	56.000	0.000	56.0	36.6	3.00	2,112
A	016	Square	work floor		0.000	7.200	6.500	53.00	0.00	0.00	53.000	0.000	53.0	37.6	3.00	2,053
A	017	Square	work floor		0.000	7.200	6.400	56.00	0.00	0.00	56.000	0.000	56.0	37.0	3.00	2,134

Exam Date:05/18/2017

American Bean LLC  
P.O. Box 82  
Petersburg , ND  
County:

Page: 4

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Petersburg

### Section: A

A	018	Square	work floor		0.000	7.200	7.200	56.00	0.00	0.00	56.000	0.000	56.0	41.7	3.50	2,417
A	019	Square	work floor		0.000	7.200	7.200	56.00	0.00	0.00	56.000	0.000	56.0	41.7	3.50	2,417
A	020	Square	work floor		0.000	7.200	6.600	56.00	0.00	0.00	56.000	0.000	56.0	38.2	3.00	2,203
A	021	Square	work floor		0.000	7.200	6.700	56.00	0.00	0.00	56.000	0.000	56.0	38.8	3.00	2,238
A	022	Square	work floor		0.000	10.50	7.000	25.50	0.00	0.00	25.500	0.000	25.5	59.1	4.80	1,579
A	023 T	Square	work floor		0.000	10.90	2.100	25.50	0.00	0.00	25.500	0.000	25.5	18.4	2.00	478
A	023 B	Square	work floor		0.000	12.70	10.60	49.30	0.00	0.00	49.300	0.000	49.3	108.2	6.20	5,665
A	024 T	Square	work floor		0.000	13.00	2.000	54.00	0.00	0.00	54.000	0.000	54.0	20.9	2.00	1,152
A	024 B	Square	work floor - top 54'		0.000	12.70	10.60	20.80	0.00	0.00	20.800	0.000	20.8	108.2	6.20	2,391
A	025	Square	work floor		0.000	10.50	3.600	24.00	0.00	0.00	24.000	0.000	24.0	30.4	2.50	748
A	026	Square	work floor		0.000	7.200	3.800	55.50	0.00	0.00	55.500	0.000	55.5	22.0	2.00	1,245
A	027	Square	work floor		0.000	7.200	3.800	55.50	0.00	0.00	55.500	0.000	55.5	22.0	2.00	1,245
A	028	Square	work floor		0.000	9.300	6.600	52.50	0.00	0.00	52.500	0.000	52.5	49.3	4.20	2,697
A	029	Square	work floor		0.000	9.300	6.700	52.50	0.00	0.00	52.500	0.000	52.5	50.1	4.50	2,748
A	031	Square	work floor		0.000	12.00	11.00	44.00	0.00	0.00	44.000	0.000	44.0	106.1	6.20	4,957
A	032 T	Square	work floor		0.000	12.00	2.600	44.00	0.00	0.00	44.000	0.000	44.0	25.1	2.50	1,132
A	032 B	Square	work floor - top 44'		0.000	13.90	12.00	28.00	0.00	0.00	28.000	0.000	28.0	134.1	6.50	3,999
A	033 T	Square	work floor		0.000	14.20	12.00	61.70	0.00	0.00	61.700	0.000	61.7	137.0	6.50	9,002
A	033 B	Square	work floor - top 61.7'		0.000	11.90	9.100	11.50	0.00	0.00	11.500	0.000	11.5	87.0	5.80	1,059
A	034 T	Square	work floor		0.000	14.90	12.00	61.70	0.00	0.00	61.700	0.000	61.7	143.7	6.80	9,469
A	034 B	Square	work floor - top 61.7'		0.000	11.90	9.100	11.50	0.00	0.00	11.500	0.000	11.5	87.0	5.80	1,059

Exam Date:05/18/2017

American Bean LLC  
P.O. Box 82  
Petersburg , ND  
County:

Page: 5

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Petersburg

### Section: A

A	035	Square	work floor		0.000	14.10	12.00	72.00	0.00	0.00	72.000	0.000	72.0	136.0	6.50	10,428
A	036	Square	work floor		0.000	12.60	11.00	44.00	0.00	0.00	44.000	0.000	44.0	111.4	6.20	5,206
A	037 T	Square	work floor		0.000	12.60	2.600	44.00	0.00	0.00	44.000	0.000	44.0	26.3	2.50	1,186
A	037 B	Square	work floor - top 44'		0.000	13.90	12.60	28.00	0.00	0.00	28.000	0.000	28.0	140.8	6.80	4,210
A	038 T	Square	work floor		0.000	14.20	12.60	61.70	0.00	0.00	61.700	0.000	61.7	143.8	6.80	9,475
A	038 B	Square	work floor - top 61.7'		0.000	12.40	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.7	5.80	1,103
A	039 T	Square	work floor		0.000	14.90	12.60	61.70	0.00	0.00	61.700	0.000	61.7	150.9	6.80	9,944
A	039 B	Square	work floor - top 61.7'		0.000	12.40	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.7	5.80	1,103
A	040	Square	work floor		0.000	14.10	12.60	72.00	0.00	0.00	72.000	0.000	72.0	142.8	6.80	10,981
A	041	Square	work floor		0.000	12.50	11.00	44.00	0.00	0.00	44.000	0.000	44.0	110.5	6.20	5,163
A	042 T	Square	work floor		0.000	12.50	2.600	44.00	0.00	0.00	44.000	0.000	44.0	26.1	2.50	1,177
A	042 B	Square	work floor -top 44'		0.000	13.90	12.50	28.00	0.00	0.00	28.000	0.000	28.0	139.7	6.80	4,178
A	043 T	Square	work floor		0.000	14.20	12.50	61.70	0.00	0.00	61.700	0.000	61.7	142.7	6.80	9,404
A	043 B	Square	work floor - top 61.7'		0.000	12.30	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.0	5.80	1,095
A	044 T	Square	work floor		0.000	14.90	12.50	61.70	0.00	0.00	61.700	0.000	61.7	149.7	6.80	9,864
A	044 B	Square	work floor - top 61.7'		0.000	12.30	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.0	5.80	1,095
A	045	Square	work floor		0.000	14.10	12.50	72.00	0.00	0.00	72.000	0.000	72.0	141.7	6.80	10,896
A	046	Square	work floor		0.000	12.50	11.00	44.00	0.00	0.00	44.000	0.000	44.0	110.5	6.20	5,163
A	047 T	Square	work floor		0.000	12.50	2.600	44.00	0.00	0.00	44.000	0.000	44.0	26.1	2.50	1,177
A	047 B	Square	work floor - top 44'		0.000	13.90	12.50	28.00	0.00	0.00	28.000	0.000	28.0	139.7	6.80	4,178
A	048 T	Square	work floor		0.000	14.20	12.50	61.70	0.00	0.00	61.700	0.000	61.7	142.7	6.80	9,404

Exam Date:05/18/2017

American Bean LLC  
P.O. Box 82  
Petersburg , ND  
County:

Page: 6

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Petersburg

### Section: A

A	048 B	Square	work floor - top 61.7'	0.000	12.30	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.0	5.80	1,095
A	049 T	Square	work floor	0.000	14.90	12.50	61.70	0.00	0.00	61.700	0.000	61.7	149.7	6.80	9,864
A	049 B	Square	work floor - top 61.7	0.000	12.30	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.0	5.80	1,095
A	050	Square	work floor	0.000	14.10	12.50	72.00	0.00	0.00	72.000	0.000	72.0	141.7	6.80	10,896
A	051	Square	work floor	0.000	12.50	11.00	44.00	0.00	0.00	44.000	0.000	44.0	110.5	6.20	5,163
A	052 T	Square	work floor	0.000	12.50	2.600	44.00	0.00	0.00	44.000	0.000	44.0	26.1	2.50	1,177
A	052 B	Square	work floor - top 44'	0.000	13.90	12.50	28.00	0.00	0.00	28.000	0.000	28.0	139.7	6.80	4,178
A	053 T	Square	work floor	0.000	14.20	12.50	61.70	0.00	0.00	61.700	0.000	61.7	142.7	6.80	9,404
A	053 B	Square	work floor - top 61.7'	0.000	12.40	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.7	5.80	1,103
A	054 T	Square	work floor	0.000	14.90	12.50	61.70	0.00	0.00	61.700	0.000	61.7	149.7	6.80	9,864
A	054 B	Square	work floor - top 61.7'	0.000	12.40	9.100	11.50	0.00	0.00	11.500	0.000	11.5	90.7	5.80	1,103
A	055	Square	work floor	0.000	14.10	12.50	72.00	0.00	0.00	72.000	0.000	72.0	141.7	6.80	10,896
A	056	Square	work floor	0.000	12.30	11.00	44.00	0.00	0.00	44.000	0.000	44.0	108.8	6.20	5,084
A	057 T	Square	work floor	0.000	12.30	2.600	44.00	0.00	0.00	44.000	0.000	44.0	25.7	2.50	1,159
A	057 B	Square	work floor - top 44'	0.000	13.90	12.30	27.00	0.00	0.00	27.000	0.000	27.0	137.4	6.50	3,951
A	058 T	Square	work floor	0.000	14.20	12.30	61.70	0.00	0.00	61.700	0.000	61.7	140.4	6.80	9,252
A	058 B	Square	work floor - top 61.7'	0.000	12.00	9.100	10.00	0.00	0.00	10.000	0.000	10.0	87.8	5.80	929
A	059 T	Square	work floor	0.000	14.90	12.30	61.70	0.00	0.00	61.700	0.000	61.7	147.3	6.80	9,706
A	059 B	Square	work floor - top 61.7'	0.000	12.00	9.100	10.00	0.00	0.00	10.000	0.000	10.0	87.8	5.80	929
A	060	Square	work floor	0.000	14.10	12.30	71.00	0.00	0.00	71.000	0.000	71.0	139.4	6.80	10,570
A	101	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078

Exam Date:05/18/2017

American Bean LLC  
P.O. Box 82  
Petersburg , ND  
County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Petersburg

### Section: A

A	102	Peaked	top of sidewall		16.000	0.000	0.000	15.00	2.00	0.00	17.000	1.000	18.0	161.6	5.80	3,078
A	103	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
A	104	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
Bin count:		87														
															<b>Facility: Petersburg Section: A Total:</b>	<b>335,449</b>
															<b>To Even:</b>	<b>336,000</b>

### Section: Bb

Bb	100	Flat	bag storage area		0.000	50.00	50.00	4.000	0.00	0.00	4.000	0.000	4.0	2009.6	10.0	8,842
Bb	201	Peaked	top of sidewall		54.000	0.000	0.000	57.50	0.00	0.00	57.500	3.800	61.3	1841.0	10.0	124,138
Bb	202	Peaked	top of sidewall		54.000	0.000	0.000	57.50	0.00	0.00	57.500	3.800	61.3	1841.0	10.0	124,138
Bin count:		3														
															<b>Facility: Petersburg Section: Bb Total:</b>	<b>257,118</b>
															<b>To Even:</b>	<b>258,000</b>

### Section: C

C	101	Quonset	quonset south of plant		0.000	298.0	48.00	9.000	0.00	0.00	9.000	0.000	9.0	11222.8	10.0	111,107
C	201	Quonset	NEW BIN GET ACTUAL		0.000	300.0	150.0	8.000	0.00	0.00	8.000	0.000	8.0	36104.6	10.0	317,722
Bin count:		2														
															<b>Facility: Petersburg Section: C Total:</b>	<b>428,829</b>
															<b>To Even:</b>	<b>429,000</b>

Client ID: 4106

### NDPSC Bin Capacity Chart

08/17/2018 10:34:09 AM

Exam Date:05/18/2017

American Bean LLC  
 P.O. Box 82  
 Petersburg , ND  
 County:

Page: 8

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Sharon

### Section: S

S	001	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
S	002	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
S	003	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.00	0.00	22.000	1.000	23.0	161.6	5.80	3,933
S	004	Peaked	top of sidewall	48.000	0.000	0.000	31.80	0.00	0.00	31.800	3.400	35.2	1454.6	10.0	56,322
S	005	Peaked	top of sidewall	48.000	0.000	0.000	33.00	0.00	0.00	33.000	3.400	36.4	1454.6	10.0	58,242

Bin count: 5

Facility: Sharon Section: S Total: 126,363

To Even: 127,000

Exam Date:05/18/2017

American Bean LLC  
 P.O. Box 82  
 Petersburg , ND  
 County:

Page: 9

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Webster

### Section: W

W	001	Peaked	top of sidewall		47.800	0.000	0.000	24.50	0.00	0.00	24.500	2.900	27.4	1442.5	10.0	43,478
W	009	Peaked	top of sidewall		47.800	0.000	0.000	24.50	0.00	0.00	24.500	2.900	27.4	1442.5	10.0	43,478

Bin count: 2

**Facility: Webster Section: W Total: 86,956**

**To Even: 87,000**

**Overall Licensed Bin Capacity for:**

American Bean LLC

Bin count: 119






**Licensed Capacity:**  
(includes pack)

**1,354,282 Bu.**

**Licensed Capacity (to even):**  
(includes pack and section totals are rounded up to next highest 1000)

**1,357,000 Bu.**


AMERICAN BEAN LLC  
Corp# 4106 Hamilton ND  
Section B Hamilton  
Hamilton Receiving site  
located 7miles east of  
Glaston 1 mile north ½ mile  
east



Flat 100- 58.7' W x 139.2' L  
Grain Wall HT 7.5'  
Bottom Center drag to floor 18.75'  
Rafters and main sidewall beam 20' on center



BNSF Rail

Section A



Wood annex on page 2


Section A



BNSF Rail

Wood Annex Section A


031	036	041	046	051	056
032	037	042	047	052	057
033	038	043	048	053	058
034	039	044	049	054	059
035	040	045	050	055	060



← To adjacent main house


Driveway & Dump

AMERICAN BEAN LLC  
Corp# 4106 Petersburg ND  
Section C quonset  
Located south across street  
from office Section A



Section C #101 quonset  
South of Elevator

Basic dimensions  
298'L x 48' W  
Sidewall-overhead brace  
channels top of to floor  
1<sup>st</sup> N&S 10.75'  
2<sup>nd</sup> N&S 16.5'  
Bottom center u-trough to  
floor = 17.5'  
U-trough side wall space on  
center = 2.25'




AMERICAN BEAN LLC  
Corp# 4106 Petersburg ND

Section C Quonset #201

Located 4 blocks west and 3  
blocks south of office  
Added 10/12/17 ph


150' Wide  
300' Long  
8' Tall Bunker walls



AMERICAN BEAN LLC  
Corp# 4106 Petersburg ND  
Sharon location  
Section S – located 1 mile  
east of Sharon North side of  
highway

Added 05 10/12/17 ph

SECTION S





AMERICAN BEAN LLC  
Corp# 4106 Petersburg ND  
Section W Webster  
Receiving Station located at  
Hefty Seed Agronomy Center  
north side Webster

North  
West

Webster Village



Hopper tanks  
16'Dia x 25' sidewall  
6' hopper



Steel tanks  
47.8'Dia x 24.5' sidewall  
(25.75' minus 1.25' aeration)

AMERICAN BEAN LLC  
Corp# 4106  
Section Z Cummings  
Cummings Receiving site  
Located at Cummings Ag

002  
24,031bu

003  
24,031bu

005  
24,031bu

010  
32,920bu

101  
10,267bu

105  
9,290bu