

Exam Date: 10/31/2018

Edinburg Farmers Elevator Company

Page: 1

Examiner: Konrad

PO Box 26

Edinburg, ND

County:

Phone: 701-993-8421

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
503west	D	44,656
		<b>Total: 44,656</b>
<b>PART B - SPACE TO BE DELETED UNDER LICENSE</b>		
601jim	E	33,497
		<b>Total: 33,497</b>
<b>PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE</b>		
	A	208,000
	B	186,000
	C	11,000
	D	134,000
		<b>Total: 539,000</b>
<b>PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT</b>		
Edinburg	8	A B C D
		<b>539,000</b>
		<b>Total: 539,000</b>

Exam Date: 10/31/2018

Edinburg Farmers Elevator Company  
PO Box 26  
Edinburg, ND  
County:

Page: 1

Examiner: Konrad

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Edinburg

### Section: A

A	001	Square	floor over bins		0.000	11.00	3.400	50.00	0.00	0.00	50.000	0.000	50.0	30.1	2.50	1,543
A	003	Square	floor over bins		0.000	6.500	5.500	50.00	0.00	0.00	50.000	0.000	50.0	28.7	2.50	1,471
A	004	Square	floor over bins		0.000	11.00	3.400	50.00	0.00	0.00	50.000	0.000	50.0	30.1	2.50	1,543
A	005	Square	floor over bins		0.000	6.500	5.500	50.00	0.00	0.00	50.000	0.000	50.0	28.7	2.50	1,471
A	006	Square	floor over bins		0.000	6.500	5.500	50.00	0.00	0.00	50.000	0.000	50.0	28.7	2.50	1,471
A	007 T	Square	floor over bins		0.000	10.00	5.500	49.00	0.00	0.00	49.000	0.000	49.0	44.2	3.50	2,242
A	007 B	Square	bin floor - top 49'		0.000	13.00	10.50	16.00	0.00	0.00	16.000	0.000	16.0	109.7	6.20	1,864
A	008	Square	floor over bins		0.000	6.500	5.500	50.00	0.00	0.00	50.000	0.000	50.0	28.7	2.50	1,471
A	009	Square	floor over bins		0.000	11.00	6.500	49.00	0.00	0.00	49.000	0.000	49.0	57.5	4.80	2,953
A	010 T	Square	floor over bins		0.000	13.00	5.500	49.00	0.00	0.00	49.000	0.000	49.0	57.5	4.80	2,953
A	010 B	Square	bin floor - top 49'		0.000	13.00	10.50	16.00	0.00	0.00	16.000	0.000	16.0	109.7	6.20	1,864
A	011	Irregular	bin floor - 6.5 x 4.5 less 3.6		19.900	0.000	0.000	50.00	0.00	0.00	50.000	0.000	50.0	19.9	2.00	1,015
A	012	Square	floor over bins		0.000	11.00	6.500	50.00	0.00	0.00	50.000	0.000	50.0	57.5	4.80	3,013
A	013	Square	floor over bins		0.000	6.500	6.000	50.00	0.00	0.00	50.000	0.000	50.0	31.4	2.50	1,609
A	014	Square	floor over bins		0.000	11.00	6.500	49.00	0.00	0.00	49.000	0.000	49.0	57.5	4.80	2,953
A	015	Square	floor over bins		0.000	11.00	6.500	49.00	0.00	0.00	49.000	0.000	49.0	57.5	4.80	2,953
A	016	Square	floor over bins		0.000	11.00	6.500	45.00	0.00	0.00	45.000	0.000	45.0	57.5	4.80	2,712
A	018 T	Square	floor over bins		0.000	11.00	6.500	49.00	0.00	0.00	49.000	0.000	49.0	57.5	4.80	2,953
A	018 B	Square	bin floor - top 49'		0.000	13.00	10.50	16.00	0.00	0.00	16.000	0.000	16.0	109.7	6.20	1,864
A	019 T	Square	floor over bins		0.000	11.00	6.500	49.00	0.00	0.00	49.000	0.000	49.0	57.5	4.80	2,953
A	019 B	Square	bin floor - top 49'		0.000	13.00	10.50	16.00	0.00	0.00	16.000	0.000	16.0	109.7	6.20	1,864

Exam Date:10/31/2018

Edinburg Farmers Elevator Company

Page: 2

Examiner: Konrad

PO Box 26  
Edinburg , ND  
County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Edinburg

### Section: A

A	020	Square	floor over bins		0.000	11.00	6.500	49.00	0.00	0.00	49.000	0.000	49.0	57.5	4.80	2,953
A	021	Square	floor over bins		0.000	11.00	6.500	49.00	0.00	0.00	49.000	0.000	49.0	57.5	4.80	2,953
A	022 T	Irregular	bin floor - 11 x 6.5 less 13		44.500	0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	44.5	3.50	553
A	022 B	Square	bin floor - top 12'		0.000	11.00	6.500	38.00	0.00	0.00	38.000	0.000	38.0	57.5	4.80	2,290
A	023 T	Irregular	bin floor 11x6.5 less 16.9		40.600	0.000	0.000	12.00	0.00	0.00	12.000	0.000	12.0	40.6	3.00	502
A	023B	Square	bin floor - top 12'		0.000	11.00	6.500	38.00	0.00	0.00	38.000	0.000	38.0	57.5	4.80	2,290
A	024	Square	floor over bins		0.000	5.500	3.000	45.00	0.00	0.00	45.000	0.000	45.0	13.3	2.00	611
A	101 T	Square	floor over bins		0.000	12.50	10.60	56.50	0.00	0.00	56.500	0.000	56.5	106.5	6.20	6,390
A	101 B	Square	bin floor - top 56.5'		0.000	13.70	12.10	5.000	0.00	0.00	5.000	0.000	5.0	133.3	6.50	710
A	102	Square	bin floor		0.000	12.50	11.00	54.50	0.00	0.00	54.500	0.000	54.5	110.5	6.20	6,395
A	103 T	Square	floor over bins		0.000	12.50	10.60	56.50	0.00	0.00	56.500	0.000	56.5	106.5	6.20	6,390
A	103 B	Square	bin floor - top 56.5'		0.000	13.70	12.10	5.000	0.00	0.00	5.000	0.000	5.0	133.3	6.50	710
A	104 T	Square	floor over bins		0.000	11.40	10.60	56.50	0.00	0.00	56.500	0.000	56.5	97.1	6.00	5,815
A	104 B	Square	bin floor - top 56.5'		0.000	13.70	11.40	5.000	0.00	0.00	5.000	0.000	5.0	125.5	6.50	669
A	105	Square	floor over bins		0.000	11.40	11.00	54.50	0.00	0.00	54.500	0.000	54.5	100.8	6.00	5,824
A	106 T	Square	floor over bins		0.000	11.60	10.60	56.50	0.00	0.00	56.500	0.000	56.5	98.8	6.00	5,917
A	106 B	Square	bin floor - top 56.5'		0.000	13.70	11.40	5.000	0.00	0.00	5.000	0.000	5.0	125.5	6.50	669
A	107 T	Square	floor over bins		0.000	11.60	10.60	56.50	0.00	0.00	56.500	0.000	56.5	98.8	6.00	5,917
A	107 B	Square	bin floor - top 56.5'		0.000	13.70	11.40	5.000	0.00	0.00	5.000	0.000	5.0	125.5	6.50	669
A	108	Square	floor over bins		0.000	11.60	11.00	54.50	0.00	0.00	54.500	0.000	54.5	102.6	6.00	5,928
A	109 T	Square	floor over bins		0.000	11.60	10.60	56.50	0.00	0.00	56.500	0.000	56.5	98.8	6.00	5,917

Exam Date:10/31/2018

Edinburg Farmers Elevator Company  
PO Box 26  
Edinburg , ND  
County:

Page: 3

Examiner: Konrad

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Edinburg

### Section: A

A	109 B	Square	bin floor - top 56.5'	0.000	13.70	11.40	5.000	0.00	0.00	5.000	0.000	5.0	125.5	6.50	669
A	110 T	Square	floor over bins	0.000	12.50	10.60	56.50	0.00	0.00	56.500	0.000	56.5	106.5	6.20	6,390
A	110 B	Square	bin floor - top 56.5'	0.000	13.70	12.10	5.000	0.00	0.00	5.000	0.000	5.0	133.3	6.50	710
A	111	Square	floor over bins	0.000	12.50	11.00	54.50	0.00	0.00	54.500	0.000	54.5	110.5	6.20	6,395
A	112 T	Square	floor over bins	0.000	12.50	5.400	49.00	0.00	0.00	49.000	0.000	49.0	54.3	4.50	2,781
A	112 M	Square	bin floor - top 49'	0.000	12.10	10.40	7.500	0.00	0.00	7.500	0.000	7.5	101.2	6.00	805
A	112B	Square	bin floor - top & mddle 56.5'	0.000	13.70	12.10	5.000	0.00	0.00	5.000	0.000	5.0	133.3	6.50	710
A	113	Square	floor over bins	0.000	6.200	5.200	48.00	0.00	0.00	48.000	0.000	48.0	25.9	2.50	1,274
A	114	Square	floor over bins	0.000	6.000	5.200	48.00	0.00	0.00	48.000	0.000	48.0	25.1	2.50	1,235
A	201 T	Square	floor over bins	0.000	10.50	10.40	55.00	0.00	0.00	55.000	0.000	55.0	87.8	5.80	5,109
A	201 B	Square	bin floor - top 55'	0.000	13.60	10.20	6.000	0.00	0.00	6.000	0.000	6.0	111.5	6.20	710
A	202	Square	floor over bins	0.000	11.00	10.40	54.50	0.00	0.00	54.500	0.000	54.5	92.0	5.80	5,305
A	203 T	Square	floor over bins	0.000	10.50	10.40	55.00	0.00	0.00	55.000	0.000	55.0	87.8	5.80	5,109
A	203 B	Square	bin floor - top 55'	0.000	13.60	10.20	6.000	0.00	0.00	6.000	0.000	6.0	111.5	6.20	710
A	204 T	Square	floor over bins	0.000	11.60	10.50	55.00	0.00	0.00	55.000	0.000	55.0	97.9	6.00	5,708
A	204 B	Square	bin floor - top 55'	0.000	13.60	11.40	6.000	0.00	0.00	6.000	0.000	6.0	124.6	6.50	797
A	205	Square	floor over bins	0.000	11.60	11.00	54.50	0.00	0.00	54.500	0.000	54.5	102.6	6.00	5,928
A	206 T	Square	floor over bins	0.000	11.60	10.50	55.00	0.00	0.00	55.000	0.000	55.0	97.9	6.00	5,708
A	206 B	Square	bin floor - top 55'	0.000	13.60	11.40	6.000	0.00	0.00	6.000	0.000	6.0	124.6	6.50	797
A	207 T	Square	floor over bins	0.000	11.70	10.50	55.00	0.00	0.00	55.000	0.000	55.0	98.8	6.00	5,760
A	207 B	Square	bin floor - top 55'	0.000	13.60	11.50	6.000	0.00	0.00	6.000	0.000	6.0	125.7	6.50	803

Exam Date:10/31/2018

Edinburg Farmers Elevator Company  
 PO Box 26  
 Edinburg , ND  
 County:

Page: 4

Examiner: Konrad

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Edinburg

### Section: A

A	208	Square	floor over bins		0.000	11.70	11.00	54.50	0.00	0.00	54.500	0.000	54.5	103.5	6.00	5,979
A	209 T	Square	floor over bins		0.000	11.70	10.50	55.00	0.00	0.00	55.000	0.000	55.0	98.8	6.00	5,760
A	209 B	Square	bin floor - top 55'		0.000	13.60	11.50	6.000	0.00	0.00	6.000	0.000	6.0	125.7	6.50	803
A	210 T	Square	floor over bins		0.000	11.40	10.50	55.00	0.00	0.00	55.000	0.000	55.0	96.2	6.00	5,608
A	210 B	Irregular	bin floor - top 55' =		104.60	0.000	0.000	5.000	0.00	0.00	5.000	0.000	5.0	104.6	6.00	554
A	211	Irregular	bin floor 11.4x11 less 21.7		79.100	0.000	0.000	54.50	0.00	0.00	54.500	0.000	54.5	79.1	5.50	4,548
A	212 T	Square	floor over bins		0.000	11.40	10.50	55.00	0.00	0.00	55.000	0.000	55.0	96.2	6.00	5,608
A	212 B	Square	bin floor - top 55'		0.000	13.60	11.10	6.000	0.00	0.00	6.000	0.000	6.0	121.4	6.50	775

Bin count: 71

**Facility: Edinburg Section: A Total: 207,855**

To Even: 208,000

### Section: B

B	301	Peaked	eave at sidewall		27.100	0.000	0.000	40.00	0.00	0.00	40.000	1.600	41.6	463.7	8.50	20,930
B	302	Peaked	eave at sidewall		27.100	0.000	0.000	40.00	0.00	0.00	40.000	1.600	41.6	463.7	8.50	20,930
B	303	Peaked	eave at sidewall		59.900	0.000	0.000	50.60	0.00	0.00	50.600	4.200	54.8	2265.3	10.0	136,552
B	304	Peaked	eave at sidewall		15.000	0.000	0.000	33.30	2.20	0.00	35.500	0.900	36.4	142.1	5.50	5,456
B	305	Peaked	eave at sidewall tank west		15.800	0.000	0.000	7.500	2.00	0.00	9.500	0.900	10.4	157.6	5.80	1,734

Bin count: 5

**Facility: Edinburg Section: B Total: 185,602**

To Even: 186,000

Client ID: 604

### NDPSC Bin Capacity Chart

10/31/2018 01:52:59 PM

Exam Date:10/31/2018

Edinburg Farmers Elevator Company  
PO Box 26  
Edinburg , ND  
County:

Page: 5

Examiner: Konrad

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Edinburg

### Section: C

C	401	Peaked	eave at sidewall		15.000	0.000	0.000	21.00	2.20	0.00	23.200	0.900	24.1	142.1	5.50	3,613
C	402	Peaked	eave at sidewall		15.000	0.000	0.000	21.00	2.20	0.00	23.200	0.900	24.1	142.1	5.50	3,613
C	403	Peaked	eave at sidewall		15.000	0.000	0.000	21.00	2.20	0.00	23.200	0.900	24.1	142.1	5.50	3,613

Bin count: 3

Facility: Edinburg Section: C Total: 10,839

To Even: 11,000

### Section: D

D	501east	Quonset	15.25' top of screen on side		0.000	99.00	40.00	14.00	0.00	0.00	14.000	0.000	14.0	2899.7	10.0	44,656
D	502 mddle	Quonset	15.25' top of screen on side		0.000	99.00	40.00	14.00	0.00	0.00	14.000	0.000	14.0	2899.7	10.0	44,656
Added	D 503west	Quonset	15.25' top of screen on side		0.000	99.00	40.00	14.00	0.00	0.00	14.000	0.000	14.0	2899.7	10.0	44,656

Bin count: 3

Facility: Edinburg Section: D Total: 133,968

To Even: 134,000

**Overall Licensed Bin Capacity for:**

Edinburg Farmers Elevator Company

Bin count: 82

**Licensed Capacity:**  
(includes pack)


538,264 Bu.

**Licensed Capacity (to even):**  
(includes pack and section totals are  
rounded up to next highest 1000)


539,000 Bu.

Edinburg Farmers Elevator  
 Company Corp# 604  
 Edinburg ND  
 Section A

Section A Main elevator



Section A East annex




Driveway & scale  
Office


Section C



Section B



Section A west annex




Section D- .75 m S consists of  
3 quonsets #501-02-03

Section E  
1.5 blocks East jim's  
quonset #601

Across street

Edinburg Farmers Elevator  
Company Corp# 604  
Edinburg ND  
Section D  
3 quonsets #501-2-3




Basics  
Inside 99.0'L x 40'W  
Grain wall ht. door area 8.0'  
Sidewall liner and north end  
top of screen 15.25'  
Bttm center overhead rafter  
to floor 20.0'  
Brace rod brackets top of to  
floor sidewall 6.0' – back wall  
8.0'

Section D consists of 3 strand  
quonsets located  $\frac{3}{4}$  mile  
south on hwy 32 – west side  
of road



Edinburg Farmers Elevator  
Company Corp# 604  
Edinburg ND  
Section E #601



Basics  
Inside 99.3'L x 40.0'W  
Sidewall bolt row to floor 6.0'  
Top of vertical sidewall brace  
to floor 9.75'  
Overhead horizontal brace  
off center on each side top of  
to floor 15.0'  
Bttm overhead center u-  
trough to floor 19.0'

Section E Jim's quonset is  
east of 2 located 2 blocks  
east of main elevator south  
side of street

