

Exam Date: 05/31/2018

Flasher Farmers Union Grain & Oil

Page: 1

Examiner: 1, 2

PO Box 357

Flasher, ND

County:

Phone: 701-597-3338

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
<NO BINS ADDED>		
	Total:	0

PART B - SPACE TO BE DELETED UNDER LICENSE

101 T	A	6,591
101B	A	706
102 T	A	6,591
102B	A	706
103 T	A	6,651
103B	A	713
104 T	A	6,651
104B	A	713
105 T	A	6,651
105B	A	713
106 T	A	6,651
106B	A	713
107 T	A	6,591
107B	A	706
108 T	A	6,591
108B	A	706
	Total:	58,644

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	187,000	
B	20,000	
D	24,000	
	Total:	231,000

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Flasher 1063	A B D	231,000
	Total:	231,000

Exam Date:05/31/2018

Flasher Farmers Union Grain & Oil

Page: 1

Examiner: 1, 2

PO Box 357

Flasher, ND

County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Flasher

Section: A

A	002	Square	Zero Point is the work floor	0.000	4.000	2.900	38.00	0.00	0.00	38.000	0.000	38.0	9.3	2.00	360
A	003	Square	Zero Point is the work floor	0.000	11.20	9.500	38.00	0.00	0.00	38.000	0.000	38.0	85.5	5.80	3,437
A	006	Square	Zero Point is the work floor	0.000	11.20	9.500	53.00	0.00	0.00	53.000	0.000	53.0	85.5	5.80	4,795
A	007	Square	Zero Point is the work floor	0.000	11.20	10.20	52.00	0.00	0.00	52.000	0.000	52.0	91.8	5.80	5,051
A	008 T	Irregular	work floor 9.5x6.4 less	29.100	0.000	0.000	9.000	0.00	0.00	9.000	0.000	9.0	29.1	2.50	269
A	008B	Square	work floor -top 9'	0.000	9.500	6.400	28.00	0.00	0.00	28.000	0.000	28.0	48.9	4.20	1,426
A	009	Square	Zero Point is the work floor	0.000	10.20	6.400	38.00	0.00	0.00	38.000	0.000	38.0	52.5	4.50	2,085
A	010	Square	Zero Point is the work floor	0.000	11.20	10.20	38.00	0.00	0.00	38.000	0.000	38.0	91.8	5.80	3,690
A	011	Square	Zero Point is the work floor	0.000	9.500	6.200	37.00	0.00	0.00	37.000	0.000	37.0	47.3	4.00	1,820
A	012	Square	Zero Point is the work floor	0.000	10.20	6.200	53.00	0.00	0.00	53.000	0.000	53.0	50.8	4.50	2,813
A	013	Square	Zero Point is the work floor	0.000	11.20	9.500	53.00	0.00	0.00	53.000	0.000	53.0	85.5	5.80	4,795
A	015	Square	Zero Point is the work floor	0.000	11.20	9.500	53.00	0.00	0.00	53.000	0.000	53.0	85.5	5.80	4,795
A	016	Square	Zero Point is the work floor	0.000	9.500	6.200	38.00	0.00	0.00	38.000	0.000	38.0	47.3	4.00	1,869
A	201	Square	Zero Point is the work floor	0.000	14.20	11.50	50.00	0.00	0.00	50.000	0.000	50.0	131.3	6.50	6,992
A	202 T	Square	Zero Point is the work floor	0.000	13.50	11.50	44.50	0.00	0.00	44.500	0.000	44.5	124.8	6.50	5,915
A	202B	Square	work floor -top 44.5'	0.000	11.50	9.100	7.000	0.00	0.00	7.000	0.000	7.0	84.1	5.80	623
A	203	Square	Zero Point is the work floor	0.000	14.20	11.60	50.00	0.00	0.00	50.000	0.000	50.0	132.4	6.50	7,050
A	204 T	Square	Zero Point is the work floor	0.000	13.50	11.60	44.50	0.00	0.00	44.500	0.000	44.5	125.9	6.50	5,967
A	204B	Square	work floor - top 44.5'	0.000	11.60	9.100	7.000	0.00	0.00	7.000	0.000	7.0	84.9	5.80	628
A	205	Square	Zero Point is the work floor	0.000	14.20	11.60	50.00	0.00	0.00	50.000	0.000	50.0	132.4	6.50	7,050
A	206 T	Square	Zero Point is the work floor	0.000	13.50	11.60	44.50	0.00	0.00	44.500	0.000	44.5	125.9	6.50	5,967

Exam Date:05/31/2018

Flasher Farmers Union Grain & Oil
 PO Box 357
 Flasher , ND
 County:

Examiner: 1, 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Flasher

Section: A

A	206B	Square	work floor - top 44.5'	0.000	11.60	9.100	7.000	0.00	0.00	7.000	0.000	7.0	84.9	5.80	628
A	207	Square	Zero Point is the work floor	0.000	14.20	11.70	50.00	0.00	0.00	50.000	0.000	50.0	133.6	6.50	7,114
A	208 T	Square	Zero Point is the work floor	0.000	13.50	11.70	44.50	0.00	0.00	44.500	0.000	44.5	127.0	6.50	6,019
A	208B	Square	work floor -top 44.5'	0.000	11.70	9.100	7.000	0.00	0.00	7.000	0.000	7.0	85.6	5.80	634
A	209	Square	Zero Point is the work floor	0.000	14.20	11.40	50.00	0.00	0.00	50.000	0.000	50.0	130.1	6.50	6,928
A	210 T	Square	Zero Point is the work floor	0.000	11.40	11.10	9.000	0.00	0.00	9.000	0.000	9.0	101.7	6.00	970
A	210 M	Square	work floor -top 9'	0.000	13.50	11.40	35.50	0.00	0.00	35.500	0.000	35.5	123.7	6.50	4,676
A	210B	Square	work floor -top& mddle 44.5'	0.000	11.40	9.100	7.000	0.00	0.00	7.000	0.000	7.0	83.4	5.80	618
A	301	Flat	top of sidewall `14'	0.000	142.0	50.00	13.00	0.00	0.00	13.000	0.000	13.0	5707.4	10.0	81,616

Bin count: 30

Facility: Flasher Section: A Total: 186,600

To Even: 187,000

Section: B

B	101	Peaked	top of sidewall `14'	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983
B	102	Peaked	top of sidewall `14'	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983
B	103	Peaked	top of sidewall `14'	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983
B	104	Peaked	top of sidewall `14'	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983
B	105	Peaked	top of sidewall `14'	16.000	0.000	0.000	20.00	2.30	0.00	22.300	1.000	23.3	161.6	5.80	3,983

Bin count: 5

Facility: Flasher Section: B Total: 19,915

To Even: 20,000

Exam Date:05/31/2018

Flasher Farmers Union Grain & Oil
PO Box 357
Flasher, ND
County:

Page: 3

Examiner: 1, 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Flasher

Section: D

D	101	Peaked	top of sidewall -- 7' hpr	15.500	0.000	0.000	15.00	2.30	0.00	17.300	0.900	18.2	151.7	5.50	2,913
D	102	Peaked	top of sidewall -- 7' hpr	15.500	0.000	0.000	15.00	2.30	0.00	17.300	0.900	18.2	151.7	5.50	2,913
D	103	Peaked	top of sidewall -- 7' hpr	15.500	0.000	0.000	15.00	2.30	0.00	17.300	0.900	18.2	151.7	5.50	2,913
D	104	Peaked	top of sidewall -- 7' hpr	15.500	0.000	0.000	15.00	2.30	0.00	17.300	0.900	18.2	151.7	5.50	2,913
D	105	Peaked	top of sidewall -- 7' hpr	15.500	0.000	0.000	15.00	2.30	0.00	17.300	0.900	18.2	151.7	5.50	2,913
D	106	Peaked	top of sidewall -- 7' hpr	15.500	0.000	0.000	15.00	2.30	0.00	17.300	0.900	18.2	151.7	5.50	2,913
D	107	Peaked	top of sidewall -- 7' hpr	15.500	0.000	0.000	15.00	2.30	0.00	17.300	0.900	18.2	151.7	5.50	2,913
D	108	Peaked	top of sidewall -- 7' hpr	15.500	0.000	0.000	15.00	2.30	0.00	17.300	0.900	18.2	151.7	5.50	2,913

Bin count: 8


Facility: Flasher Section: D Total: 23,304To Even: 24,000**Overall Licensed Bin Capacity for:**

Flasher Farmers Union Grain & Oil

Bin count: 43


Licensed Capacity:
(includes pack)229,819 Bu.**Licensed Capacity (to even):**
(includes pack and section totals are
rounded up to next highest 1000)231,000 Bu.

Flasher Farmers Union Elevator
Section B








M
A
I
N

S
T
R
E
E
T



Section A

Flasher Farmers Union Elevator
Section A & D
Flasher, ND
#2460
4/24/18 PH



N
W + E
S