



330 2nd Avenue South, Suite 820  
Minneapolis, MN 55401, United States

612 746 4028  
info.US@res-group.com  
www.res-group.com

August 19, 2016

Mr. Darrell Nitschke  
Executive Director  
North Dakota Public Service Commission  
600 E. Boulevard Avenue, Dept. 408  
Bismarck, ND 58505-0480

Submitted via email to [ndpsc@nd.gov](mailto:ndpsc@nd.gov)

Re: Glacier Ridge Wind Farm Application for Certificate of Site Compatibility, Case No. PU-16-539

Dear Mr. Nitschke:

Attached are the following:

- Architectural Resources Survey Report Management Summary
- Wetlands Survey Report

Please note that we have also included a corrected copy of the Stage 1 Initial Site Assessment of Eagle Use/Risk. Please replace the eagle assessment on the PSC website with this one.

We request that these items be added to the case docket. A hard copy of each item will be sent to your office as well. Below is an updated table of reports and other submittals submitted after the permit application was submitted.

Report/Submittal	Date Submitted to PSC
NTIA Response	July 28, 2016
Habitat Mapping	August 2, 2016
NOAA Communications	August 2, 2016
Grouse Lek Survey	Not applicable; habitat not consistent for use. See avian summary report (below) for further detail.
Whooping Crane Assessment	Not applicable; outside migration corridor. See avian summary report (below) for further detail.
Fatal Flaw Analysis (February 2009)	August 12, 2016
Final layout Site Plan (also indicates participation status of residences)	August 12, 2016
Avian Summary Report	August 12, 2016
Stage 1 Initial Site Assessment of Eagle Use/Risk	August 12, 2016; corrected August 19, 2016
Bat Acoustic Survey Report	August 12, 2016
Additional Agency Correspondence	August 12 and 16, 2016
Receptor Distance to Nearest Turbine Table	August 16, 2016
Revised Sound Assessment	August 16, 2016
Revised Shadow Flicker Report	August 16, 2016
Archeology Report Management Summary	August 16, 2016
Architectural Resources Survey Report Management Summary	August 19, 2016
Wetlands Survey Report	August 19, 2016



Please do not hesitate to contact me with any questions at 512-213-8501 or [anne-marie.griger@res-group.com](mailto:anne-marie.griger@res-group.com).

Sincerely,

A handwritten signature in black ink that reads 'Anne Marie Griger'.

Anne-Marie Griger  
Permitting Specialist