



Kennedy Scales, Inc.

WEIGHING SYSTEMS SPECIALISTS

11485 Xeon St. NW, Coon Rapids, MN 55448 • 763.784.1022 main • 763.784.1206 fax • www.kennedyscales.com

Date: 8/31/17	PSC Device Code: 3VS	No. of Sections: 5	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business: Pro Seed			<input type="checkbox"/> New Installation (w/ RFI Check)	<input type="checkbox"/> Performed Calibration
Mailing Address: 302 Gridley Ave			<input type="checkbox"/> Modified Equipment	<input type="checkbox"/> Use as a Reference Scale
City: Amelia	State: ND	Zip Code: 58004	<input type="checkbox"/> Replaced Existing Equipment	<input type="checkbox"/> Non-Commercial
County: Cass	Telephone Number: (701) 347 4660		<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Legible Capacity Label
Device Contact/Manager: Eric Vein	Cell Number: (701) 219 4866		<input type="checkbox"/> Pit Coping and Crush Strip Good	<input checked="" type="checkbox"/> Operator Has Full View
Email Address: eric.proseed@gmail.com			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> Customer Has Clear View
Device Location: Above address, north of BWS			<input checked="" type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Variance Permit Posted	<input type="checkbox"/> Video Camera Working
			Expiration Date: 8/31/17	<input type="checkbox"/> Two-Way Audio Working
			<input type="checkbox"/> Built-In Standards; Date Certified: _____	
			<input checked="" type="checkbox"/> Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24	
			<input checked="" type="checkbox"/> In Response to PSC Quality Assurance Inspection	

Scale Information			
Scale Manufacturer: Mettler Toledo	Indicator Manufacturer/Model: MFT IND-246 PDX	Indicator Serial No.: 15617	Weighing Elements: (10) MFT GPD PDX Powercells
Capacity/Divisions/Units: 120,000 x 20 lbs	Class: III L	Printer Manufacturer/Model: EPSON TM 245	Printer Serial No.: 39KF150301
Deck Size: 80'x11'	Clearance (inches): 14" min 18" max	Approach - 12' Concrete Level: (9'5"-12')	Hard Surface Approach (Length/Slope/Condition):
SR or Discrimination Test: N/A	Zero Load = N/A lb.	Loaded = N/A lb.	Motion Detection Range = +/- 60 lb.
		AZSM (Auto Zero) Range = +/- 60 lb.	

LBP / Section / Product Wt.	Value of Test Weights	Errors +/- As Found	Errors +/- As Left	LBP / Section / Product Wt.	Value of Test Weights	Errors +/- As Found	Errors +/- As Left
Normal	12,000 lb	0	0	Sec 1	21,000	0	0
2		0	0	2		0	0
3		0	0	3		0	0
4		0	0	4		0	0
5		0	0	5		0	0
6		0	0				
7		0	0	B/C	0	0	0
8		0	0				
9		0	0				
10		0	0				
B/C	0	0	0				

Strain Load Test				Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary. Scale was scheduled to be tested for variance in July of 2017, but was not tested until today.
Section (Increasing or Decreasing)	Sec 1 (inc)	Sec 3 (inc)	Sec 5 (inc)	
Full Truck Weight	59920	59940	59940	
Test Weight	21000	21000	21000	
Empty Truck Weight	38920	38940	38940	
Errors	0	0	0	
<input checked="" type="checkbox"/> Physical Seal Seal Date: KSI/2017	<input checked="" type="checkbox"/> Electronic Audit Trail Audit Trail Information:			
Meets tolerances prescribed in NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance				
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied				
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of State laws and rules, including NIST Handbook 44, for use of the device in commerce.				
Permit Holder Signature: Jim Seifert		Permit No.: 1295		