






HWY 8


I-29
















West
 South + North
 East






West
South + North
East



Mill



Stone Mill
Richardton, ND
West North
License #4542



Exam Date: 11/15/2017

Stone Mill LLC
PO Box 253
Richardton, ND
County:

Page: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Richardton

Section: A

A	001	Peaked			10.000	0.000	0.000	20.00	1.80	0.00	21.800	0.600	22.4	63.1	4.80	1,481
A	002	Peaked			9.500	0.000	0.000	20.00	1.70	0.00	21.700	0.600	22.3	57.0	4.80	1,332
A	003	Peaked	2.5 top & 4.5 bot. hoppers		9.500	0.000	0.000	20.00	1.70	0.00	21.700	0.600	22.3	57.0	4.80	1,332
A	004	Peaked	2.5 top & 3' bot. hoppers		8.000	0.000	0.000	24.50	1.30	0.00	25.800	0.500	26.3	40.4	4.50	1,111
A	005	Peaked	2.5 top & 3' bot. hoppers		8.000	0.000	0.000	24.50	1.30	0.00	25.800	0.500	26.3	40.4	4.50	1,111
A	006	Peaked	2.5' top & 3' bot hoppers		8.000	0.000	0.000	24.50	1.30	0.00	25.800	0.500	26.3	40.4	4.50	1,111
A	007	Peaked	2.5' top & 3' bit hoppers		8.000	0.000	0.000	24.50	1.30	0.00	25.800	0.500	26.3	40.4	4.50	1,111
A	008	Peaked			8.500	0.000	0.000	20.00	1.50	0.00	21.500	0.500	22.0	45.6	4.80	1,051
A	009	Peaked			11.000	0.000	0.000	15.00	1.65	0.00	16.650	0.700	17.4	76.4	5.00	1,395
A	010	Peaked			11.000	0.000	0.000	15.00	1.65	0.00	16.650	0.700	17.4	76.4	5.00	1,395
A	011	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	5.000	2.90	0.00	7.900	0.900	8.8	142.1	5.50	1,319
A	012	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	5.000	2.90	0.00	7.900	0.900	8.8	142.1	5.50	1,319
A	013	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	5.000	2.90	0.00	7.900	0.900	8.8	142.1	5.50	1,319
A	014	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	5.000	2.90	0.00	7.900	0.900	8.8	142.1	5.50	1,319
A	015	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
A	016	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
A	017	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
A	018	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
A	019	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
A	020	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
A	021	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069

Exam Date: 11/15/2017

Stone Mill LLC
PO Box 253
Richardton, ND
County:

Page: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Richardton

Section: A

A	022	Peaked	5.5 top & 6' bot. hoppers		15.000	0.000	0.000	10.00	2.90	0.00	12.900	0.900	13.8	142.1	5.50	2,069
A	025	Peaked			11.000	0.000	0.000	15.00	1.65	0.00	16.650	0.700	17.4	76.4	5.00	1,395
A	026	Peaked			11.000	0.000	0.000	15.00	1.65	0.00	16.650	0.700	17.4	76.4	5.00	1,395
A	033	Peaked			16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
A	034	Peaked			16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
A	035	Peaked			16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
A	036	Peaked			16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
A	037	Peaked			16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
A	038	Peaked			16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
A	039	Peaked			12.350	0.000	0.000	15.00	2.10	0.00	17.100	0.700	17.8	96.3	5.00	1,800
A	040	Peaked			16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855
A	041	Peaked			16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855
A	042	Peaked			16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855
A	043	Peaked			16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855
A	044	Peaked			16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855
A	045	Peaked			16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855
A	046	Peaked			16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855
A	047	Peaked			16.000	0.000	0.000	15.00	2.35	0.00	17.350	1.000	18.4	161.6	5.80	3,145
A	048	Peaked			16.000	0.000	0.000	15.00	2.35	0.00	17.350	1.000	18.4	161.6	5.80	3,145
A	049	Peaked			16.000	0.000	0.000	15.00	2.35	0.00	17.350	1.000	18.4	161.6	5.80	3,145
A	050	Peaked			16.000	0.000	0.000	15.00	2.35	0.00	17.350	1.000	18.4	161.6	5.80	3,145

Exam Date:11/15/2017

Stone Mill LLC
PO Box 253
Richardton , ND
County:

Page: 3

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Richardton

Section: A

A	051	Peaked	16.000	0.000	0.000	15.00	2.35	0.00	17.350	1.000	18.4	161.6	5.80	3,145	
A	052	Peaked	16.000	0.000	0.000	15.00	2.35	0.00	17.350	1.000	18.4	161.6	5.80	3,145	
A	053	Peaked	16.000	0.000	0.000	15.00	2.35	0.00	17.350	1.000	18.4	161.6	5.80	3,145	
A	054	Peaked	16.000	0.000	0.000	15.00	2.35	0.00	17.350	1.000	18.4	161.6	5.80	3,145	
A	055	Peaked	16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855	
A	056	Peaked	16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855	
A	057	Peaked	16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855	
A	061	Peaked	16.000	0.000	0.000	25.00	2.35	0.00	27.350	1.000	28.4	161.6	5.80	4,855	
A	062	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000	
A	063	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000	
A	064	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000	
A	066	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000	
A	067	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000	
Added	A	068	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
A	070	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000	
A	071	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000	
A	072	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000	
A	073	Peaked	16.000	0.000	0.000	15.00	2.35	0.00	17.350	1.000	18.4	161.6	5.80	3,145	
A	074	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000	
A	075	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000	
A	076	Peaked	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000	

Exam Date:11/15/2017

Stone Mill LLC
PO Box 253
Richardton , ND
County:

Page: 4

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Richardton

Section: A

	A	077	Peaked		16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
Added	A	102	Peaked	5.5 top & 6' bot. hoppers	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
	A	C	Peaked	5.5 top & 6' bot. hoppers	16.000	0.000	0.000	14.00	2.50	0.00	16.500	1.000	17.5	161.6	5.80	2,992
	A	E	Peaked	5.5 top & 6' bot. hoppers	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
	A	W-1	Flat	Bagged Warehouse	1.300	125.2	60.20	1.000	0.00	0.00	1.000	1.300	2.3	6058.7	10.0	15,329
	A	W-2	Flat	Bagged Warehouse	0.700	123.0	59.50	0.100	0.00	0.00	0.100	0.700	0.8	5883.0	10.0	5,177

Bin count: 69

Facility: Richardton Section: A Total: **228,056**To Even: **229,000**

Section: B

	B	201	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
	B	202	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
	B	203	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
	B	204	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
	B	205	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
	B	206	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
	B	207	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	301	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	302	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	303	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	304	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000

Exam Date:11/15/2017

Stone Mill LLC
PO Box 253
Richardton , ND
County:

Page: 5

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Richardton

Section: B

Added	B	305	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	306	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	307	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	308	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	309	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	310	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	311	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	312	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	313	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	314	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	315	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	316	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	317	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	318	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	319	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	320	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	321	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	322	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	323	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	324	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	325	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000

Exam Date:11/15/2017

Stone Mill LLC
PO Box 253
Richardton , ND
County:

Page: 6

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Richardton

Section: B

Added	B	326	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	327	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	328	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	329	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	330	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	331	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	332	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	333	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	336	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	401	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	402	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	403	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	404	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	405	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	406	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	407	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	408	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	409	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	410	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	411	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	412	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855

Exam Date:11/15/2017

Stone Mill LLC
PO Box 253
Richardton , ND
County:

Page: 7

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Richardton

Section: B

Added	B	413	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	414	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	415	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	416	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	417	Peaked		16.000	0.000	0.000	25.00	2.40	0.00	27.400	1.000	28.4	161.6	5.80	4,855
Added	B	418	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	419	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	420	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	421	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	422	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	423	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	424	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	425	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	426	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	427	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	428	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	429	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	430	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	431	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	432	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000
Added	B	433	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000

Exam Date: 11/15/2017

Examiner: 2

Stone Mill LLC
 PO Box 253
 Richardton, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Richardton

Section: B

Added	B	434	Peaked		16.000	0.000	0.000	20.00	2.40	0.00	22.400	1.000	23.4	161.6	5.80	4,000	
Bin count:		75													Facility: Richardton Section: B Total:		314,535
															To Even:		315,000

<u>Overall Licensed Bin Capacity for:</u>		Licensed Capacity:	542,591 Bu.
Stone Mill LLC		(includes pack)	
Bin count: 144		Licensed Capacity (to even):	544,000 Bu.
		(includes pack and section totals are rounded up to next highest 1000)	